





# TABLE OF CONTENTS

Arabesque	43
Axis	47
Calistoga EE	95
Castille EE	98
Contessa	25
Convert	78
Corona	58
CounterMax MX-L120-DL	101
CounterMax MX-L120-EL	102
CounterMax MX-L120-LO	103
Cove	92
Fairmont	9
Flask	37
Fusion	29
Hi-Bay	71
Jewel	17
Knoxville	99
Knoxville EE	97
Lightray	79
Lightray LED	83
Logan	54
Manhattan	13
Mini Hi-Bay	61
Moda	89
Mosaic	91
Nebula	77
Oakville EE	93
Orbit	7
Pinnacle	23
Ritz	21
Saki	5
Starfire	1
StarStrand Drivers	109
StarStrand Glow 24	105
StarStrand LV Star	104
StarStrand Spec Star	107
Stefan	51
Sync	34
Weave	90
Wharf	100

For 45 years, Maxim Lighting has defined lifestyle lighting, offering a variety of high-quality, decorative fixtures for the home, including chandeliers, sconces, pendants, ceiling mounts, and bath vanities. Design inspiration from around the world characterizes our collections from the traditional to the unusual. Our exclusive products complement your distinct sense of style and add a touch of flair to every setting. Whether it's an elegant chandelier to complete your dining room or a set of beautiful pendants to enhance your kitchen, you're certain to discover just the right product at Maxim Lighting.



[facebook.com/maximlighting](https://facebook.com/maximlighting)



follow us @maximlighting

## LEGEND

**CA** California  
T24 Title 24

 ADA Compliant

 Installs on Slope Ceiling

 Installs Up or Down

 LED

 LED Dimmer

800.486.2946

maximlighting.com



# Starfire collection

**39747BCPC**


40-Light Chandelier

Polished Chrome

44"W x 62"H x 100"OAH

40 x 35W G9 Bulbs (Included)

120°



# Starfire collection

Spectacular display of Beveled Crystal beads of various sizes which are mounted on sculptures Polished Chrome metal formations which will sure to be the focal point of your room. The high power Xenon bulbs add sparkle to the crystal while producing a natural white light.



**(LED Option)**

**BUL03075**

G9 LED Bulb

2.7W

Color Temperature: 3000 K

Total Rated Lumens: 189

Life Rated: 25,000 Hours

CRI: 75

Dimmable


**39746BCPC**

18-Light Chandelier

Polished Chrome

32"W x 43.75"H x 83"OAH

18 x 40W G9 Bulbs (Included)



# Starfire collection



**(LED Option)**

**BUL03075**

G9 LED Bulb  
2.7W

Color Temperature: 3000 K

Total Rated Lumens: 189

Life Rated: 25,000 Hours

CRI: 75

Dimmable



**39745BCPC**

11-Light Chandelier

Polished Chrome

22"W x 34.5"H x 72"OAH

11 x 40W G9 Bulbs (Included)



# Starfire collection




## **39743BCPC**

3-Light Wall Sconce

Polished Chrome

17"W x 10"H x 10"Ext.

3 x 40W G9 Bulbs (Included)



## **39740BCPC**

8-Light Flush Mount

Polished Chrome

22"W x 16.5"H

8 x 40W G9 Bulbs (Included)

# Saki collection

Geometric frames of wood finished in Uddo create forms inspired by Japanese contemporary design. Light mysteriously appears from high powered LED modules which are cleverly concealed within the frame.



## 27527UD

1-Light Pendant

Uddo

23"W x 34"H x 165"OAH

1 x 15W LED (Included)





• 3000 K Color Temperature



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



# Saki collection



**27524UD**  
1-Light Pendant  
Uddo  
17"W x 24"H x 155"OAH  
1 x 10W LED (Included)




**27525UD**  
1-Light Pendant  
Uddo  
21"W x 18"H x 150"OAH  
1 x 10W LED (Included)



# Orbit collection

A spherical frame of metal surround a simple line chandelier draped in crystal for a transitional style that fits any interior design.

Orbit is available in 2 sizes and 2 finishes, Oil Rubbed Bronze with Cognac crystal and a combo finish of Anthracite and Polished Nickel with Clear crystal.



**25145 OI, ARPN**

9-Light Pendant

30"W x 33"H

9 x 60W CA Bulbs

Crystal Included

# Orbit collection



**25144 OI, ARPN**  
6-Light Pendant  
25"W x 28"H  
6 x 60W CA Bulbs  
*Crystal Included*



**25142 OI, ARPN**  
4-Light Pendant  
19"W x 21.5"H  
4 x 60W CA Bulbs  
*Crystal Included*



**25140 OI, ARPN**  
3-Light Pendant  
12"W x 14"H  
3 x 60W CA Bulbs  
*Crystal Included*



# Fairmont collection

Arched channels of metal finished in your choice of Natural Aged Brass or Polished Nickel, form this minimalistic approach to traditional lighting. Oatmeal fabric shades adorn the top of metal candle covers that give this collection a tailored look.



## **22379 OMNAB, WTPN**

2-Light Wall Sconce  
18"W x 13"H x 11"Ext.  
2 x 60W CA Bulbs



## **22376 OMNAB, WTPN**

6-Light Chandelier  
41"L x 22"W x 32"H  
6 x 40W CA Bulbs

# Fairmont collection



**22370 SWNAB, SWPN**  
2-Light Flush Mount  
13"W x 4"H  
2 x 60W MB Bulbs



**22371 SWNAB, SWPN**  
3-Light Flush Mount  
16"W x 5"H  
3 x 40W MB Bulbs



**22375 OMNAB, WTPN**  
6-Light Chandelier  
30"W x 32"H  
6 x 40W CA Bulbs

# Fairmont collection



**22372 NAB, PN**  
3-Light Pendant  
16"W x 25"H  
3 x 60W CA Bulbs



**22373 NAB, PN**  
5-Light Pendant  
22"W x 30"H  
5 x 60W CA Bulbs

# Manhattan collection

Contrasting array of Beveled Crystal create an elegant contemporary style that integrates seamlessly into today's interior design. The Polished Chrome frame provides a touch of shimmer without competing with the brilliance of the crystal



**(LED Option)**

**BUL03075**

G9 LED Bulb  
2.7W

Color Temperature: 3000 K  
Total Rated Lumens: 189  
Life Rated: 25,000 Hours  
CRI: 75  
Dimmable



**39785BCPC**

8-Light Chandelier  
Polished Chrome

39.75"L x 9.5"W x 4.75"H x 124.75"OAH  
8 x 40W G9 Bulbs (Included)



# Manhattan collection



**39782BCPC**  
1-Light Wall Sconce  
Polished Chrome  
6"W x 7"H x 3.5"Ext.  
1 x 40W G9 Bulb (Included)



**39783BCPC**  
2-Light Wall Sconce  
Polished Chrome  
8.25"W x 9"H x 3.5"Ext.  
2 x 40W G9 Bulbs (Included)

# Manhattan collection



**39780BCPC**  
4-Light Flush Mount  
Polished Chrome  
15.25"W x 5.5"H  
4 x 40W G9 Bulbs (Included)



**39781BCPC**  
8-Light Flush Mount  
Polished Chrome  
23.25"W x 5.5"H  
8 x 40W G9 Bulbs (Included)




**(LED Option)**  
**BUL03075**  
G9 LED Bulb  
2.7W  
Color Temperature: 3000 K  
Total Rated Lumens: 189  
Life Rated: 25,000 Hours  
CRI: 75  
Dimmable

# Manhattan collection



## **39787BCPC**

2-Light Bath Vanity  
Polished Chrome  
18"W x 4.5"H x 3.5"Ext.  
2 x 40W G9 Bulbs (Included)



## **39788BCPC**

4-Light Bath Vanity  
Polished Chrome  
23.25"W x 4.5"H x 3.5"Ext.  
4 x 40W G9 Bulbs (Included)



## **39789BCPC**

4-Light Bath Vanity  
Polished Chrome  
33"W x 4.5"H x 3.5"Ext.  
4 x 40W G9 Bulbs (Included)

# Jewel collection

This is not your grandmothers crystal!  
Crystal design is taken into another  
dimension with the Jewel collection  
formed of steel bent in a wavy pattern  
and finished in Polished Chrome.  
The large scale jewel Beveled Crystal  
pendants sparkles in the night like stars  
while the internal crystal beads delicately  
reflect the light from the xenon lamps  
included with each fixture.



# Jewel collection



## 39924BCPC

12-Light Pendant  
Polished Chrome  
18"W x 14" H x 135" OAH  
12 x 25W G9 Bulbs (Included)



**(LED Option)**

## BUL03075

G9 LED Bulb  
2.7W

Color Temperature: 3000 K  
Total Rated Lumens: 189  
Life Rated: 25,000 Hours  
CRI: 75  
Dimmable

**39926BCPC**  
19-Light Pendant  
Polished Chrome  
28"L x 11.5"W x 11"H x 132" OAH  
19 x 25W G9 Bulbs (Included)



# Jewel collection



## **39929BCPC**

24-Light Pendant  
Polished Chrome  
26"W x 17" H x 150" OAH  
24 x 25W G9 Bulbs (Included)



## **39925BCPC**

20-Light Pendant  
Polished Chrome  
22"W x 14" H x 135" OAH  
20 x 25W G9 Bulbs (Included)

# Jewel collection



## 39928BCPC

23-Light Flush Mount  
Polished Chrome  
36"L x 20"W x 13.5"H  
23 x 25W G9 Bulbs (Included)



## (LED Option)

### BUL03075

G9 LED Bulb  
2.7W

Color Temperature: 3000 K  
Total Rated Lumens: 189  
Life Rated: 25,000 Hours  
CRI: 75  
Dimmable



## 39923BCPC

22-Light Flush Mount  
Polished Chrome  
24"W x 15.5"H  
22 x 25W G9 Bulbs (Included)



## 39920BCPC

12-Light Flush Mount  
Polished Chrome  
17.75"W x 14"H  
12 x 25W G9 Bulbs (Included)

# Ritz collection

A collection of classic colonial design which features formed metal frames finished in a rich Natural Aged Brass. The Clear glass panels are framed in a contrast black which gives the designs dimension.



**22396CLNAB**  
5-Light Chandelier  
Natural Aged Brass  
31.5"W x 25"H  
5 x 60W CA Bulbs





**22392CLNAB**  
4-Light Semi-Flush Mount  
Natural Aged Brass  
22.5"W x 14.5"H  
4 x 60W CA Bulbs



**22395CLNAB**  
4-Light Chandelier  
Natural Aged Brass  
26"W x 22"H  
4 x 60W CA Bulbs



**22398CLNAB**  
4-Light Chandelier  
Natural Aged Brass  
21.75"W x 30"H  
4 x 60W CA Bulbs



**22393CLNAB**  
2-Light Wall Sconce  
Natural Aged Brass  
12"W x 16"H x 6.5"Ext.  
2 x 60W CA Bulbs

# Contessa collection

This transitional approach to a classic traditional style features rectangular tubing finished in our Natural Aged Brass. The Satin White cylindrical shades provide a soft diffused light while adding a contemporary flair to the design.



## **22419SWNAB**

12-Light Chandelier

35"W x 28"H

12 x 40W CA Bulbs



**22418SWNAB**  
9-Light Chandelier  
27"W x 24"H  
9 x 40W CA Bulbs

# Contessa collection



**22416SWNAB**  
6-Light Chandelier  
19"W x 23"H  
6 x 40W CA Bulbs

# Contessa collection



**22411SWNAB**  
1-Light Wall Sconce  
5"W x 10"H x 4"Ext.  
1 x 40W CA Bulb



**22413SWNAB**  
3-Light Bath Vanity  
20.75"W x 10"H x 4"Ext.  
3 x 40W CA Bulbs



**22414SWNAB**  
4-Light Bath Vanity  
28.75"W x 10"H x 4"Ext.  
4 x 40W CA Bulbs



**22415SWNAB**  
5-Light Bath Vanity  
36.75"W x 10"H x 4"Ext.  
5 x 40W CA Bulbs



• 3000 K Color Temperature




Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



# Fusion collection

The Fusion features a mixture of rustic metal frames finished in Anthracite and the high tech illumination of LED lighting which magically shine through cylinders of ultra thick Clear glass. This collection is fully dimmable and feature replaceable LEDs which are rated for 40,000 hours.



**32456CLAR**  
8-Light Chandelier  
Anthracite  
32"L x 20"W x 12.5"H x 57"OAH  
6 x 4.5W LED (Included)  
2 x 2.8W Downlight (Included)  
Two 6" stems and  
Six 12" stems included.  
Additional stems available:  
6" order - STR06206AR  
12" order - STR06212AR




# Fusion collection

• 3000 K Color Temperature



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended

LED 



## 32457CLAR

8-Light Chandelier  
Anthracite

43"W x 12.5"H x 57"OAH

6 x 4.5W LED (Included)

2 x 2.8W Downlight (Included)

Two 6" stems and Six 12" stems included.

Additional stems available:

6" order - STR06206AR

12" order - STR06212AR









# Fusion collection

LED 

## 92450CLAR

2-Light Mini Pendant  
 Anthracite  
 4"W x 14.5"H x 59"OAH  
 1 x 2.4W LED (Included)  
 1 x 2.4W Downlight (Included)  
 One 6" stem and  
 Three 12" stems included.  
 Additional stems available:  
 6" order - STR04506AR  
 12" order - STR04512AR



## 32455CLAR

5-Light Chandelier  
 Anthracite  
 16"W x 12.5"H x 57"OAH  
 4 x 4.5W LED (Included)  
 1 x 2.8W Downlight (Included)  
 One 6" stem and  
 Three 12" stems included.  
 Additional stems available:  
 6" order - STR04506AR  
 12" order - STR04512AR



# Fusion collection

• 3000 K Color Temperature



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



**32451CLAR**  
2-Light Wall Sconce  
Anthracite  
4.5"W x 8.5"H x 6"Ext.  
1 x 2.4W LED (Included)  
1 x 2.4W Downlight (Included)



**32453CLAR**  
6-Light Bath Vanity  
Anthracite  
18.75"W x 8.5"H x 6"Ext.  
3 x 2.4W LED (Included)  
3 x 2.4W Downlight (Included)



**32454CLAR**  
8-Light Bath Vanity  
Anthracite  
25.5"W x 8.5"H x 6"Ext.  
4 x 2.4W LED (Included)  
4 x 2.4W Downlight (Included)



LED 

# Sync collection

Rods of bubble glass are encased inside a Clear glass cylinder which are supported in a cast Polished Chrome frame. Dual LED modules bring the bubble glass to life while also providing ample illumination to the surface below.

• 3000 K Color Temperature



Dimmable using standard dimmer. Lutron CL dimmers are recommended

## 20907CLPC

12-Light Chandelier  
Polished Chrome  
27.25"W x 18"H x 63.5"OAH  
12 x 2.4W LED (Included)  
One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" order - STR06206PC  
12" order - STR06212PC



## 20909CLPC

16-Light Chandelier  
Polished Chrome  
32"W x 20.5"H x 66"OAH  
16 x 2.4W LED (Included)  
One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" order - STR06206PC  
12" order - STR06212PC



# Sync collection **LED**

• 3000 K Color Temperature



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



## **20908CLPC**

16-Light Chandelier  
Polished Chrome

35.25"L x 11.5"W x 7"H x 165"OAH

16 x 2.4W LED (Included)

Two 6" stems and

Six 12" stems included.

Additional stems available:

6" order - STR06206PC

12" order - STR06212PC





# Sync collection



**20901CLPC**  
2-Light Wall Sconce  
Polished Chrome  
5"W x 7.5"H x 5"Ext.  
2 x 2.4W LED (Included)



**20902CLPC**  
4-Light Bath Vanity  
Polished Chrome  
14"W x 7.5"H x 5"Ext.  
4 x 2.4W LED (Included)



**20903CLPC**  
6-Light Bath Vanity  
Polished Chrome  
21"W x 7.5"H x 5"Ext.  
6 x 2.4W LED (Included)



**20904CLPC**  
8-Light Bath Vanity  
Polished Chrome  
27"W x 7.5"H x 5"Ext.  
8 x 2.4W LED (Included)



**20906CLPC**  
12-Light Bath Vanity  
Polished Chrome  
40.5"W x 7.5"H x 5"Ext.  
12 x 2.4W LED (Included)





# Flask collection

- 3000 K Color Temperature



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



Heavy weight hand blown Clear glass shades are cradled on a geometric metal frame of Polished Chrome. The glass comes to life when illuminated by dimmable LEDs which are cleverly concealed in the frame.



## 33006CLPC

8-Light Chandelier

Polished Chrome

31"W x 15"H x 58"OAH

8 x 2.8W LED (Included)

1568 Lumens

*Two 6" stems and Six 12" stems included.*

*Additional stems available:*

*6" order - STR06206PC*

*12" order - STR06212PC*



# Flask collection

LED 

• 3000 K Color Temperature



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



## 33008CLPC

8-Light Chandelier

Polished Chrome

42"L x 24"W x 15"H x 58"OAH

8 x 2.8W LED (Included)

1568 Lumens

Two 6" stems and Six 12" stems included.

Additional stems available:

6" order - STR06206PC

12" order - STR06212PC







## 33013CLPC

3-Light Chandelier  
 24.5"L x 4.75"W x 7.5"H x 69"OAH  
 3 x 2.8W LED (Included)  
 588 Lumens



## 93000CLPC

1-Light Mini Pendant  
 Polished Chrome  
 4.5"W x 7"H x 51"OAH  
 1 x 2.8W LED (Included)  
 196 Lumens  
 One 6" stem and  
 Three 12" stems included.  
 Additional stems available:  
 6" order - STR04506PC  
 12" order - STR04512PC



# Flask collection

LED 

• 3000 K Color Temperature



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



## 33014CLPC

4-Light Chandelier

34.75"L x 4.75"W x 8.25"H x 69"OAH

4 x 2.8W LED (Included)

784 Lumens



# Flask collection



**33000CLPC**  
 4-Light Flush Mount  
 Polished Chrome  
 16"W x 11.5"H  
 4 x 2.8W LED (Included)  
 784 Lumens



**33001CLPC**  
 1-Light Wall Sconce  
 Polished Chrome  
 4.75"W x 7.5"H x 6.25"Ext.  
 1 x 2.8W LED (Included)  
 196 Lumens



**33003CLPC**  
 3-Light Bath Vanity  
 Polished Chrome  
 18.75"W x 8"H x 7"Ext.  
 3 x 2.8W LED (Included)  
 588 Lumens



**33004CLPC**  
 4-Light Bath Vanity  
 Polished Chrome  
 25.25"W x 8"H x 7"Ext.  
 4 x 2.8W LED (Included)  
 784 Lumens



# Arabesque collection

The Arabesque collection's intricate patterns are formed in metal and finished in Golden Silver. Strands of crystal beads add sparkle as they shimmer through the xenon lamps. Unique oval-shaped pendants add a touch of class to any room.



## **24159BCGS**

13-Light Pendant

Golden Silver

30"W x 30"H x 74"OAH

13 x 40W G9 Bulbs (Included)

*Crystal Included*

*One 6" stem and*

*Three 12" stems included.*

*Additional stems available:*

*6" stem - STR06206GS-A*

*12" stem - STR06212GS-A*



# Arabesque collection



## 24158BCGS

1-Light Wall Sconce  
Golden Silver

9.5"W x 4.75"H x 4.75"Ext.  
1 x 50W G9 Bulb (Included)  
*Crystal Included*



**(LED Option)**

## BUL03075

G9 LED Bulb  
2.7W

Color Temperature: 3000 K  
Total Rated Lumens: 189  
Life Rated: 25,000 Hours  
CRI: 75  
Dimmable



## 24156BCGS

9-Light Pendant  
Golden Silver

23"W x 22"H x 66"OAH  
9 x 50W G9 Bulbs (Included)  
*Crystal Included*  
*One 6" stem and*  
*Three 12" stems included.*  
*Additional stems available:*  
6" stem - STR06206GS-A  
12" stem - STR06212GS-A



# Arabesque collection



**(LED Option)**

**BUL03075**

G9 LED Bulb  
2.7W

Color Temperature: 3000 K  
Total Rated Lumens: 189  
Life Rated: 25,000 Hours  
CRI: 75  
Dimmable

**24155BCGS**

9-Light Pendant  
Golden Silver  
24"W x 12"H x 56"OAH  
9 x 50W G9 Bulbs (Included)  
Crystal Included  
One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" stem - STR06206GS-A  
12" stem - STR06212GS-A

120°

**24154BCGS**

7-Light Pendant  
Golden Silver  
18"W x 8"H x 52"OAH  
7 x 50W G9 Bulbs (Included)  
Crystal Included  
One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" stem - STR06206GS-A  
12" stem - STR06212GS-A

120°



# Arabesque collection



**24150BCGS**  
7-Light Flush Mount  
Golden Silver  
18"W x 7.75"H  
7 x 50W G9 Bulbs (Included)  
*Crystal Included*



**24153BCGS**  
1-Light Mini Pendant  
Golden Silver  
6.5"W x 11"H x 55"OAH  
1 x 50W G9 Bulb (Included)  
*Crystal Included*  
*One 6" stem and*  
*Three 12" stems included.*  
*Additional stems available:*  
*6" stem - STR04506GS-A*  
*12" stem - STR04512GS-A*



**24151BCGS**  
6-Light Pendant  
Golden Silver  
13"W x 22"H x 66"OAH  
6 x 50W G9 Bulbs (Included)  
*Crystal Included*  
*One 6" stem and*  
*Three 12" stems included.*  
*Additional stems available:*  
*6" stem - STR06206GS-A*  
*12" stem - STR06212GS-A*



Axis collection



**11228 FTOI, FTSN**

15-Light Chandelier  
43"W x 40.25"H  
15 x 40W MB Bulbs



# Axis collection

This transitional design works in any style home. Intersecting, rectangular tubing finished in your choice of Satin Nickel or Oil Rubbed Bronze gently curves to support simple line Frost glass shades.



## 11226 FTOI, FTSN

9-Light Chandelier

28"W x 26.5"H

9 x 60W MB Bulbs

# Axis collection



**5840 FTOI, FTSN**  
1-Light Flushmount  
11.5"W x 6"H  
1 x 60W MB Bulb



**11223 FTOI, FTSN**  
3-Light Chandelier  
18"W x 16.25"H  
3 x 60W MB Bulbs



**11225 FTOI, FTSN**  
5-Light Chandelier  
24"W x 20.5"H  
5 x 60W MB Bulbs



**11311 FTOI, FTSN**

1-Light Wall Sconce  
5"W x 8"H x 6.5"Ext.  
1 x 60W MB Bulb



**11312 FTOI, FTSN**

2-Light Bath Vantiy  
13"W x 8.5"H x 6.5"Ext.  
2 x 60W MB Bulbs



**11313 FTOI, FTSN**

3-Light Bath Vantiy  
21"W x 8.5"H x 6.5"Ext.  
3 x 60W MB Bulbs



**11314 FTOI, FTSN**

4-Light Bath Vantiy  
28.5"W x 8.5"H x 6.5"Ext.  
4 x 60W MB Bulbs



**92061 FTOI, FTSN**

1-Light Mini Pendant  
5"W x 6"H x 50.5"OAH  
1 x 60W MB Bulb  
One 6" stem and

Three 12" stems included.

Additional stems available:

6" order - STR04506OI, SN

12" order - STR04512OI, SN



# Stefan collection

A transitional look that works in a broad range of interiors featuring metal frames finished in either Oiled Rub Bronze for the traditional home or Satin Nickel for a more contemporary look. Simple Frost glass shades compliment the overall design.



**10042 FTOI, FTSN**  
2-Light Semi-Flush Mount  
13"W x 11"H  
2 x 60W MB Bulbs

**10066 FTOI, FTSN**  
9-Light Chandelier  
30"W x 30"H  
9 x 60W MB Bulbs



# Stefan collection

## 10064 FTOI, FTSN

3-Light Chandelier

21"W x 22"H

3 x 60W MB Bulbs



## 10065 FTOI, FTSN

5-Light Chandelier

25"W x 23.5"H

5 x 60W MB Bulbs



# Stefan collection



## 10071 FTOI, FTSN

1-Light Wall Sconce  
5"W x 8"H x 8"Ext.  
1 x 60W MB Bulb



## 10072 FTOI, FTSN

2-Light Bath Vanity  
13.25"W x 8"H x 8"Ext.  
2 x 60W MB Bulbs



## 10073 FTOI, FTSN

3-Light Bath Vanity  
21.5"W x 8"H x 8"Ext.  
3 x 60W MB Bulbs



## 92061 FTOI, FTSN

1-Light Mini Pendant  
5"W x 6"H x 50.5"OAH  
1 x 60W MB Bulb  
*One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" order - STR04506OI, SN  
12" order - STR04512OI, SN*



## 10074 FTOI, FTSN

4-Light Bath Vanity  
29.75"W x 8"H x 8"Ext.  
4 x 60W MB Bulbs



# Logan collection

Modern style at a competitive price will make this collection the next builder standard. Tall profile Frost glass shades adorn a minimalistic frame in your choice of Satin Nickel or Oil Rubbed Bronze.



## **10046 FTOI, FTSN**

9-Light Chandelier  
28.5"W x 30.5"H  
9 x 60W MB Bulbs

# Logan collection



**10045 FTOI, FTSN**  
5-Light Chandelier  
20"W x 18"H  
5 x 60W MB Bulbs



**10043 FTOI, FTSN**  
3-Light Chandelier  
17"W x 19"H  
3 x 60W MB Bulbs



# Logan collection



**10042 FTOI, FTSN**  
2-Light Semi-Flush Mount  
13"W x 8.5"H  
2 x 60W MB Bulbs



**92040 FTOI, FTSN**  
1-Light Mini Pendant  
4.5"W x 7.5"H x 51.5"OAH  
1 x 60W MB Bulb  
*One 6" stem and  
Three 12" stems included.*  
*Additional stems available:  
6" order - STR04506OI, SN  
12" order - STR04512OI, SN*



**10044 FTOI, FTSN**  
3-Light Pendant  
15.5"W x 17"H  
3 x 100W MB Bulbs

# Logan collection



## 10052 FTOI, FTSN

2-Light Bath Vanity  
14"W x 8.5"H x 7"Ext.  
2 x 60W MB Bulbs



## 10051 FTOI, FTSN

1-Light Wall Sconce  
5"W x 8.5"H x 8.75"Ext.  
1 x 60W MB Bulb



## 10053 FTOI, FTSN

3-Light Bath Vanity  
19"W x 8.5"H x 7"Ext.  
3 x 60W MB Bulbs



## 10054 FTOI, FTSN

4-Light Bath Vanity  
28"W x 8.5"H x 7"Ext.  
4 x 60W MB Bulbs



# Corona collection

Minimalistic frames finished in Satin Nickel support cylinders of Frost glass shades. A clean contemporary look at a very affordable price.



## 10206FTSN

9-Light Chandelier  
Satin Nickel  
28"W x 23"H  
9 x 60W MB Bulbs

# Corona collection

## 10205FTSN

5-Light Chandelier  
Satin Nickel  
22"W x 19"H  
5 x 60W MB Bulbs




## 10203FTSN

3-Light Chandelier  
Satin Nickel  
18"W x 18"H  
3 x 60W MB Bulbs



# Corona collection



## 90200FTSN

1-Light Mini Pendant  
Satin Nickel  
5"W x 6"H x 50.5"OAH  
1 x 60W MB Bulb  
One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" order - STR04506SN  
12" order - STR04512SN



## 10211FTSN

1-Light Wall Sconce  
Satin Nickel  
4.5"W x 8.25"H x 6"Ext.  
1 x 60W MB Bulb



## 10212FTSN

2-Light Bath Vanity  
Satin Nickel  
12"W x 9"H x 6"Ext.  
2 x 60W MB Bulbs



## 10213FTSN

3-Light Bath Vanity  
Satin Nickel  
19.25"W x 9"H x 6"Ext.  
3 x 60W MB Bulbs



## 10214FTSN

4-Light Bath Vanity  
Satin Nickel  
26.25"W x 9"H x 6"Ext.  
4 x 60W MB Bulbs





# Mini Hi-Bay collection

Small pendants reminiscent of yesteryear are available in your choice of Bronze, Antique Copper, Satin Nickel, and Polished Nickel. In addition to the numerous metal shades, glass shades in Clear, Mirror Smoke, and Satin White are also offered. The optional Antique Replica light bulb adds to the authentic look.

**25038** ACP, BZ, PN, SN (Without Bulb)

**25038** ACP/BUI, BZ/BUI,  
PN/BUI, SN/BUI (With Bulb)

1-Light Pendant

5"W x 2.75"H x 47"OAH

1 x 60W MB Bulb

One 6" stem and

Three 12" stems included

Additional stems available:

6" stem - STR04506ACP, BZ, PN, SN

12" stem - STR04512ACP, BZ, PN, SN



**25018** ACP, BZ, PN, SN (Without Bulb)

**25018** ACP/BUI, BZ/BUI, PN/BUI,  
SN/BUI (With Bulb)

1-Light Pendant

5"W x 2.75"H x 61.75"OAH

1 x 60W MB Bulb



**BUI60110**

60 Wattage  
Antique Light Bulb  
Sold Separately


# Mini Hi-Bay collection



**BUI60110**  
60 Wattage  
Antique Light Bulb  
*Sold Separately*




**25022 ACP, BZ, PN, SN (Without Bulb)**  
**25022 ACP/BUI, BZ/BUI, PN/BUI, SN/BUI (With Bulb)**  
1-Light Pendant  
11"W x 6.75"H x 65.75"OAH  
1 x 60W MB Bulb



**25025 CLACP, CLBZ, CLPN, CLSN (Without Bulb)**  
**25025 CLACP/BUI, CLBZ/BUI, CLPN/BUI, CLSN/BUI (With Bulb)**  
1-Light Pendant  
10"W x 5.25"H x 64.5"OAH  
1 x 60W MB Bulb



**25020 ACP, BZ, PN, SN (Without Bulb)**  
**25020 ACP/BUI, BZ/BUI, PN/BUI, SN/BUI (With Bulb)**  
1-Light Pendant  
8"W x 5.25"H x 64.5"OAH  
1 x 60W MB Bulb



**25024 ACP, BZ, PN, SN (Without Bulb)**  
**25024 ACP/BUI, BZ/BUI, PN/BUI, SN/BUI (With Bulb)**  
1-Light Pendant  
10"W x 6.75"H x 65.75"OAH  
1 x 60W MB Bulb





# Mini Hi-Bay collection

**25030 ACP, BZ,**  
 PN, SN (*Without Bulb*)  
**25030 ACP/BUI, BZ/BUI,**  
 PN/BUI, SN/BUI (*With Bulb*)  
 1-Light Pendant  
 8"W x 13.25"H x 72.25"OAH  
 1 x 60W MB Bulb




**25029 MSKACP, MSKBZ,**  
**MSKPN, MSKSN** (*Without Bulb*)  
**25029 MSKACP/BUI,**  
 MSKBZ/BUI, **MSKPN/BUI,**  
 MSKSN/BUI (*With Bulb*)  
 1-Light Pendant  
 8.75"W x 9.25"H x 68.5"OAH  
 1 x 60W MB Bulb




**25027 MSKACP, MSKBZ,**  
 MSKPN, MSKSN (*Without Bulb*)  
**25027 MSKACP/BUI,**  
 MSKBZ/BUI, MSKPN/BUI,  
 MSKSN/BUI (*With Bulb*)  
 1-Light Pendant  
 10"W x 6.5"H x 65.75"OAH  
 1 x 60W MB Bulb



**25027 SWACP, SWBZ,**  
 SWPN, SWSN (*Without Bulb*)  
**25027 SWACP/BUI, SWBZ/BUI,**  
 SWPN/BUI, SWSN/BUI (*With Bulb*)  
 1-Light Pendant  
 10"W x 6.5"H x 65.75"OAH  
 1 x 60W MB Bulb




**25031 ACP, BZ,**  
 PN, SN (*Without Bulb*)  
**25031 ACP/BUI, BZ/BUI,**  
 PN/BUI, SN/BUI (*With Bulb*)  
 1-Light Pendant  
 11"W x 11"H x 70"OAH  
 1 x 60W MB Bulb




# Mini Hi-Bay collection



**25040 ACP, BZ, PN, SN (Without Bulb)**  
**25040 ACP/BUI, BZ/BUI,**  
**PN/BUI, SN/BUI (With Bulb)**  
 1-Light Pendant  
 8"W x 5.25"H x 64.5"OAH  
 1 x 60W MB Bulb  
 One 6" stem and  
 Three 12" stems included  
 Additional stems available:  
 6" stem - STR04506ACP, BZ, PN, SN  
 12" stem - STR04512ACP, BZ, PN, SN



**25044 ACP, BZ,**  
**PN, SN (Without Bulb)**  
**25044 ACP/BUI, BZ/BUI,**  
**PN/BUI, SN/BUI (With Bulb)**  
 1-Light Pendant  
 10"W x 5.75"H x 50"OAH  
 1 x 60W MB Bulb  
 One 6" stem and  
 Three 12" stems included  
 Additional stems available:  
 6" stem - STR04506ACP, BZ, PN, SN  
 12" stem - STR04512ACP, BZ, PN, SN




**25042 ACP, BZ,**  
**PN, SN (Without Bulb)**  
**25042 ACP/BUI, BZ/BUI,**  
**PN/BUI, SN/BUI (With Bulb)**  
 1-Light Pendant  
 11"W x 5.75"H x 50"OAH  
 1 x 60W MB Bulb  
 One 6" stem and  
 Three 12" stems included  
 Additional stems available:  
 6" stem - STR04506ACP, BZ, PN, SN  
 12" stem - STR04512ACP, BZ, PN, SN




**BUI60110**  
 60 Wattage  
 Antique Light Bulb  
 Sold Separately

**25045 CLACP, CLBZ,**  
**CLPN, CLSN (Without Bulb)**  
**25045 CLACP/BUI, CLBZ/BUI,**  
**CLPN/BUI, CLSN/BUI (With Bulb)**  
 1-Light Pendant  
 10"W x 4.5"H x 48.75"OAH  
 1 x 60W MB Bulb  
 One 6" stem and  
 Three 12" stems included  
 Additional stems available:  
 6" stem - STR04506ACP, BZ, PN, SN  
 12" stem - STR04512ACP, BZ, PN, SN



# Mini Hi-Bay collection

**25047 MSKACP, MSKBZ, MSKPN, MSKSN (Without Bulb)**  
**25047 MSKACP/BUI, MSKBZ/BUI, MSKPN/BUI, MSKSN/BUI (With Bulb)**  
 1-Light Pendant  
 10"W x 5.75"H x 50"OAH  
 1 x 60W MB Bulb  
 One 6" stem and  
 Three 12" stems included  
 Additional stems available:  
 6" stem - STR04506ACP, BZ, PN, SN  
 12" stem - STR04512ACP, BZ, PN, SN



**25049 MSKACP, MSKBZ, MSKPN, MSKSN (Without Bulb)**  
**25049 MSKACP/BUI, MSKBZ/BUI, MSKPN/BUI, MSKSN/BUI (With Bulb)**  
 1-Light Pendant  
 8.75"W x 8.75"H x 52.75"OAH  
 1 x 60W MB Bulb  
 One 6" stem and  
 Three 12" stems included  
 Additional stems available:  
 6" stem - STR04506ACP, BZ, PN, SN  
 12" stem - STR04512ACP, BZ, PN, SN




**25050 ACP, BZ, PN, SN (Without Bulb)**  
**25050 ACP/BUI, BZ/BUI, PN/BUI, SN/BUI (With Bulb)**  
 1-Light Pendant  
 8"W x 12.25"H x 56.5"OAH  
 1 x 60W MB Bulb  
 One 6" stem and  
 Three 12" stems included  
 Additional stems available:  
 6" stem - STR04506ACP, BZ, PN, SN  
 12" stem - STR04512ACP, BZ, PN, SN



**25051 ACP, BZ, PN, SN (Without Bulb)**  
**25051 ACP/BUI, BZ/BUI, PN/BUI, SN/BUI (With Bulb)**  
 1-Light Pendant  
 11"W x 16.5"H x 60.75"OAH  
 1 x 60W MB Bulb  
 One 6" stem and  
 Three 12" stems included  
 Additional stems available:  
 6" stem - STR04506ACP, BZ, PN, SN  
 12" stem - STR04512ACP, BZ, PN, SN



**25047 SWACP, SWBZ, SWPN, SWSN (Without Bulb)**  
**25047 SWACP/BUI, SWBZ/BUI, SWPN/BUI, SWSN/BUI (With Bulb)**  
 1-Light Pendant  
 10"W x 5.75"H x 50"OAH  
 1 x 60W MB Bulb  
 One 6" stem and  
 Three 12" stems included  
 Additional stems available:  
 6" stem - STR04506ACP, BZ, PN, SN  
 12" stem - STR04512ACP, BZ, PN, SN



# Mini Hi-Bay collection



**25060 ACP, BZ, PN, SN (Without Bulb)**  
**25060 ACP/BUI, BZ/BUI,**  
**PN/BUI, SN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 8"W x 7.25"H x 9.75"Ext.  
 1 x 60W MB Bulb



**25062 ACP, BZ, PN, SN (Without Bulb)**  
**25062 ACP/BUI, BZ/BUI,**  
**PN/BUI, SN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 10.75"W x 8.75"H x 11"Ext.  
 1 x 60W MB Bulb



**25064 ACP, BZ, PN, SN (Without Bulb)**  
**25064 ACP/BUI, BZ/BUI,**  
**PN/BUI, SN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 10"W x 9"H x 10.5"Ext.  
 1 x 60W MB Bulb



**25065 CLACP, CLBZ, CLPN, CLSN (Without Bulb)**  
**25065 CLACP/BUI, CLBZ/BUI,**  
**CLPN/BUI, CLSN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 10"W x 7.5"H x 10.75"Ext.  
 1 x 60W MB Bulb



**BUI60110**  
 60 Wattage  
 Antique Light Bulb  
 Sold Separately

# Mini Hi-Bay collection



**25067 MSKACP, MSKBZ, MSKPN, MSKSN (Without Bulb)**  
**25067 MSKACP/BUI, MSKBZ/BUI, MSKPN/BUI, MSKSN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 10"W x 8.75"H x 10.5"Ext.  
 1 x 60W MB Bulb



**25067 SWACP, SWBZ, SWPN, SWSN (Without Bulb)**  
**25067 SWACP/BUI, SWBZ/BUI, SWPN/BUI, SWSN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 10"W x 8.75"H x 10.5"Ext.  
 1 x 60W MB Bulb



**25071 ACP, BZ, PN, SN (Without Bulb)**  
**25071 ACP/BUI, BZ/BUI, PN/BUI, SN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 11"W x 11"H x 10.5"Ext.  
 1 x 60W MB Bulb



**25069 MSKACP, MSKBZ, MSKPN, MSKSN (Without Bulb)**  
**25069 MSKACP/BUI, MSKBZ/BUI, MSKPN/BUI, MSKSN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 8.75"W x 11.5"H x 10"Ext.  
 1 x 60W MB Bulb



**25070 ACP, BZ, PN, SN (Without Bulb)**  
**25070 ACP/BUI, BZ/BUI, PN/BUI, SN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 8"W x 13.25"H x 10.5"Ext.  
 1 x 60W MB Bulb

# Mini Hi-Bay collection



**25080 ACP, BZ, PN, SN (Without Bulb)**  
**25080 ACP/BUI, BZ/BUI,**  
 PN/BUI, SN/BUI (With Bulb)  
 1-Light Wall Sconce  
 8"W x 7.75"H x 10.25"Ext.  
 1 x 60W MB Bulb



**25082 ACP, BZ, PN, SN (Without Bulb)**  
**25082 ACP/BUI, BZ/BUI,**  
 PN/BUI, SN/BUI (With Bulb)  
 1-Light Wall Sconce  
 10.75"W x 9"H x 11.75"Ext.  
 1 x 60W MB Bulb



**25084 ACP, BZ, PN, SN (Without Bulb)**  
**25084 ACP/BUI, BZ/BUI,**  
 PN/BUI, SN/BUI (With Bulb)  
 1-Light Wall Sconce  
 10.75"W x 9"H x 11.75"Ext.  
 1 x 60W MB Bulb



**25085 CLACP, CLBZ,**  
 CLPN, **CLSN (Without Bulb)**  
**25085 CLACP/BUI, CLBZ/BUI,**  
 CLPN/BUI, **CLSN/BUI (With Bulb)**  
 1-Light Wall Sconce  
 10"W x 7.75"H x 11.25"Ext.  
 1 x 60W MB Bulb



**BUI60110**  
 60 Wattage  
 Antique Light Bulb  
 Sold Separately

# Mini Hi-Bay collection



**25087 MSKACP, MSKBZ, MSKPN, MSKSN (Without Bulb)**  
**25087 MSKACP/BUI, MSKBZ/BUI, MSKPN/BUI, MSKSN/BUI (With Bulb)**

1-Light Wall Sconce  
 10"W x 9"H x 11.25"Ext.  
 1 x 60W MB Bulb



**25087 SWACP, SWBZ, SWPN, SWSN (Without Bulb)**  
**25087 SWACP/BUI, SWBZ/BUI, SWPN/BUI, SWSN/BUI (With Bulb)**

1-Light Wall Sconce  
 10"W x 9"H x 11.25"Ext.  
 1 x 60W MB Bulb



**25091 ACP, BZ, PN, SN (Without Bulb)**  
**25091 ACP/BUI, BZ/BUI, PN/BUI, SN/BUI (With Bulb)**

1-Light Wall Sconce  
 11"W x 13.25"H x 11.25"Ext.  
 1 x 60W MB Bulb



**25089 MSKACP, MSKBZ, MSKPN, MSKSN (Without Bulb)**  
**25089 MSKACP/BUI, MSKBZ/BUI, MSKPN/BUI, MSKSN/BUI (With Bulb)**

1-Light Wall Sconce  
 8.75"W x 11.75"H x 10.75"Ext.  
 1 x 60W MB Bulb



**25090 ACP, BZ, PN, SN (Without Bulb)**  
**25090 ACP/BUI, BZ/BUI, PN/BUI, SN/BUI (With Bulb)**

1-Light Wall Sconce  
 8"W x 15.5"H x 11.25"Ext.  
 1 x 60W MB Bulb





# Hi-Bay collection

Inspired by industrial lighting, the Hi-Bay collection's refined designs maintain the boldness of their predecessors but possess refined details throughout. Hi-Bay fixtures with Clear halophane glass are available in choice of finish of Bronze or Satin Nickel. Hi-Bay fixtures with sold metal shades are available in three choices of finish including Bronze, Polished Nickel and Satin Nickel, and include a Frost glass diffuser which conceals the light source and gently diffuses the incandescent illumination.



## 25117 SWBZ, SWPN, SWSN

1-Light Pendant  
17.75"W x 17"H x 61"OAH  
1 x 100W MB Bulb  
One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" stem - STR07506BZ, PN, SN  
12" stem - STR07512BZ, PN, SN



## 25116 SWBZ, SWPN, SWSN

1-Light Pendant  
14"W x 23.5"H x 67.5"OAH  
1 x 100W MB Bulb  
One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" stem - STR07506BZ, PN, SN  
12" stem - STR07512BZ, PN, SN



# Hi-Bay collection



**BUI60110**  
60 Wattage  
Antique Light Bulb  
*Sold Separately*



**25111MSKSN**



**25111 CLBZ, MSKPN,  
MSKSN**

1-Light Pendant  
12"W x 16.5"H x 87"OAH  
1 x 100W MB Bulb



**25113 CLBZ,  
MSKPN, MSKSN**

1-Light Pendant  
16"W x 24"H x 87"OAH  
1 x 100W MB Bulb



# Hi-Bay collection



## 25104 FTBZ,FTPN,FTSN

1-Light Pendant  
14.25"W x 23.5"H x 67.5"OAH  
1 x 100W MB Bulb  
One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" stem - STR07506BZ,PN,SN  
12" stem - STR07512BZ,PN,SN



## 25109 FTBZ,FTPN,FTSN

1-Light Pendant  
17.75"W x 17"H x 61"OAH  
1 x 100W MB Bulb  
One 6" stem and  
Three 12" stems included.  
Additional stems available:  
6" stem - STR07506BZ,PN,SN  
12" stem - STR07512BZ,PN,SN



# Hi-Bay collection

**25000 CLBZ, CLSN**  
 2-Light Flush Mount  
 13"W x 4.75"H  
 2 x 60W MB Bulbs



**25004 CLBZ, CLSN**  
 1-Light Pendant  
 18.5"W x 21.25"H x 65.5"OAH  
 1 x 100W MB Bulb  
 One 6" stem and  
 Three 12" stems included.  
 Additional stems available:  
 6" stem - STR07506BZ, SN  
 12" stem - STR07512BZ, SN



**25003 CLBZ, CLSN**  
 1-Light Pendant  
 14"W x 20.25"H x 64"OAH  
 1 x 100W MB Bulb  
 One 6" stem and  
 Three 12" stems included.  
 Additional stems available:  
 6" stem - STR07506BZ, SN  
 12" stem - STR07512BZ, SN



**25002 CLBZ, CLSN**  
 1-Light Pendant  
 9"W x 18"H x 62"OAH  
 1 x 100W MB Bulbs  
 One 6" stem and  
 Three 12" stems included.  
 Additional stems available:  
 6" stem - STR07506BZ, SN  
 12" stem - STR07512BZ, SN



# Hi-Bay collection

Indoor



## 25007 CLBZ, CLSN

1-Light Wall Sconce  
9"W x 14.5"H x 11.5"Ext.  
1 x 100W MB Bulb

Also available  
for Outdoor use



## 35007 CLBZ

1-Light Outdoor Wall Sconce  
Bronze  
9"W x 15"H x 11"Ext.  
HCO8.25" • BP6"W x 10"H  
1 x 100W MB Bulb  
*Suitable for Wet Location*

### Convertible:

*This versatile spot  
can be installed three ways.  
You can install on the wall,  
on the ceiling, or as a pendant.  
Each fixture includes two 12" stems  
for pendant mount.  
The fixture can accept  
a 60 watt standard bulb  
or the recommended 50W Par20*



## 25125 FTBZ, FTPN, FTSN

1-Light Pendant/Flush Mount/Wall Sconce  
14.5"W x 10"H x 45.5"OAH  
1 x 50W PAR20 Bulb  
Two 12" stems included.  
Additional stems available:  
12" stem - STR07512BZ, PN, SN

# Nebula collection

Soft rounded frames of steel available in your choice of White or Bronze are intelligently illuminated by state of the art LED modules which are dimmable. A two layer bottom allows a splash of light for highlight.

- 3000 K Color Temperature



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



**LED** 



## 85851 WTBZ, WTWT

LED Flush Mount  
25"L x 20"W x 4.75"H  
42W LED (Included)  
2940 Lumens



## 85853 WTBZ, WTWT

LED Flush Mount  
31.5"L x 25"W x 4.75"H  
54W LED (Included)  
3780 Lumens



## 85855 WTBZ, WTWT

LED Flush Mount  
40"L x 23"W x 4.75"H  
78W LED (Included)  
5460 Lumens



**LED** 


# Convert collection

Now you can convert a standard 3/4" outlet box to a low profile LED recessed fixture. Converts patent pending design allows for the driver to install into an electrical box which requires no fire rated cover. This creates a fixture with only a 1" extension from the ceiling. High efficiency and smooth dimming down to 5% makes this an excellent choice for hallways, kitchens, and utility lighting.



Dimmable using standard dimmer. Lutron CL dimmers are recommended

- 110V Input Voltage
- CRI 80
- Beam Angle 110°
- Power Favior 90+
- THD less than 10%
- Dimmable to 5%
- For Damp Location



**87615WTBZ**



**87615WTWT  
87617WTWT  
87620WTWT**



**87615WTSN**

**87620WTWT**

LED Flush Mount  
White  
8"W x 1.1"H  
20W LED (Included)  
1400 Lumens  
2800/2900K Color Temperature



**87617WTWT**

LED Flush Mount  
White  
8"W x 1.1"H  
15W LED (Included)  
1100 Lumens  
4000K Color Temperature



**87615 WTBZ, WTSN, WTWT**

LED Flush Mount  
8"W x 1.1"H  
15W LED (Included)  
1050 Lumens  
2800/2900K Color Temperature





# Lightray collection



# Lightray collection

Indirect exterior lighting not only provides illumination where you want it but also highlights the building structure for a beautiful architectural effect. Our collection of up and down lighting fixtures are available in both Architectural Bronze and Brushed Aluminum. They are also available in both incandescent and LED. The fixtures are sealed with screw lens that are water tight and allows for the use of standard light bulbs.



**6100 ABZ, AL**  
1-Light Flush Mount  
5"W x 7.75"H x 5"Ext.  
1 x 75W R30 MB Bulb



**6101 ABZ, AL**  
1-Light Wall Sconce  
5"W x 9.25"H x 7.75"Ext.  
1 x 75W R30 MB Bulb



**6102 ABZ, AL**  
2-Light Wall Sconce  
5"W x 15.75"H x 7.75"Ext.  
2 x 75W R30 MB Bulbs



# Lightray collection



**6122 ABZ, AL**  
1-Light Wall Sconce  
4"W x 6.25"H x 6"Ext.  
1 x 50W R20 MB Bulb



**6123 ABZ, AL**  
2-Light Wall Sconce  
4"W x 10.25"H x 6"Ext.  
2 x 50W R20 MB Bulbs



**6126 ABZ, AL**  
2-Light Wall Sconce  
4.25"W x 12"H x 6.5"Ext.  
2 x 75W R30 MB Bulbs



**6125 ABZ, AL**  
1-Light Wall Sconce  
4.25"W x 7.75"H x 6.5"Ext.  
1 x 75W R30 MB Bulb

# Lightray collection



**6117 ABZ, AL**  
2-Light Wall Sconce  
6"W x 12.5"H x 6.75"Ext.  
2 x 75W R30 MB Bulbs



**6115 ABZ, AL**  
2-Light Wall Sconce  
4.75"W x 10.25"H x 5.75"Ext.  
2 x 50W R20 MB Bulbs



**6110 ABZ, AL**  
1-Light Wall Sconce  
4.25"W x 8"H x 6.5"Ext.  
1 x 50W R20 MB Bulb



**6112 ABZ, AL**  
2-Light Wall Sconce  
4.25"W x 12"H x 6.5"Ext.  
2 x 50W R20 MB Bulbs

# Lightray LED collection





# Lightray LED collection

They are also available in both LED and Incandescent.



## 86101 ABZ, AL

1-Light Wall Sconce  
5"W x 9.25"H x 7.75"Ext.  
1 x 15W LED (Included)  
1050 Lumens



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended

• 3000 K Color Temperature



## 86102 ABZ, AL

2-Light Wall Sconce  
5"W x 15.75"H x 7.75"Ext.  
2 x 15W LED (Included)  
2100 Lumens



## 86104 ABZ, AL

1-Light Flush Mount  
5"W x 6.25"H x 5"Ext.  
1 x 15W LED (Included)  
1050 Lumens



# Lightray LED collection

• 3000 K Color Temperature



**86129 ABZ, AL**  
 2-Light Wall Sconce  
 4.25"W x 11.25"H x 4"Ext.  
 2 x 10W LED (Included)  
 1400 Lumens



**86128 ABZ, AL**  
 1-Light Wall Sconce  
 4.25"W x 6.25"H x 4"Ext.  
 1 x 10W LED (Included)  
 700 Lumens



**86110 ABZ, AL**  
 1-Light Wall Sconce  
 4.25"W x 8"H x 6.5"Ext.  
 1 x 10W LED (Included)  
 700 Lumens



**86112 ABZ, AL**  
 2-Light Wall Sconce  
 4.25"W x 12"H x 6.5"Ext.  
 2 x 10W LED (Included)  
 1400 Lumens





Dimmable using standard dimmer.  
Lutron CL dimmers are recommended

# Lightray LED collection

• 3000 K Color Temperature



**86106 ABZ, AL**  
2-Light Wall Sconce  
4"W x 4"H x 5.75"Ext.  
2 x 4.5W LED (Included)  
630 Lumens



**86107 ABZ, AL**  
2-Light Wall Sconce  
4"W x 4"H x 5.75"Ext.  
2 x 4.5W LED (Included)  
630 Lumens



**86109 ABZ, AL**  
2-Light Wall Sconce  
4"W x 6.5"H x 5"Ext.  
2 x 4.5W LED (Included)  
630 Lumens



**86108 ABZ, AL**  
1-Light Wall Sconce  
4"W x 5.25"H x 5"Ext.  
1 x 4.5W LED (Included)  
315 Lumens



# Lightray LED collection

• 3000 K Color Temperature

LED 



**86122 ABZ, AL**  
1-Light Wall Sconce  
4"W x 6.25"H x 6"Ext.  
1 x 10W LED (Included)  
700 Lumens



**86123 ABZ, AL**  
2-Light Wall Sconce  
4"W x 10.25"H x 6"Ext.  
2 x 10W LED (Included)  
1400 Lumens



**86126 ABZ, AL**  
2-Light Wall Sconce  
4.25"W x 12"H x 6.5"Ext.  
2 x 10W LED (Included)  
1400 Lumens



**86125 ABZ, AL**  
1-Light Wall Sconce  
4.25"W x 7.75"H x 6.5"Ext.  
1 x 10W LED (Included)  
700 Lumens








Dimmable using standard dimmer.  
Lutron CL dimmers are recommended

# Lightray LED collection

• 3000 K Color Temperature



**86117 ABZ, AL**  
2-Light Wall Sconce  
6"W x 12.5"H x 6.75"Ext.  
2 x 15W LED (Included)  
2100 Lumens



**86115 ABZ, AL**  
2-Light Wall Sconce  
4.75"W x 10.25"H x 5.75"Ext.  
2 x 10W LED (Included)  
1400 Lumens



# Moda collection



Solid blocks of glass infused with tiny bubbles come to life when illuminated by high power LED concealed in the frame above. Frames are constructed of Stainless Steel and is also available in Bronze.




Dimmable using standard dimmer.  
Lutron CL dimmers are recommended

- 3500 K Color Temperature



## 88272 BGBZ, BGSST

LED Wall Sconce  
7"W x 12"H x 2.25"Ext.  
9W LED (Included)  
600 Lumens



## 88274 BGBZ, BGSST

LED Wall Sconce  
13"W x 6"H x 2.25"Ext.  
15W LED (Included)  
900 Lumens



# LED Weave collection

Woven bands of brushed Aluminum create an interesting and unique lighting design. Elegant enough for interior walls but is also suitable to be installed outdoors. Long lasting LED modules are concealed on the top for glare free illumination.




Dimmable using standard dimmer. Lutron CL dimmers are recommended

• 3500 K Color Temperature

FOR  
**WET**  
LOCATION



**88293AL**  
LED Wall Sconce  
Aluminum  
7.75"W x 12"H x 2"Ext.  
9W LED (Included)  
600 Lumens



**88292AL**  
LED Wall Sconce  
Aluminum  
12.5"W x 6.5"H x 2"Ext.  
15W LED (Included)  
900 Lumens



# Mosaic collection

Blocks of extruded Aluminum are brushed in a contemporary design and highlighted by energy efficient LED that wash the face with light. Additional LED is enclosed inside to provide exceptional downlight.



- 3500 K Color Temperature



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



## 88283AL

LED Wall Sconce  
Aluminum  
7"W x 12.5"H x 3.5"Ext.  
12W LED (Included)  
6W Downlight (Included)  
1260 Lumens



## 88285AL

LED Wall Sconce  
Aluminum  
10.75"W x 6.25"H x 3.5"Ext.  
12W LED (Included)  
6W Downlight (Included)  
1260 Lumens



• 3000 K Color Temperature



# Cove collection

A contemporary collection of outdoor lighting using indirect LED modules which positions the light onto the surface below without the typical glare of incandescent. Solid aluminum construction in your choice of Platinum or Architectural Bronze provide years of trouble free performance.



**88260 ABZ, PL**  
2-Light Outdoor Wall  
8"W x 11"H x 3.75"Ext.  
HCO3.5" • BP6.75"W x 8.25"H  
2 x 5W LED (Included)  
720 Rated Lumens



Dimmable using standard dimmer.  
Lutron CL dimmers are recommended



**88264 ABZ, PL**  
2-Light Outdoor Wall  
8"W x 18"H x 3.75"Ext.  
HCO5.5" • BP6.75"W x 15.5"H  
2 x 5W LED (Included)  
720 Rated Lumens



**88262 ABZ, PL**  
2-Light Outdoor Wall  
6.5"W x 14"H x 3.75"Ext.  
HCO4.5" • BP5"W x 11.25"H  
2 x 5W LED (Included)  
720 Rated Lumens



# Oakville EE collection

- Self-Ballasted GU24 Bulbs
- 2700 K Color Temperature
- 10,000 Rated Life Hours
- Die Cast Aluminum



## 85782WGBO

1-Light Outdoor Wall  
Black Oxide  
6.25"W x 9.5"H x 7"Ext.  
HCO2.5" • BP4.75"W x 5.75"H  
1 x 13W GU24 Bulb (Included)  
900 Rated Lumens  
Die Cast Aluminum

CA  
T24

## 85784WGBO

1-Light Outdoor Wall  
Black Oxide  
8"W x 14.25"H x 10"Ext.  
HCO7" • BP4.75"W x 8.5"H  
1 x 13W GU24 Bulb (Included)  
900 Rated Lumens  
Die Cast Aluminum

CA  
T24



## 85786WGBO

1-Light Outdoor Wall  
Black Oxide  
12"W x 21"H x 14.5"Ext.  
HCO10" • BP4.75"W x 8.5"H  
1 x 26W GU24 Bulb (Included)  
1760 Rated Lumens  
Die Cast Aluminum

CA  
T24

# Oakville EE collection



## 85785WGBO

1-Light Outdoor Wall

Black Oxide

10"W x 17.5"H x 12"Ext.

HCO8.25" • BP4.75"W x 8.5"H

1 x 18W GU24 Bulb (Included)

1355 Rated Lumens

Die Cast Aluminum

CA  
T24



## 85788WGBO

1-Light Outdoor Pendant

Black Oxide

12"W x 19"H

1 x 26W GU24 Bulb (Included)

1760 Rated Lumens

Die Cast Aluminum

CA  
T24



## 85780WGBO

1-Light Outdoor Post

Black Oxide

10"W x 17.75"H

1 x 18W GU24 Bulb (Included)

1355 Rated Lumens

Die Cast Aluminum

CA  
T24

# Calistoga EE collection

- Self-Ballasted GU24 Bulbs
- 2700 K Color Temperature
- 10,000 Rated Life Hours
- Die Cast Aluminum



## 85432SWAE

1-Light Outdoor Wall  
Adobe  
7"W x 10"H x 8.75"Ext.  
HCO5" • BP4.25"W x 5"H  
1 x 13W GU24 Bulb (Included)  
900 Rated Lumens  
Die Cast Aluminum

CA  
T24



## 85436SWAE

1-Light Outdoor Wall  
Adobe  
10.25"W x 15.5"H x 12.75"Ext.  
HCO7.5" • BP4.75"W x 8.5"H  
1 x 26W GU24 Bulb (Included)  
1760 Rated Lumens  
Die Cast Aluminum

CA  
T24



## 85434SWAE

1-Light Outdoor Wall  
Adobe  
9"W x 12.5"H x 11"Ext.  
HCO6.5" • BP4.75"W x 6.5"H  
1 x 18W GU24 Bulb (Included)  
1355 Rated Lumens  
Die Cast Aluminum

CA  
T24



# Calistoga EE collection



## 85439SWAE

1-Light Outdoor Pendant  
Adobe  
10.25"W x 17"H  
1 x 26W GU24 Bulb (Included)  
1760 Rated Lumens  
Die Cast Aluminum

CA  
T24



## 85430SWAE

1-Light Outdoor Post  
Adobe  
10.25"W x 19"H  
1 x 26W GU24 Bulb (Included)  
1760 Rated Lumens  
Die Cast Aluminum

CA  
T24

# Knoxville EE collection

- Self-Ballasted GU24 Bulbs
- 2700 K Color Temperature
- 10,000 Rated Life Hours

## 85625FSBZ

1-Light Outdoor Wall  
Bronze  
9"W x 18.5"H x 12.25"Ext.  
HCO11.25" • BP5.25"W x 10.5"H  
1 x 18W GU24 Bulb (Included)  
1355 Rated Lumens

CA  
T24



## 85627FSBZ

1-Light Outdoor Wall  
Bronze  
11"W x 23.75"H x 14.75"Ext.  
HCO13.75" • BP7.25"W x 15.75"H  
1 x 26W GU24 Bulb (Included)  
1760 Rated Lumens

CA  
T24



## 85623FSBZ

1-Light Outdoor Wall  
Bronze  
7"W x 11"H x 8.25"Ext.  
HCO3.5" • BP5.25"W x 6.5"H  
1 x 13W GU24 Bulb (Included)  
900 Rated Lumens

CA  
T24



## 85629FSBZ

1-Light Outdoor Pendant  
Bronze  
11"W x 17.25"H  
1 x 26W GU24 Bulb (Included)  
1760 Rated Lumens

CA  
T24

## 85621FSBZ

1-Light Outdoor Post  
Bronze  
11"W x 23"H  
1 x 26W GU24 Bulb (Included)  
1760 Rated Lumens

CA  
T24



# Castille EE collection

- Self-Ballasted GU24 Bulbs
- 2700 K Color Temperature
- 10,000 Rated Life Hours



## 86231FTCF

1-Light Outdoor Wall  
Country Forge  
6.5"W x 9.5"H x 9.5"Ext.  
HCO4.75" • BP5"W x 7.5"H  
1 x 13W GU24 Bulb (Included)  
900 Rated Lumens

CA  
T24



## 86232FTCF

1-Light Outdoor Wall  
Country Forge  
8.5"W x 17"H x 11.25"Ext.  
HCO10" • BP5.5"W x 10.5"H  
1 x 18W GU24 Bulb (Included)  
1355 Rated Lumens

CA  
T24



## 86234FTCF

1-Light Outdoor Wall  
Country Forge  
11.25"W x 24"H x 14.5"Ext.  
HCO11.25" • BP5.5"W x 16"H  
1 x 26W GU24 Bulb (Included)  
1760 Rated Lumens

CA  
T24

# Knoxville collection



## 1127FSBZ

1-Light Outdoor Wall  
Bronze  
11"W x 23.75"H x 14.75"Ext.  
HCO13.75" • BP7.25"W x 15.75"H  
1 x 100W MB Bulb



## 1125FSBZ

1-Light Outdoor Wall  
Bronze  
9"W x 18.5"H x 12.25"Ext.  
HCO11.25" • BP5.25"W x 10.5"H  
1 x 100W MB Bulb



## 1123FSBZ

1-Light Outdoor Wall  
Bronze  
7"W x 11"H x 8.25"Ext.  
HCO3.5" • BP5.25"W x 6.5"H  
1 x 60W MB Bulb



## 1129FSBZ

1-Light Outdoor Pendant  
Bronze  
11"W x 17.25"H  
1 x 100W MB Bulb



## 1120FSBZ

1-Light Outdoor Post  
Bronze  
9"W x 19.5"H  
1 x 100W MB Bulb



## 1121FSBZ

1-Light Outdoor Post  
Bronze  
11"W x 23"H  
1 x 100W MB Bulb

# Wharf collection



## 35011 EB,OB

1-Light Outdoor Wall  
8"W x 14"H x 10"Ext.  
HCO7.5" • BP4.5"W x 4.5"H  
1 x 100W MB Bulb



## 35013 EB,OB

1-Light Outdoor Wall  
12"W x 16.75"H x 14"Ext.  
HCO8.5" • BP4.5"W x 4.5"H  
1 x 100W MB Bulb



## 35012 EB,OB

1-Light Outdoor Wall  
10"W x 15.25"H x 12"Ext.  
HCO8" • BP4.5"W x 4.5"H  
1 x 100W MB Bulb

# MX-LI20-DL series

COUNTERMAX®

## LED Under Cabinet Lighting

The MX-LI20-DL features the same low profile frame of the MX-LI20DC and also full dimmability but with an increased lumen output. Featuring the new LG 5630 LED with closer spacing for better light distribution and lower operating temperatures for longer life. The hinged top gives access for easy installation with captured mounting screws and quick wire connectors.

### Features:


- Warm white 2700K light
- CRI 82, 120° beam spread
- 50,000 life hours
- Knockouts are 3/8" with romex
- Connector included.
- Dimmable using standard dimmer\*  
\*Lutron CL dimmer recommended
- Linkable end to end or with MXInterlink4
- Frosted glass diffuser



LIGHT BY  
**LUXEON®**



Metallic Bronze




Satin Nickel



White



**7" LED Under Cabinet**  
**89932MB** Metallic Bronze  
**89932SN** Satin Nickel  
**89932WT** White  
 7"L x 4"W x 1"H  
 5.1W  
 289 Initial Lumens



**13" LED Under Cabinet**  
**89933MB** Metallic Bronze  
**89933SN** Satin Nickel  
**89933WT** White  
 13"L x 4"W x 1"H  
 7.7W  
 436 Initial Lumens



**21" LED Under Cabinet**  
**89934MB** Metallic Bronze  
**89934SN** Satin Nickel  
**89934WT** White  
 21"L x 4"W x 1"H  
 10W  
 587 Initial Lumens



**30" LED Under Cabinet**  
**89936MB** Metallic Bronze  
**89936SN** Satin Nickel  
**89936WT** White  
 30"L x 4"W x 1"H  
 15W  
 882 Initial Lumens



**Frost Acrylic Lens**  
 7" **87892WT** White For 89932  
 13" **87893WT** White For 89933  
 21" **87894WT** White For 89934  
 30" **87896WT** White For 89936



**MXInterLink4 Connector Cord**  
 9" **87876WT** White 24" **87878WT** White  
 9" **87876BK** Black 24" **87878BK** Black  
 18" **87877WT** White  
 18" **87877BK** Black



**MXInterLink4 Direct Wire Box**  
**87885WT** White  
**87885BK** Black  
 5"L x 2.25"W x 1"H



**Plastic Wire Clip**  
**53255**  
 .5"W x 0.25"H x 1"L



**MXInterLink4 Power Cord**  
**87880WT** White  
**87880BK** Black  
 72"L

**LED Under Cabinet Lighting**

The MX-L120-EL features a new edge illuminated technology which provides even light without the common LED spots on the counter. The enclosed design does not need to be open for either wiring or for mounting. Knockouts for wiring are on a removable plate on the back for quick and easy wiring.

**Features:**

- Warm white 2700K light
- 90+ CRI, 120° beam spread
- 3/8" Knockouts connector included
- Dimmable with standard dimmer (Lutron CL recommended)
- Linkable end to end or with MXInterlink 4
- No glare lens



Anodized Bronze



Brushed Aluminum



White



**13" LED Under Cabinet**  
**89963AL** Brushed Aluminum  
**89963BRZ** Anodized Bronze  
**89963WT** White  
 13"L x 4"W x 1"H  
 6.5W  
 420 Initial Lumens



**21" LED Under Cabinet**  
**89964AL** Brushed Aluminum  
**89964BRZ** Anodized Bronze  
**89964WT** White  
 21"L x 4"W x 1"H  
 10.5W  
 680 Initial Lumens



**30" LED Under Cabinet**  
**89965AL** Brushed Aluminum  
**89965BRZ** Anodized Bronze  
**89965WT** White  
 30"L x 4"W x 1"H  
 15W  
 975 Initial Lumens



**MXInterLink4 Connector Cord**  
 9" **87876WT** White    24" **87878WT** White  
 9" **87876BK** Black    24" **87878BK** Black  
 18" **87877WT** White  
 18" **87877BK** Black



**Plastic Wire Clip**  
**53255**  
 .5"W x 0.25"H x 1"L



**MXInterLink4 Power Cord**  
**87880WT** White  
**87880BK** Black  
 72"L



**MXInterLink4 Direct Wire Box**  
**87885WT** White  
**87885BK** Black  
 5"L x 2.25"W x 1"H

# MX-L120-LO series

# COUNTERMAX®

## LED Under Cabinet Lighting

The MX-L120-LO is our economy LED under counter. It features an extruded aluminum body with anodized finishes and a frosted acrylic lens. Its easy mount end caps makes for easy and quick installation without the use of clips. Can be direct wired with the use of direct wire box or plugged directly into an outlet.

### Features:

- Warm 3000K light
- 80+ CRI
- Non-Dimmable
- Linkable end to end or with MX Interlink 5
- Value pricing
- Frosted Lens



**10" LED Under Cabinet**  
**89901BRZ** Anodized Bronze  
**89901WT** White  
10"L x 4"W x 1"H  
6W  
390 Initial Lumens



**21" LED Under Cabinet**  
**89902BRZ** Anodized Bronze  
**89902WT** White  
21"L x 4"W x 1"H  
10W  
650 Initial Lumens



**30" LED Under Cabinet**  
**89903BRZ** Anodized Bronze  
**89903WT** White  
30"L x 4"W x 1"H  
12W  
780 Initial Lumens



**40" LED Under Cabinet**  
**89904BRZ** Anodized Bronze  
**89904WT** White  
40"L x 4"W x 1"H  
14W  
910 Initial Lumens



**MXInterLink5 Connector Cord**  
9" **89951WT** White 24" **89953WT** White  
9" **89951BK** Black 24" **89953BK** Black  
18" **89952WT** White  
18" **89952BK** Black



**Plastic Wire Clip**  
**53255**  
.5"W x 0.25"H x 1"L



**MXInterLink5 Power Cord**  
**89954WT** White  
**89954BK** Black  
72"L  
Includes on/off switch



**MXInterLink5 Direct Wire Box**  
**89958WT** White  
**89958BK** Black  
6.5"L x 2.75"W x 1"H





### Features

- Easy to install just plug it in
- Includes AC/DC converter (no driver required)
- Warm 3000K color temperature
- Suitable for wet locations (cannot be submerged into water)
- Supplied with 1 mounting clip for every 24"
- Field cut every 20" (cannot be reconnected)

### Applications

- Cove and accent lighting
- Outdoor porch and patio
- Pathway lighting
- Backlighting of signs and displays
- Under cabinet lighting



### Tape Sections:

- 53581-LVST-110V-30K-60
- 53582-LVST-110V-30K-120
- 53583-LVST-110V-30K-180
- 53584-LVST-110V-30K-240
- 53585-LVST-110V-30K-300
- 53586-LVST-110V-30K-360
- 53588-LVST-110V-30K-480
- 53590-LVST-110V-30K-600

Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	PC Board	Beam	Voltage	Current
53581	5'	90	7.2	375	3000 K	70 - 75	White	120°	110V	66mA
53582	10'	180	14.4	750	3000 K	70 - 75	White	120°	110V	132mA
53583	15'	270	21.6	1125	3000 K	70 - 75	White	120°	110V	198mA
53584	20'	360	28.8	1500	3000 K	70 - 75	White	120°	110V	264mA
53585	25'	450	36	1875	3000 K	70 - 75	White	120°	110V	330mA
53586	30'	540	43.3	2250	3000 K	70 - 75	White	120°	110V	396mA
53588	40'	720	57.6	3000	3000 K	70 - 75	White	120°	110V	528mA
53590	50'	930	74.4	3875	3000 K	70 - 75	White	120°	110V	682mA

### Mounting Chips



### 53577

- Clips x 10 pcs
- screws x 20 pcs
- White Box Packing

# Glow 24 collection

## STARSTRAND®


### Features

- Low power consumption with 2.78 watts per foot
- Warm 2700K or 3000K color temperature
- Highly flexible material that is backed with 3M adhesive tape for easy installation
- No heat and no UV radiation
- Supplied in 35 sections of 12" each, that can be field cut every 6"
- Two dimmable driver options



### Applications

- Cove and toe kick accent lighting
- Cabinet lighting
- Architectural features
- Backlighting of signs and displays
- Wine cellars
- Closets



### Tape Sections:

53206-SP-LED-GLOW-24V-27K-420

53207-SP-LED-GLOW-24V-30K-420

Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	PC Board	Beam	Voltage	Current
53206	420"	420	97.3	7000	2700 K	80	White	120°	24V	4.2A
53207	402"	420	97.3	7175	3000 K	80	White	120°	24V	4.2A

Model Number	Wattage	Maximum Run
53323-DDM-24V-30W-DW	30 Watts	10'
53332-DDM-24V-100W-DW-110V	100 Watts	35'

## 4-Pin Mounting Clip



- 53272**  
 .5"W x .25"H x .5"L
- Use on irregular surfaces when adhesive backing is not sufficient
  - Recommended interval is every 12"
  - Package of 20

## 4-Pin 4-Way Connector




- 53263**  
 1.5"W x .25"H x 1.5"L
- Allows for L, T and X installations between Glow 24 Controller or 24V Amplifier and Glow 24
  - Includes two 4-Pin Male End Caps and one 4-Pin Male/Male Adapter

## 4-Pin Male End Cap



- 53264**  
 .5"W x .10"H x .5"L
- Placed on female end of run termination
  - Protects against dust and damage
  - Package of 10

## 45° Angle Mounting Channel




- 53374**  
 1"W x .75"H x 48"L
- Surface mount to angle tape for accent lighting
  - Aluminum screws included

## Flexible Aluminum Channel



- 53254**  
 .5"W x .6"H x 36"L
- Creates valance to conceal tape
  - Irregular surface installations
  - Includes screws for installation

## 4-Pin Silicone End Cap



- 53269**  
 .5"W x .1"H x .75"L
- Placed on run termination
  - Protects against dust and damage
  - Package of 10

## Drivers

- |                                   |                                     |
|-----------------------------------|-------------------------------------|
| <b>53323-DDM-24V-30W-DW</b>       | 24V 30W Dimmable Driver in Wire Box |
| <b>53332-DDM-24V-100W-DW-110V</b> | 24V 100W Dimmable Driver            |

## Plastic Wire Clip



- 53255**  
 1"L x .5"W x .25"H
- Secures to surface connecting cords and input/output cords of drivers and controllers
  - Backed with 3M adhesive
  - Package of 10

## Rough In Terminal Block




- 53257**  
 4"L x .75"W x .5"H
- Rough in for new installation construction between 24V Driver and Glow 24
  - Female connector on one end with four wire quick connector on opposite end
  - Includes one 4-Pin Male/Male Adapter and installation screw

## 4-Pin Connecting Cords



- 53265-CC003IN-4P-BK** 3"L x .5"W x .25"H  
**53266-CC007IN-4P-BK** 7"L x .5"W x .25"H  
**53267-CC013IN-4P-BK** 13"L x .5"W x .25"H  
**53268-CC073IN-4P-BK** 73"L x .5"W x .25"H
- Extend distance between Glow 24 Controller or 24V Amplifier and Glow 24
  - Connect sections of Glow 24 together

## 4-Pin Male/Male Adapter



- 53262**  
 .5"W x .25"H x .5"L
- Changes female end of Glow 24 to male end
  - Package of 10

## Heat Shrink Wrap



- 53256**  
 3"L x 1"W x .25"H
- Secure connections when in walls
  - Waterproof for damp locations
  - Heat gun required for installation
  - Package of 10

# Spec Star collection




## STARSTRAND®

### Features

- Superior quality Seoul Semiconductor LED
- High efficiency
- High CRI
- High lumens
- Heat sink included for 24/7 operation
- UL approved for damp locations

### Applications

- Retail display
- Walkway lighting
- Work areas
- Accent lighting
- Counter lighting



### Tape Sections:

- 53570-SPEC-24V-33K-4
- 53571-SPEC-24V-33K-12
- 53572-SPEC-24V-33K-60
- 53574-SPEC-24V-33K-120
- 53575-SPEC-24V-33K-240

Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	PC Board	Beam	Voltage	Current
53570	4"	6	1.44	102	3300 K	97+	White	120°	24V	60mA
53571	12"	18	4.3	307	3300 K	97+	White	120°	24V	180mA
53572	60"	90	21.5	1535	3300 K	97+	White	120°	24V	900mA
53574	120"	180	43	3070	3300 K	97+	White	120°	24V	1.8A
53575	240"	360	86	6140	3300 K	97+	White	120°	24V	3.6A

Model Number	Wattage	Maximum Run
53324-DND-24V-30W-DW	30 Watts	6'
53326-DDM-24V-30W-DW	30Watts	6'
53313-DND-24V-60W-PL, 53318-DND-24V-60W-DW	60 Watts	12'
53286-DND-24V-96W-DW	96 Watts	22'
53330-DDM-24V-100W-DW-110V, 53331-DDM-24V-100W-DW-277V	100 Watts	22'

## 6-Pin 4-Way Connector




**53350**

1.5"L x 1.5"W x .25"H

- Creates a power block for branching between Spec Star and 24V Driver
- Includes two 6-Pin Male End Caps and one 6-Pin Male/Male Adapter and one Male Extender

## 6-Pin Male Extender



**53341**

.5"L x .5"W x .25"H

- Used to connect 6-Pin 4-Way Connector to 6-Pin Connecting Cords and the 6-Pin output cords in 24V drivers
- Package of 6
- One included with 53350

## 6-Pin Connecting Cords



**53465-CC005IN-6P-BK** 5"L x .75"W x .25"H

**53467-CC013IN-6P-BK** 13"L x .75"W x .25"H

**53468-CC073IN-6P-BK** 73"L x .75"W x .25"H

- Extend distance between Spec Star and 24V Driver

## 6-Pin 90° Connector



**53464**

1.25"L x 1.25"W x .25"H

- For 90° corners
- Reversible for left or right
- Includes 3M adhesive for easy mounting

## Adjustable 6-Pin Connector




**53462**

2.3"L x 1.18"W x .25"H

- Used to irregular turns on a flat surface
- Adjusts from 90° to 180°
- Great for radius turn alcoves

## 6-Pin Male End Cap



**53344**

.5"L x .5"W x .25"H

- Placed on female end of run termination
- Protects against dust and damage
- Package of 6

## Drivers

**53324-DND-24V-30W-DW**

24V 30W Class II Driver

**53326-DDM-24V-30W-DW**

24V 30W Dimmable Driver

**53313-DND-24V-60W-PL**

24V 60W Plug-In Driver

**53318-DND-24V-60W-DW**

24V 60W Class II Driver

**53286-DND-24V-96W-DW**

24V 96W Class II Driver

**53330-DDM-24V-100W-DW-110V**

24V 100W Dimmable Driver

**53331-DDM-24V-100W-DW-277V**

24V 100W Dimmable Driver 277V

## Plastic Wire Clip



**53255**

1"L x .5"W x .25"H

- Secures to surface connecting cords and input/output cords of drivers and controllers
- Backed with 3M adhesive
- Package of 10

## 6-Pin Rough-In Terminal Block




**53258**

4"L x .75"W x .5"H

- Rough in for new installation construction between Spec Star and 24V Driver
- Female connector on one end with two wire quick connector on opposite end
- Includes one 6-Pin Male/Male Adapter and installation screw

## 6-Pin Silicone End Cap




**53469**

.75"L x .5"W x .1"H

- Placed on run termination
- Protects against dust and damage
- Package of 10

## 6-Pin Male/Male Adapter



**53342**

.5"L x .5"W x .25"H

- Changes female end to male
- Package of 6

## Heat Shrink Wrap



**53256**

3"L x 1"W x .25"H

- Secure connections when in walls
- Waterproof for damp locations
- Heat gun required for installation
- Package of 10

## 6-Pin Mounting Clip



**53273**

.5"W x .25"H x .5"L

- Use on irregular surfaces when adhesive backing is not sufficient
- Recommended interval is every 12"
- Package of 20

# Electronic Dimmable Drivers

Exclusive to StarStrand

**STARSTRAND®**

**LED** 



## 40-100w Dimmable Driver

**53330-DDM-24V-100W-DW-110V** 110V Input

**53331-DDM-24V-100W-DW-277V** 277V Input

9"L x 1.8"W x 1.25"H

- Output Voltage DC24V 4A (100% Load) RMS
- Class 2 Constant Voltage
- Active PFC Function
- Short Circuit Protection
- Efficiency > 85%
- OVC < 35v
- Minimum Load 5 Watt
- Minimum Dimmable Load 30 Watt
- Wiring Compartment w/ 3 x 1/2" KO
- Includes 6-Pin Output Cord
- Dimmable w/ Standard Triac Dimmer



## 30w Driver

**53324-DND-24V-30W-DW** Non Dimmable 110V - 277V

**53326-DDM-24V-30W-DW** Dimmable 110V

9.5"L x 2"W x 1.25"H

- Output Voltage DC24V 1.25A
- Class 2 Constant Voltage
- PFC > .95
- Short Circuit Protection
- Efficiency > 85%
- OVC < 35v
- Minimum Load 3 Watt
- Minimum Dimmable Load 5 Watt
- Wiring Compartment w/ 3 x 1/2" KO
- Includes 6-Pin Output Cord
- Dimmable w/ Standard Triac Dimmer



**30w 4-Pin Driver**

**53323-DDM-24V-30W-DW**

9.5"L x 2"W x 1.25"H

- Output Voltage DC24V 1.25A
- Class 2 Constant Voltage
- PFC > .95
- Short Circuit Protection
- Efficiency > 85%
- OVC < 35v
- Minimum Load 3 Watt
- Minimum Dimmable Load 5 Watt
- Wiring Compartment w/ 3 x 1/2" KO
- Includes 6' Output Cord
- Dimmable w/ Standard Triac Dimmer



**100w 4-Pin Driver**

**53332-DDM-24V-100W-DW-110V**

9"L x 1.8"W x 1.25"H

- Output Voltage DC24V 4A (100% Load) RMS
- Class 2 Constant Voltage
- Active PFC Function
- Short Circuit Protection
- Efficiency > 85%
- OVC < 35v
- Minimum Load 5 Watt
- Minimum Dimmable Load 30 Watt
- Wiring Compartment w/ 3 x 1/2" KO
- Includes 6' Output Cord
- Dimmable w/ Standard Triac Dimmer



**24V 96w Class II Driver**

**53286-DND-24V-96W-DW**

8"L x 3.8"W x 1.5"H

- Electronic direct wire driver
- 120V-264V input
- 24V, 4A output
- Short circuit protection, overload protection, over temperature, over voltage protection
- Power factor control, constant current
- Operating temperature: -22°F to 122°F
- Includes 72" 6-Pin output cord
- Class II UL1310, UL-RU certified



**24V 60w Class II Driver**

**53318-DND-24V-60W-DW**

7.1"L x 2.4"W x 1.4"H

- Electronic direct wire driver
- 120V-264V input
- 24V, 2.5A output
- Short circuit protection, overload protection, over voltage protection
- Constant current
- Operating temperature: -4°F to 140°F
- IP64 rated
- Includes 72" 6-Pin output cord
- Class II UL1310, UL-RU certified



**24V 60w Plug-In Driver**

**53313-DND-24V-60W-PL**

- Electronic plug-in driver
- 120V-240V input
- 24V, 2.5A output
- Short circuit protection, overload protection, over voltage protection
- Operating temperature: 32°F to 104°F
- Includes 72" 6-Pin output cord

# Index

1120.....	99	20906.....	36	25051.....	66
1121.....	99	20907.....	34	25060.....	67
1123.....	99	20908.....	35	25062.....	67
1125.....	99	20909.....	34	25064.....	67
1127.....	99	22370.....	11	25065.....	67
1129.....	99	22371.....	11	25067.....	68
5840.....	49	22372.....	12	25069.....	68
6100.....	80	22373.....	12	25070.....	68
6101.....	80	22375.....	11	25071.....	68
6102.....	80	22376.....	10	25080.....	69
6110.....	82	22379.....	10	25082.....	69
6112.....	82	22392.....	22	25084.....	69
6115.....	82	22393.....	22	25085.....	69
6117.....	82	22395.....	22	25087.....	70
6122.....	81	22396.....	21	25089.....	70
6123.....	81	22398.....	22	25090.....	70
6125.....	81	22411.....	28	25091.....	70
6126.....	81	22413.....	28	25104.....	74
10042.....	51,56	22414.....	28	25109.....	74
10043.....	55	22415.....	28	25111.....	73
10044.....	56	22416.....	27	25113.....	73
10045.....	55	22418.....	26	25116.....	72
10046.....	54	22419.....	25	25117.....	72
10051.....	57	24150.....	46	25125.....	76
10052.....	57	24151.....	46	25140.....	8
10053.....	57	24153.....	46	25142.....	8
10054.....	57	24154.....	45	25144.....	8
10064.....	52	24155.....	45	25145.....	7
10065.....	52	24156.....	44	27524.....	6
10066.....	51	24158.....	44	27525.....	6
10071.....	53	24159.....	43	27527.....	5
10072.....	53	25000.....	75	32451.....	33
10073.....	53	25002.....	75	32453.....	33
10074.....	53	25003.....	75	32454.....	33
10203.....	59	25004.....	75	32455.....	32
10205.....	59	25007.....	76	32456.....	30
10206.....	58	25018.....	62	32457.....	31
10211.....	60	25020.....	63	33000.....	42
10212.....	60	25022.....	63	33001.....	42
10213.....	60	25024.....	63	33003.....	42
10214.....	60	25025.....	63	33004.....	42
11223.....	49	25027.....	64	33006.....	38
11225.....	49	25029.....	64	33008.....	39
11226.....	48	25030.....	64	33013.....	40
11228.....	47	25031.....	64	33014.....	41
11311.....	50	25038.....	62	35007.....	76
11312.....	50	25040.....	65	35011.....	100
11313.....	50	25042.....	65	35012.....	100
11314.....	50	25044.....	65	35013.....	100
20901.....	36	25045.....	65	39740.....	4
20902.....	36	25047.....	66	39743.....	4
20903.....	36	25049.....	66	39745.....	3
20904.....	36	25050.....	66	39746.....	2



# Index

39747.....	1	53465.....	108	86129.....	85
39754.....	23	53467.....	108	86231.....	98
39756.....	24	53468.....	108	86232.....	98
39758.....	24	53469.....	108	86234.....	98
39780.....	15	53570.....	107	87615.....	78
39781.....	15	53571.....	107	87617.....	78
39782.....	14	53572.....	107	87620.....	78
39783.....	14	53574.....	107	87876.....	101,102
39785.....	13	53575.....	107	87877.....	101,102
39787.....	16	53577.....	104	87878.....	101,102
39788.....	16	53581.....	104	87880.....	101,102
39789.....	16	53582.....	104	87885.....	101,102
39920.....	20	53583.....	104	87892.....	101
39923.....	20	53584.....	104	87893.....	101
39924.....	18	53585.....	104	87894.....	101
39925.....	19	53586.....	104	87896.....	101
39926.....	18	53588.....	104	88260.....	92
39928.....	20	53590.....	104	88262.....	92
39929.....	19	85430.....	96	88264.....	92
53206.....	105	85432.....	95	88272.....	89
53207.....	105	85434.....	95	88274.....	89
53254.....	106	85436.....	95	88283.....	91
53255.....	101	85439.....	96	88285.....	91
	102,103,106,108	85621.....	97	88292.....	90
53256.....	106,108	85623.....	97	88293.....	90
53257.....	106	85625.....	97	89901.....	103
53258.....	108	85627.....	97	89902.....	103
53262.....	106	85629.....	97	89903.....	103
53263.....	106	85780.....	94	89904.....	103
53264.....	106	85782.....	93	89932.....	101
53265.....	106	85784.....	93	89933.....	101
53266.....	106	85785.....	94	89934.....	101
53267.....	106	85786.....	93	89936.....	101
53268.....	106	85788.....	94	89951.....	103
53269.....	106	85851.....	77	89952.....	103
53272.....	106	85853.....	77	89953.....	103
53273.....	108	85855.....	77	89954.....	103
53286.....	110	86101.....	84	89958.....	103
53313.....	110	86102.....	84	89963.....	102
53318.....	110	86104.....	84	89964.....	102
53323.....	110	86106.....	86	89965.....	102
53324.....	109	86107.....	86	90200.....	60
53326.....	109	86108.....	86	92040.....	56
53330.....	109	86109.....	86	92061.....	50,53
53331.....	109	86110.....	85	92450.....	32
53332.....	110	86112.....	85	93000.....	40
53341.....	108	86115.....	88	BUI60110.....	62
53342.....	108	86117.....	88		63,65,67,69,73
53344.....	108	86122.....	87		
53350.....	108	86123.....	87		
53374.....	106	86125.....	87		
53462.....	108	86126.....	87		
53464.....	108	86128.....	85		

## Finishes

ABZ	Architectural Bronze
ACP	Antique Copper
AE	Adobe
AL	Brushed Aluminum
AR	Anthracite
ARPN	Anthracite and Polished Nickel
BK	Black
BO	Black Oxide
BRZ	Anodized Bronze
BZ	Bronze
CF	Country Froge
EB	Empire Bronze
GS	Golden Silver
MB	Metalic Bronze
MS	Matte Silver
NAB	Natural Aged Brass
OB	Oriental Bronze
OI	Oil Rubbed Bronze
PC	Polished Chrome
PL	Platinum
PN	Polished Nickel
SN	Satin Nickel
SST	Stainless Steel
UD	Uddo
WT	White

## Glass Styles

BC	Beveled Crystal
BG	Bubble Glass
CL	Clear
FS	Frosted Seedy
FT	Frosted
MSK	Mirror Smoke
SW	Satin White
WG	Waterglass
WT	White

## Shades















OM	Oatmeal Fabric
WT	White

# Energy Efficiency

**CA** California  
**T24** Title 24

All new homes, additions, alterations and most commercial buildings in California must meet minimum energy efficiency standards contained in Title 24, Part 6 of the California Code of Regulations. When you see the California Title 24 symbol next to a Maxim Lighting fixture, you can be assured that the fixture complies. More information on California Title 24 can be found on the California Energy Commission web site at [energy.ca.gov/title24](http://energy.ca.gov/title24).

## Lamping Guide

	Code	Description	Type		Code	Description	Type
	R20	R Shape Medium Base 2.5" W	Incandescent		G24q-1	Quad Tube 4 Pin G24q-1 Base 4.625" MOL	Fluorescent
	CA	Candelabra Base	Incandescent		G24q-2	Quad Tube 4 Pin G24q-2 Base 5.75" MOL	Fluorescent
	MB	Medium Base	Incandescent		G24q-3	Quad Tube 4 Pin G24q-3 Base 6.5" MOL	Fluorescent
	G4	T Shape Clear or Frosted Bi Pin G4 Base 1.2" MOL	Xenon		GU24	CFL Bi-Pin GU24 Base	Fluorescent
	G9	T Shape Clear or Frosted Looped Pin G9 Base .5" W	Xenon		Med Bi-Pin T8	Tubular Medium Bi-Pin Base 1" W	Fluorescent
	PAR20	Medium Base 3.25" MOL	Halogen		G4	T Shape Clear Bi Pin G4 Base 3000 K Color Temperature 1.5W	LED Dimmable
	GU10 MR16	GU10 Twist Base 1.87" MOL	Halogen LED		G9	T Shape Clear Looped Pin G9 Base 3000 K Color Temperature 2.7W	LED Dimmable

# Replacement Bulbs

Item	Type	Code	Note	Watts
BUX2047	Xenon	G4	Clear	20
BUX35066	Xenon	G4	Clear	35
BUX25031	Xenon	G9	Clear	25
BUX40032	Xenon	G9	Clear	40
BUX40043	Xenon	G9	Frosted	40
BUX50033	Xenon	G9	Clear	50
BUX50042	Xenon	G9	Frosted	50
BUX60034	Xenon	G9	Clear	60
BUX75035	Xenon	G9	Frosted	75
BUFPL13038	Fluorescent	G24q-1	2700 K Quad Tube	13
BUFPL18039	Fluorescent	G24q-2	2700 K Quad Tube	18
BUFPL13004	Fluorescent	GU24	2700 K Self-Ballasted	13
BUFPL26044	Fluorescent	G24q-3	2700 K Quad Tube	26
BUHGU1005069	Halogen	GU10		50
BULGU1000468	LED	GU10	Dimmable	4
BUL01073	LED	G4	Dimmable	1.5
BUL03075	LED	G9	Dimmable	2.7



## Warranty and Other Information

- For specific and detailed warranty information, ask your Maxim Lighting sales representative or visit [www.maximlighting.com/warranty](http://www.maximlighting.com/warranty).
- Maxim Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Bulbs are not included unless otherwise noted.



CounterMax, Maxim Lighting and StarStrand are registered trademarks of Maxim Lighting International, Inc. All designs, logos, products and images © Copyright 2014 Maxim Lighting International, Inc. All Rights Reserved. Printed in China



LMXCAT1401

\$5.00



**Maxim Lighting International**

253 North Vineland Avenue  
City of Industry, California  
91746  
USA

General Info: 626.956.4200  
Customer Service: 800.486.2946  
General Fax: 626.956.4235

Dallas Trade Mart: 214.748.8455  
Showroom: 3901  
Email: [info@maximlighting.com](mailto:info@maximlighting.com)  
Web: [www.maximlighting.com](http://www.maximlighting.com)

Maxim Lighting and all designs, logos and images ©2014 Maxim Lighting International. All Rights Reserved. Printed in China