

MAXIM[®]

MAXIM[®]
L I G H T I N G

January 2016 Supplement

January 2016 Supplement



JANUARY 2016

TABLE OF CONTENTS

Arbor	133	Mandeville	123
Avenue	141	Meteor	97
Aviary	19	Midtown	5
Bahama	85	Mini Hi-Bay	76
Balboa LED	167	Morrow Bay LED	163
Baldwin	29	Mystic	1
Bali	81	Norwood	89
Bedazzle	131	Oakville LED	173
Bodega Bay	39	Odessa LED	164
Bungalow LED	166	Olde World	43
Cambria LED	161	Orbit	65
Carriage House LED	157	Packs	145
Civic	137	Paradigm	99
Cocoon	71	Path	143
Coldwater LED	160	Pavilion	139
CounterMax MX-L-120-2K	116	Pendant Separator Kit	75
CounterMax MX-L120-DL 2700K	119	Picazzo	105
CounterMax MX-L120-DL 3000K	120	Pike Place	147
CounterMax MX-L120-EL	118	Pillar	135
CounterMax MX-L120-LO	117	Pinnacle	55
Crete	77	Radcliffe LED	174
Dover EE	180	Rembrant	107
Dover LED	158	Revere EE	177
Equinox	61	Road House	37
Esquire	31	Rustica	149
Eternity	57	Santa Barbara LED	165
Fifth Avenue	9	Side Door LED	176
Flush Mount LED	176	Sienna LED	170
Hennesy	27	Terrace LED	169
Holmby Hills	129	Townhouse	127
Ice	101	Tribeca	35
Illuminaire LED	113	Trim	109
Image	103	Twisp	93
Knob Hill LED	162	Venezia	51
Knoxville LED	159	Villa	125
Lighthouse EE	179	Vineyard	13
Lighthouse LED	171	Vino	69
Lightray LED	151	Vista	111
Luna LED	172	Westlake LED	175
Madrona LED	175	Westport LED	168

LEGEND



ADA Compliant



California Title 24



Dimmable



Energy Efficient



For Damp Location



For Wet Location



Installs on Slope Ceiling




Installs Up or Down



LED



LED Dimmer



MYSTIC

Collection

A sea of Scotch Crystal strands suspend from within drums of steel that are finished in a rich Bronze. Hidden inside the drums is a powerful dimmable LED source, which has the crystals dancing in the night without any glare in your eyes.

- *Suspended Scotch Crystal strands*
- *Drum with thin trim along edges finished in rich Bronze*
- *Hidden dimmable LED source illuminates crystals*
- *3000K Color Temperature*
- *CRI 80*



39657SHBZ

22-Light Pendant

Finish: Bronze

30"W • 6"H • 118"OAH

Bulb Type: LED (Included)

Max Wattage: 61.6

Lumens: 4312

Dimmable: Standard



MYSTIC

Collection

- Suspended Scotch Crystal strands
- Drum with thin trim along edges finished in rich Bronze
- Hidden dimmable LED source illuminates crystals
- 3000K Color Temperature
- CRI 80



39659SHBZ



- Scotch Crystal Strands

39659SHBZ
22-Light Chandelier
Finish: Bronze
32"L • 12"W • 6"H • 118"OAH
Bulb Type: LED (Included)
Max Wattage: 61.6
Lumens: 4312
Dimmable: Standard





39650SHBZ

39650SHBZ

11-Light Flush Mount
Finish: Bronze
16"L • 16"W • 6"H
Bulb Type: LED (Included)
Max Wattage: 30.8
Lumens: 2156
Dimmable: Standard



39655SHBZ

39655SHBZ

16-Light Pendant
Finish: Bronze
24"W • 6"H • 118"OAH
Bulb Type: LED (Included)
Max Wattage: 44.8
Lumens: 3136
Dimmable: Standard





MIDTOWN

Collection

It is hard to find large scale lighting for those large areas that is not custom made. This collection features a metal frame finished in Gold Bronze supporting tall Clear glass cylinders. The tall scale candles finished in a complimentary gold are topped with LED filament bulbs which are included.

MIDTOWN Collection

- Metal frame finished in Gold Bronze
- Tall scale clear glass and Gold candles
- Includes LED filament bulbs



43747CLGB

8-Light Pendant

Finish: Gold Bronze

55"L • 20"W • 26.75"H • 66.5"OAH

Bulb Type: E12 LED filament (Included)

Max Wattage: 4

Lumens: 2240

Dimmable: Standard

• Includes Two 6" stems

(Order 6" stems: STR08706GB-MT)

• Includes Six 12" stems

(Order 12" stems: STR08712GB-MT)



MIDTOWN

Collection

- Metal frame finished in Gold Bronze
- Tall scale clear glass and Gold candles
- Includes LED filament bulbs



43749CLGB

18-Light Pendant

Finish: Gold Bronze

47.25"L • 47.25"W • 34.5"H • 74.25"OAH

Bulb Type: E12 LED filament (Included)

Max Wattage: 4

Lumens: 5040

Dimmable: Standard

• Includes One 6" stem

(Order 6" stems: STR08706GB-MT)

• Includes Three 12" stems

(Order 12" stems: STR08712GB-MT)





43748CLGB



43741CLGB



43746CLGB

43748CLGB

8-Light Pendant
Finish: Gold Bronze
33.5"L • 33.5"W • 27"H • 65.25"OAH
Bulb Type: E12 LED filament (Included)
Max Wattage: 4
Lumens: 2240
Dimmable: Standard
• Includes One 6" stem
(Order 6" stems: STR08706GB-MT)
• Includes Three 12" stems
(Order 12" stems: STR08712GB-MT)



43746CLGB


6-Light Pendant
Finish: Gold Bronze
41.75"L • 20"W • 26.75"H • 66.5"OAH
Bulb Type: E12 LED filament (Included)
Max Wattage: 4
Lumens: 1680
Dimmable: Standard
• Includes Two 6" stems
(Order 6" stems: STR08706GB-MT)
• Includes Six 12" stems
(Order 12" stems: STR08712GB-MT)



43741CLGB

1-Light Wall Sconce
Finish: Gold Bronze
5"W • 19"H • 8"Ext.
Bulb Type: E12 LED filament (Included)
Max Wattage: 4
Lumens: 280
Dimmable: Standard





FIFTH AVENUE

Collection

A stately collection of laser cut steel finished in Luster Bronze and adorned with beveled Flambe Crystals in Cognac, Mirror, and Clear arranged in an abstract pattern. These crystals are also found on the bottom of each fixture, creating a spectacular finish to this high-end collection.

FIFTH AVENUE

Collection

- Laser cut steel finished in Luster Bronze
- Adorned with beveled Flambé Crystals in Cognac, Mirror, and Clear
- G9, Xenon bulbs included



39796JCLB

8-Light Pendant

Finish: Luster Bronze

21.75"W • 16"H • 65"OAH

Bulb Type: G9, Xenon (Included)

Max Wattage: 40

• Includes Three 6" stems

(Order 6" stems: STR06206LB)

• Includes Twelve 12" stems

(Order 12" stems: STR06212LB)



LED

(LED Option)

BUL-2.9W-G9-CL-120V-827

BUL-2.9W-G9-CL-120V-835

G9 LED Bulb

2.9W

Color Temperature: 2700K/3500K

Total Rated Lumens: 189

Life Rated: 25,000 Hours

CRI: 75

Dimmable

FIFTH AVENUE

Collection



39795JCLB

6-Light Pendant

Finish: Luster Bronze

16"W • 16"H • 65"OAH

Bulb Type: G9, Xenon (Included)

Max Wattage: 40

- Includes Three 6" stems
(Order 6" stems: STR06206LB)
- Includes Twelve 12" stems
(Order 12" stems: STR06212LB)



39793JCLB

3-Light Mini Pendant

Finish: Luster Bronze

8.5"W • 10"H • 54"OAH

Bulb Type: G9, Xenon (Included)

Max Wattage: 40

- Includes One 6" stem
(Order 6" stems: STR04206LB)
- Includes Three 12" stems
(Order 12" stems: STR04212LB)



FIFTH AVENUE Collection

- Laser cut steel finished in Luster Bronze
- Adorned with beveled Flambé Crystals in Cognac, Mirror, and Clear
- G9, Xenon bulbs included



(LED Option)

BUL-2.9W-G9-CL-120V-827

BUL-2.9W-G9-CL-120V-835

G9 LED Bulb

2.9W

Color Temperature: 2700K/3500K

Total Rated Lumens: 189

Life Rated: 25,000 Hours

CRI: 75

Dimmable

LED



39791JCLB

6-Light Flush Mount

Finish: Luster Bronze

16"W • 15"H

Bulb Type: G9, Xenon (Included)

Max Wattage: 40



39798JCLB

3-Light Wall Sconce

Finish: Luster Bronze

11"W • 19"H • 5"Ext.

Bulb Type: G9, Xenon (Included)

Max Wattage: 40




VINEYARD

Collection

Intricately detailed leaves of Polished Chrome stainless steel are formed by a two-step process. This creates a two layer texture to each leaf for a multi-dimensional appearance.

Clusters of crystal grapes and vines adorn the inside and shimmer through the light of the included Xenon lamps.



VINEYARD
Collection



39767PC

7-Light Chandelier

Finish: Polished Chrome

41"L • 12"W • 12"H • 82"OAH

Bulb Type: G9, Xenon (Included)

Max Wattage: 40

VINEYARD Collection

- G9 Xenon bulbs are included
- Multi-dimensional leaf detail
- High Polished Chrome finish



(LED Option)
BUL-2.9W-G9-CL-120V-835
G9 LED Bulb
2.9W
Color Temperature: 3500K
Total Rated Lumens: 189
Life Rated: 25,000 Hours
CRI: 75
Dimmable

LED

39769PC

9-Light Chandelier

Finish: Polished Chrome

26"W • 32"H • 102.25"OAH

Bulb Type: G9, Xenon (Included)

Max Wattage: 40

VINEYARD

Collection



39765PC

6-Light Pendant

Finish: Polished Chrome

23"L • 23"W • 22"H • 89.5"OAH

Bulb Type: G9, Xenon (Included)

Max Wattage: 40



39764PC

5-Light Pendant

Finish: Polished Chrome

20"L • 20"W • 15"H • 86"OAH

Bulb Type: G9, Xenon (Included)

Max Wattage: 40



VINEYARD Collection

- G9 Xenon bulbs are included
- Multi-dimensional leaf detail
- High Polished Chrome finish



(LED Option)

BUL-2.9W-G9-CL-120V-835

G9 LED Bulb

2.9W

Color Temperature: 3500K

Total Rated Lumens: 189

Life Rated: 25,000 Hours

CRI: 75

LED

Dimmable



39768PC

5-Light Chandelier

Finish: Polished Chrome

18.5"W • 24"H • 95"OAH

Bulb Type: G9, Xenon (Included)

Max Wattage: 40



39763PC

2-Light Wall Sconce

Finish: Polished Chrome

16"W • 13"H • 7"Ext.

Bulb Type: G9, Xenon (Included)

Max Wattage: 40



AVIARY

Collection

Heavy weight steel cages support a circular band of individual glass rods which run beyond the entire height of the fixture. A spiraling cluster of G9 LED bulbs refract light in an unusual pattern creating a lighting effect sure to create attention. You can chose between the rounded style in Anthracite and Clear rods or the more transitional faceted shape in Oil Rubbed Bronze with Cognac rods.

- Heavyweight steel cages support a circular band of glass rods
- Available in two options:
Anthrite with clear rods or
Oil Rubbed Bronze with Cognac rods
- G9, LED lamps included
- 2700K Color Temperature
- CRI 80



38484CGOI

10-Light Pendant

Finish: Oil Rubbed Bronze

19.25"W • 35.5"H • 84.5"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 2100

• Includes Two 6" stems

(Order 6" stems: STR06206OI)

• Includes Two 12" stems

(Order 12" stems: STR06212OI)

• Includes One 12" stem with U-joint

(Order 12" stems with U-joint: STR06212OI-S)





38486CGOI

13-Light Pendant

Finish: Oil Rubbed Bronze

20.25"W • 22"H • 71.25"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 2730

- Includes Two 6" stems
(Order 6" stems: STR06206OI)
- Includes Two 12" stems
(Order 12" stems: STR06212OI)
- Includes One 12" stem with U-joint
(Order 12" stems with U-joint:
STR06212OI-S)



38487CGOI

13-Light Pendant

Finish: Oil Rubbed Bronze

27"W • 23.5"H • 72.75"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 2730

- Includes Two 6" stems
(Order 6" stems: STR06206OI)
- Includes Two 12" stems
(Order 12" stems: STR06212OI)
- Includes One 12" stem with U-joint
(Order 12" stems with U-joint:
STR06212OI-S)



38483CGOI

8-Light Pendant

Finish: Oil Rubbed Bronze

9.5"W • 27"H • 76.5"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 1680

- Includes Two 6" stems
(Order 6" stems: STR06206OI)
- Includes Two 12" stems
(Order 12" stems: STR06212OI)
- Includes One 12" stem with U-joint
(Order 12" stems with U-joint:
STR06212OI-S)



- Heavyweight steel cages support a circular band of glass rods
- Available in two options:
Anthrith with clear rods or
Oil Rubbed Bronze with Cognac rods
- G9, LED lamps included
- 2700K Color Temperature
- CRI 80

LED 



38485CGOI

12-Light Pendant

Finish: Oil Rubbed Bronze

15"W • 18"H • 67.25"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 2520

- Includes Two 6" stems
(Order 6" stems: STR06206OI)
- Includes Two 12" stems
(Order 12" stems: STR06212OI)
- Includes One 12" stem with U-joint
(Order 12" stems with U-joint: STR06212OI-S)



38482CGOI

5-Light Wall Sconce

Finish: Oil Rubbed Bronze

9.25"W • 27"H • 4.5"Ext.

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 1050





38384CLAR

10-Light Pendant

Finish: Anthracite

20"W • 35.5"H • 84.5"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 2100

- Includes Two 6" stems
(Order 6" stems: STR06206AR)
- Includes Two 12" stems
(Order 12" stems: STR06212AR)
- Includes One 12" stem with U-joint
(Order 12" stems with U-joint: STR06212AR-S)







38386CLAR

13-Light Pendant

Finish: Anthracite

21"W • 22"H • 71.25"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 2730

- Includes Two 6" stems
(Order 6" stems: STR06206AR)
- Includes Two 12" stems
(Order 12" stems: STR06212AR)
- Includes One 12" stem with U-joint
(Order 12" stems with U-joint:
STR06212AR-S)



38387CLAR

13-Light Pendant

Finish: Anthracite

28"W • 23.5"H • 72.75"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 2730

- Includes Two 6" stems
(Order 6" stems: STR06206AR)
- Includes Two 12" stems
(Order 12" stems: STR06212AR)
- Includes One 12" stem with U-joint
(Order 12" stems with U-joint:
STR06212AR-S)



38383CLAR

8-Light Pendant

Finish: Anthracite

9"W • 27"H • 76.5"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 1680

- Includes Two 6" stems
(Order 6" stems: STR06206AR)
- Includes Two 12" stems
(Order 12" stems: STR06212AR)
- Includes One 12" stem with U-joint
(Order 12" stems with U-joint:
STR06212AR-S)



- Heavyweight steel cages support a circular band of glass rods
- Available in two options:
Anthrite with clear rods or Oil Rubbed Bronze with Cognac rods
- G9, LED lamps included
- 2700K Color Temperature
- CRI 80

LED 



38385CLAR

12-Light Pendant

Finish: Anthracite

15"W • 18"H • 67.25"OAH

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 2520

- Includes Two 6" stems
(Order 6" stems: STR06206AR)
- Includes Two 12" stems
(Order 12" stems: STR06212AR)
- Includes One 12" stem with U-joint
(Order 12" stems with U-joint: STR06212AR-S)



38382CLAR

5-Light Wall Sconce

Finish: Anthracite

9"W • 27"H • 5"Ext.

Bulb Type: G9, LED (Included)

Max Wattage: 3

Lumens: 1050



HENNESY

Collection

This large scale collection features Chocolate Sheer organza fabric over an off white interior shade for a unique 3 dimensional look. The heavy weight steel frame is finished in Oil Rubbed Bronze which enhances the color of the shade. Whether it is board room, lobby, or large dining area, the Hennesy is a perfect fit.



43446CSOI

8-Light Pendant

Finish: Oil Rubbed Bronze

41.25"W • 17.5"H • 49.5"OAH

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 5040

Dimmable: Standard

• Includes Two 6" stems

(Order 6" stems: STR08706OI-MT)

• Includes Six 12" stems

(Order 12" stems: STR08712OI-MT)



HENNESY

Collection

- Sheer chocolate organza fabric
- Off white interior shades
- Heavy weight steel frame finished in Oil Rubbed Bronze
- 3000K Color Temperature
- CRI 90



43444CSOI

8-Light Pendant

Finish: Oil Rubbed Bronze

31.5"W • 14"H • 48.75"OAH

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 5040

Dimmable: Standard

- Includes Two 6" stems
(Order 6" stems: STR08706OI-MT)
- Includes Six 12" stems
(Order 12" stems: STR08712OI-MT)



43441CSOI

2-Light Wall Mount

Finish: Oil Rubbed Bronze

13.75"W • 12.25"H • 8"Ext.

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 1260

Dimmable: Standard





BALDWIN

Collection

Rectangular shades of white Linen float on a frame of Dark Bronze to create a soft contemporary design that fit a wide range on interiors. With a LED light source, this collection is perfect for light commercial as well as residential applications.



43556LNDBZ

6-Light Pendant

Finish: Dark Bronze

35.5"W • 12"H • 131"OAH

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 3780

Dimmable: Standard



BALDWIN

Collection

- White linen rectangle shades
- Dark Bronze metal frame
- GU24 LED lamps included
- Perfect for commercial or residential applications
- 3000K Color Temperature
- CRI 90



43551LNDBZ



43558LNDBZ

43551LNDBZ


1-Light Wall Mount
Finish: Dark Bronze
10"W • 11.75"H • 9"Ext.
Bulb Type: GU24 LED (Included)
Max Wattage: 9
Lumens: 630
Dimmable: Standard



43558LNDBZ

8-Light Pendant
Finish: Dark Bronze
47.25"W • 12"H • 131"OAH
Bulb Type: GU24 LED (Included)
Max Wattage: 9
Lumens: 5040
Dimmable: Standard





ESQUIRE

Collection

Classic straight lines and large scale makes this collection an excellent candidate for light commercial applications. Dual LED downlights are encased in each rectangular font which is finished in a dark Bronze and contrasted nicely with a soft white Linen shade. This collection is 100% LED for low maintenance and energy efficiency.

ESQUIRE Collection

- Soft White Linen shade
- Dual LED downlights encased in a Dark Bronze rectangular font
- 3000K Color Temperature
- CRI 90
- GU24, LED lamps included
- 100% LED for low maintenance



43666LNDBZ

12-Light Pendant

Finish: Dark Bronze

63" L • 13.75" W • 7.75" H • 45.5" OAH

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 8610

Dimmable: Standard

• Includes Two 6" stems

(Order 6" stems: STR06206DBZ-MT)

• Includes Six 12" stems

(Order 12" stems: STR06212DBZ-MT)



ESQUIRE

Collection

- Soft white linen shade
- Dual LED downlights encased in a Dark Bronze rectangular font
- 3000K Color Temperature
- CRI 90
- GU24, LED lamps included
- 100% LED for low maintenance



43664LNDBZ

8-Light Pendant

Finish: Dark Bronze

47.25"L • 13.75"W • 7.75"H • 45.5"OAH

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 5740

Dimmable: Standard

• Includes Two 6" stems

(Order 6" stems: STR06206DBZ-MT)

• Includes Six 12" stems

(Order 12" stems: STR06212DBZ-MT)





43667LNDBZ



43668LNDBZ

43667LNDBZ

8-Light Pendant

Finish: Dark Bronze

24.75"W • 7.75"H • 45.5"OAH

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 5740

Dimmable: Standard

• Includes Two 6" stems

(Order 6" stems: STR06206DBZ-MT)

• Includes Six 12" stems

(Order 12" stems: STR06212DBZ-MT)



43668LNDBZ

12-Light Pendant

Finish: Dark Bronze

41.25"L • 26.5"W • 7.75"H • 45.5"OAH

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 8610

Dimmable: Standard

• Includes Two 6" stems

(Order 6" stems: STR06206DBZ-MT)

• Includes Six 12" stems

(Order 12" stems: STR06212DBZ-MT)





TRIBECA

Collection

This urban lifestyle design features square shades of Linen with a coffee color trim mounted on a metal frame finished in Dark Bronze. LED downlights are mounted in the bottom of the frame as well as replaceable LED bulbs inside the shade.

- Square shades of linen with a coffee color trim
- Metal frame finished in Dark Bronze
- Features LED downlights mounted on the bottom of the frame
- Replaceable, GU24 LED lamps included
- 3000K Color Temperature
- CRI 90

TRIBECA Collection



43813LNDBZ

3-Light Pendant

Finish: Dark Bronze

35.5" L • 9.75" W • 9" H • 44.75" OAH

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 2940

Dimmable: Standard

• Includes Two 6" stems

(Order 6" stems: STR06206DBZ-MT)

• Includes Six 12" stems

(Order 12" stems: STR06212DBZ-MT)



43814LNDBZ

4-Light Pendant

Finish: Dark Bronze

46" L • 9.75" W • 9" H • 44.75" OAH

Bulb Type: GU24 LED (Included)

Max Wattage: 9

Lumens: 3920

Dimmable: Standard

• Includes Two 6" stems

(Order 6" stems: STR06206DBZ-MT)

• Includes Six 12" stems

(Order 12" stems: STR06212DBZ-MT)





20927BWIO
6-Light Pendant
Finish: Barn Wood/Iron Ore
36"L • 19"W • 23"H
Bulb Type: CA, Incan.
Max Wattage: 40
Dimmable: Standard



ROAD HOUSE

Collection

Unique pendants formed of bent wood finished in Barn Wood which is a weathered and distressed look. The internal clusters and details are constructed of cast iron in a hammered pattern and finished in a natural looking Iron Ore. A excellent blend of soft shape and rustic finish allows for this collection to fit into a number of interior designs.

ROAD HOUSE

Collection

- *Weathered and distressed Barn-style wood*
- *Detailed hammered patterns on a cast iron frame finished in Iron Ore*
- *Dimmable*
- *Incandescent*



20923BWIO

4-Light Pendant
Finish: Barn Wood/Iron Ore
19"W • 23"H
Bulb Type: CA, Incan.
Max Wattage: 40
Dimmable: Standard



20925BWIO

5-Light Pendant
Finish: Barn Wood/Iron Ore
22"W • 31.5"H
Bulb Type: CA, Incan.
Max Wattage: 40
Dimmable: Standard



BODEGA BAY

Collection

Rings of Ash wood are distressed and then finished in Antique Pecan for that old world feel. Metal accents finished in Anthracite provide a forged iron appearance that complements this rustic design.





BODEGA BAY Collection

20915APAR

20915APAR/BUI (with Bulb)

6-Light Chandelier

Finish: Anthracite

36.5"L • 22.25"W • 16.5"H • 48"OAH

Bulb Type: MB, Incan.

Max Wattage: 60

• Includes Two 6" stems

(Order 6" stems: STR06206AR)

• Includes Six 12" stems

(Order 12" stems: STR06212AR)

20915APAR/BUI



20913APAR

20913APAR/BUI (with Bulb)

6-Light Chandelier

Finish: Anthracite

36"L • 4.5"W • 16.75"H • 48"OAH

Bulb Type: MB, Incan.

Max Wattage: 60

• Includes Two 6" stems

(Order 6" stems: STR06206AR)

• Includes Six 12" stems

(Order 12" stems: STR06212AR)

20913APAR/BUI



BUI-60W-ST64-E26-CL-120V

60 Wattage

Vintage Light Bulb

Sold Separately

BODEGA BAY Collection

- Distressed wood finished in Antique Pecan
- Metal Anthracite finish
- Incandescent



20917APAR/BUI



91910APAR/BUI



20918APAR/BUI

91910APAR
91910APAR/BUI (with Bulb)
1-Light Mini Pendant
Finish: Anthracite
10"W • 11.25"H • 55.5"OAH
Bulb Type: MB, Incan.
Max Wattage: 100
• Includes One 6" stem
(Order 6" stems: STR06206AR)
• Includes Three 12" stems
(Order 12" stems: STR06212AR)



20917APAR
20917APAR/BUI (with Bulb)
5-Light Pendant
Finish: Anthracite
18.5"W • 23"H
Bulb Type: MB, Incan.
Max Wattage: 60



20918APAR
20918APAR/BUI (with Bulb)
6-Light Pendant
Finish: Anthracite
30"W • 33"H
Bulb Type: MB, Incan.
Max Wattage: 60





OLDE WORLD

Collection

Reminiscent of an era gone by, the Olde World collection is crafted out of hand carved wood and hand washed in a finish called Senora Wood to give a worn distressed look so desired in antique reproductions. Since each piece is constructed by hand, no two are exactly alike, which allows you to possess a one of a kind work of art.

OLDE WORLD Collection

- Hand-crafted wood in Senora finish to create a distressed antique look
- Metalwork is accented in a rust-like finish
- Incandescent



39611SW

39611SW/SHD396 With Shade

15-Light Chandelier

Finish: Senora Wood

47.5"W • 49.25"H

Bulb Type: CA, Incan.

Max Wattage: 40

OLDE WORLD Collection



39609SW

39609SW/SHD396 *With Shade*

12-Light Chandelier

Finish: Senora Wood

45.25"W • 47.25"H

Bulb Type: CA, Incan.

Max Wattage: 40

OLDE WORLD Collection

- Hand-crafted wood in Senora finish to create a distressed antique look
- Metalwork is accented in a rust-like finish
- Incandescent



SHD396RB
Optional Shade
3.95"Top • 6.25"Base • 5.5"H
• Candle Mount shade



39607SW
39607SW/SHD396 *With Shade*
6-Light Chandelier
Finish: Senora Wood
26.75"W • 36.5"H
Bulb Type: CA, Incan.
Max Wattage: 40

OLDE WORLD Collection



39605SW

6-Light Chandelier

Finish: Senora Wood

27"W • 30"H

Bulb Type: CA, Incan.

Max Wattage: 40

OLDE WORLD Collection

- Hand-crafted wood in Senora finish to create a distressed antique look
- Metalwork is accented in a rust-like finish
- Incandescent



39603SW
4-Light Pendant
Finish: Senora Wood
19"W • 32"H
Bulb Type: CA, Incan.
Max Wattage: 40



39613SW
6-Light Chandelier
Finish: Senora Wood
26"W • 30.75"H
Bulb Type: CA, Incan.
Max Wattage: 40

OLDE WORLD Collection



39615SW

6-Light Chandelier
Finish: Senora Wood
26"W • 27.25"H
Bulb Type: CA, Incan.
Max Wattage: 40



39617SW

8-Light Chandelier
Finish: Senora Wood
28"W • 31"H
Bulb Type: CA, Incan.
Max Wattage: 40



OLDE WORLD

Collection

- Hand-crafted wood in Senora finish to create a distressed antique look
- Metalwork is accented in a rust-like finish
- Incandescent



39600HP

1-Light Pendant

Finish: Hemp

24"W • 14"H

Bulb Type: MB, Incan.

Max Wattage: 60

- Made with Hemp materials





VENEZIA

Collection

This collection features an updated approach to a classic design. An all blown glass body with Polished Nickel accents creates a light and airy feel. You have a choice of Clear, Frost or Cognac glass with coordinated shades, which are included.

ENEZIA

Collection

- *Classical forms in all blown glass body*
- *Available in three glass finishes:
Clear, Cognac or Frost*
- *Polished Nickel accents*
- *Coordinated Shades included*
- *Incandescent*



27548CGPN

27548CLPN

27548FTPN

12-Light Chandelier

Finish: Polished Nickel

35"W • 34"H

Bulb Type: CA, Incan.

Max Wattage: 40

VENEZIA
Collection



27546CGPN

27546CLPN

27546FTPN

6-Light Chandelier

Finish: Polished Nickel


28"W • 22"H

Bulb Type: CA, Incan.

Max Wattage: 40



• Frost (FT)



• Cognac (CG)



• Clear (CL)



• Cognac shade
(SHD298CG)



• Grey shade
(SHD299GY)

VENEZIA Collection

- *Classical forms in all blown glass body*
- *Available in three glass finishes:
Clear, Cognac or Frost*
- *Polished Nickel accents*
- *Coordinated Shades included*
- *Incandescent*



27541CGPN
27541CLPN
27541FTPN
1-Light Wall Sconce
Finish: Polished Nickel
6"W • 14"H • 11"Ext.
Bulb Type: CA, Incan.
Max Wattage: 40



27542CGPN
27542CLPN
27542FTPN
2-Light Wall Sconce
Finish: Polished Nickel
15"W • 14"H • 10"Ext.
Bulb Type: CA, Incan.
Max Wattage: 40



39754FTBZ

39754FTMS

18-Light Chandelier

38"L • 19"W • 19.75"H • 60"OAH

Bulb Type: LED (Included)

Max Wattage: 2.5

• Includes Two 6" stems

(Order 6" stems: STR06206BZ,MS)

• Includes Six 12" stems

(Order 12" stems: STR06212BZ,MS)



PINNACLE

Collection

Tubes of steel are joined in an abstract pattern frame finished in your choice of Bronze or Matte Silver. Rods of Frost acrylic conceal high efficient LED modules which are dimmable to create the mood.

PINNACLE Collection

- Dimmable LED
- 3000K Color Temperature



39756FTBZ

39756FTMS

24-Light Chandelier

33"W • 32.5"H • 76"OAH

Bulb Type: LED (Included)

Max Wattage: 2.5

- Includes One 6" stem
(Order 6" stems: STR06206BZ,MS)
- Includes Three 12" stems
(Order 12" stems: STR06212BZ,MS)



39758FTBZ

39758FTMS

24-Light Chandelier

26"W • 28.25"H • 72"OAH

Bulb Type: LED (Included)

Max Wattage: 2.5

- Includes One 6" stem
(Order 6" stems: STR06206BZ,MS)
- Includes Three 12" stems
(Order 12" stems: STR06212BZ,MS)





ETERNITY

Collection


Frames of metal rings, encased with Beveled Crystal jewels, are finished in Polished Chrome. Suspended by cables as if floating in air, these rings cast rainbows of light when illuminated by the integrated LED.

ETERNITY Collection

- Polished Chrome rings inset with Beveled Crystal jewels
- Rings in different sizes can be adjusted to customer's preference
- High-powered integrated LED
- Dimmable, 3000K Color Temperature
- CRI 80



- Create beautiful, versatile configurations



39778BCPC
12-Light Chandelier
Finish: Polished Chrome
39.75"W • 2.25"H • 118"OAH
Bulb Type: LED (Included)
Max Wattage: 48
Lumens: 3360
Dimmable: Standard



ETERNITY

Collection

- Polished Chrome rings inset with Beveled Crystal jewels
- Rings in different sizes can be adjusted to customer's preference
- High-powered integrated LED
- Dimmable, 3000K Color Temperature
- CRI 80



39777BCPC

6-Light Chandelier

Finish: Polished Chrome

30"W • 2.25"H • 118"OAH

Bulb Type: LED (Included)

Max Wattage: 24

Lumens:1680

Dimmable: Standard



39774BCPC

3-Light Pendant

Finish: Polished Chrome

39.75"W • 2.25"H • 118"OAH

Bulb Type: LED (Included)

Max Wattage: 18

Lumens:1260


Dimmable: Standard



ETERNITY
Collection



39772BCPC



39771BCPC



39773BCPC

39771BCPC

3-Light Pendant
Finish: Polished Chrome
10"W • 2.25"H • 118"OAH
Bulb Type: LED (Included)
Max Wattage: 6
Lumens: 420
Dimmable: Standard



39772BCPC

3-Light Pendant
Finish: Polished Chrome
19.5"W • 2.25"H • 118"OAH
Bulb Type: LED (Included)
Max Wattage: 9
Lumens: 630
Dimmable: Standard



39773BCPC

3-Light Pendant
Finish: Polished Chrome
30"W • 2.25"H • 118"OAH
Bulb Type: LED (Included)
Max Wattage: 15
Lumens: 1050
Dimmable: Standard





EQUINOX

Collection

Bands of steel finished in Polished Nickel or Textured Black with Polished Nickel accents, create spherical forms of lighting. These spheres are graced with Beveled Crystal fonts which conceal dimmable LED bulbs. A perfect blend of grace, beauty and energy efficiency.

EQUINOX Collection

- Bands of steel finished in Polished Nickel or Textured Black with Polished Nickel accents
- Beveled Crystal fonts
- Concealed dimmable LED bulbs
- 3500K Color Temperature
- CRI 90



39108BCPN

39108BCPN
39108BCTXBPN
LED Pendant
39.75"W • 46.5"H • 126"OAH
Bulb Type: LED (Included)
Max Wattage: 64.4
Lumens: 5320
Dimmable: Standard



39108BCTXBPN

EQUINOX Collection

LED 



39104BCPN



39104BCTXBPN

39104BCPN
39104BCTXBPN
LED Pendant
25"W • 29.75"H • 110.25"OAH
Bulb Type: LED (Included)
Max Wattage: 34.5
Lumens: 2850
Dimmable: Standard



EQUINOX Collection

- Bands of steel finished in Polished Nickel or Textured Black with Polished Nickel accents
- Beveled Crystal fonts
- Concealed dimmable LED bulbs
- 3500K Color Temperature
- CRI 90



39102BCPN



39102BCTXBPN

39102BCPN
39102BCTXBPN
LED Pendant
18"W • 21"H • 102.25"OAH
Bulb Type: LED (Included)
Max Wattage: 13.8
Lumens: 1140
Dimmable: Standard




ORBIT

Collection



A spherical frame of metal surround a simple line chandelier draped in crystal for a transitional style that fits any interior design.

Orbit is available in 2 sizes and 2 finishes, Oil Rubbed Bronze with Cognac crystal and a combo finish of Anthracite and Polished Nickel with Clear crystal.





ORBIT

Collection

- Anthracite and Polished Nickel finish supplied with Clear crystals
- Oil Rubbed Bronze finish supplied with Cognac crystal



25145OI
25145ARPN
9-Light Pendant
29.25"W • 31.75"H
Bulb Type: CA, Incan.
Max Wattage: 60

- Crystal Included



25144OI
25144ARPN
6-Light Pendant
25"W • 28"H
Bulb Type: CA, Incan.
Max Wattage: 60


- Crystal Included



25142ARPN



25140OI



25147ARPN

25142OI
25142ARPN
4-Light Pendant
19"W • 21.5"H
Bulb Type: CA, Incan.
Max Wattage: 60

• Crystal Included

25147OI
25147ARPN
12-Light Chandelier
40"W • 43.5"H
Bulb Type: CA, Incan.
Max Wattage: 40

• Crystal Included


25140OI
25140ARPN
3-Light Pendant
12"W • 14"H
Bulb Type: CA, Incan.
Max Wattage: 60

• Crystal Included

VINO

Collection

Bottle shaped pedants are created using a burgundy finished inner frame coated in a White acrylic material. When illuminated the burgundy shows through for that very VINO look. These pendants are suitable for damp locations and can be also installed as a three light cluster using the optional separator kit.



- Bottle shaped pendant finished with a burgundy inner frame
- White Acrylic material
- Can be installed as a three light cluster using our separator kit
- 2700K Color Temperature
- Suitable for damp locations
- GU24, Fluorescent bulbs included



12161WTWT

1-Light Pendant
Finish: White

4.75"W • 11.75"H • 134"OAH

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 900



12162WTWT

1-Light Pendant
Finish: White

6"W • 15.75"H • 138"OAH

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 900



12163WTWT

1-Light Pendant
Finish: White

8"W • 18.25"H • 140"OAH

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 900





COCOON

Collection

A web of fiberglass is bonded together with latex and stretched over steel frames, creating a 50's contemporary design. When illuminated, the fiber shows through the soft fabric and adds texture to this unique look.

COCOON Collection

- *Soft fabric for textured unique look*
- *Incandescent*
- *Suitable for damp locations*



12190WTPC
1-Light Pendant
Finish: Polished Chrome
25"W • 10"H • 130"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



COCOON Collection



12189WTPC



12186WTPC



12188WTPC



12187WTPC

12189WTPC

1-Light Pendant
Finish: Polished Chrome
19"W • 15.75"H • 138"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12188WTPC

1-Light Pendant
Finish: Polished Chrome
13"W • 21.25"H • 141"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12186WTPC

1-Light Pendant
Finish: Polished Chrome
15.25"W • 11"H • 131"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12187WTPC

1-Light Pendant
Finish: Polished Chrome
19.25"W • 12"H • 131.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



COCOON Collection

- Soft fabric for textured unique look
- Incandescent
- Suitable for damp locations



12181WTPC



12185WTPC



12184WTPC



12183WTPC

12181WTPC
1-Light Pendant
Finish: Polished Chrome
10.5"W • 14"H • 133.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12185WTPC
1-Light Pendant
Finish: Polished Chrome
16"W • 8"H • 127.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12184WTPC
1-Light Pendant
Finish: Polished Chrome
11"W • 22.25"H • 131.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12183WTPC
1-Light Pendant
Finish: Polished Chrome
8"W • 16"H • 135.75"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



PENDANT SEPARATOR KIT

Using this kit you can create your own arrangement of cord hung pendants. Purchase any three Cocoon or Vino pendants and the kit to create your cascading design. Kit includes separator and three cord canopy.

- *Kit includes separator and three cord canopy*



12179PC
Pendant Frame
Finish: Polished Chrome
20"L • 17.75"W • 2"H
Sold Separately

MINI HI-BAY

Collection

Small pendants reminiscent of yesteryear are available in your choice of Bronze, Antique Copper, Satin Nickel, and Polished Nickel. In addition to the numerous metal shades. The optional Antique Replica light bulb adds to the authentic look.

• *Incandescent*



25031BZ/BUI



25030ACP/BUI



25071ACP/BUI



25070SN/BUI

25031ACP (Without Bulb)
25031BZ (Without Bulb)
25031PN (Without Bulb)
25031SN (Without Bulb)
25031ACP/BUI (With Bulb)
25031BZ/BUI (With Bulb)
25031PN/BUI (With Bulb)
25031SN/BUI (With Bulb)
 1-Light Pendant
11"W • 11"H • 70"OAH
 Bulb Type: MB, Incan.
 Max Wattage: 60



25030ACP (Without Bulb)
25030BZ (Without Bulb)
25030PN (Without Bulb)
25030SN (Without Bulb)
25030ACP/BUI (With Bulb)
25030BZ/BUI (With Bulb)
25030PN/BUI (With Bulb)
25030SN/BUI (With Bulb)
 1-Light Pendant
8"W • 13.25"H • 72.25"OAH
 Bulb Type: MB, Incan.
 Max Wattage: 60



25071ACP (Without Bulb)
25071BZ (Without Bulb)
25071PN (Without Bulb)
25071SN (Without Bulb)
25071ACP/BUI (With Bulb)
25071BZ/BUI (With Bulb)
25071PN/BUI (With Bulb)
25071SN/BUI (With Bulb)
 1-Light Wall Sconce
11"W • 11"H • 10.5"Ext.
 Bulb Type: MB, Incan.
 Max Wattage: 60

25070ACP (Without Bulb)
25070BZ (Without Bulb)
25070PN (Without Bulb)
25070SN (Without Bulb)
25070ACP/BUI (With Bulb)
25070BZ/BUI (With Bulb)
25070PN/BUI (With Bulb)
25070SN/BUI (With Bulb)
 1-Light Wall Sconce
8"W • 13.25"H • 10.5"Ext.
 Bulb Type: MB, Incan.
 Max Wattage: 60



CRETE

Collection

Pendants molded in natural Gray finish concrete cement provide a unique urban contemporary design element. Metal Polished Chrome hardware contrasts beautifully with the black fabric covered wire. Powerful and efficient illumination is provided by included GU10, 3000K LED bulbs.

CRETE Collection

- 3000K Color Temperature
- 8 size options
- CRI 80+



12396GYPC

1-Light Pendant

Finish: Polished Chrome

15.25"W • 15"H • 133"OAH

Bulb Type: PAR38 LED (Included)

Max Wattage: 16

Lumens: 1120

Weight: 20.5 lbs

Dimmable: Standard



12397GYPC

1-Light Pendant

Finish: Polished Chrome

12"W • 11"H • 131"OAH

Bulb Type: PAR30 LED (Included)

Max Wattage: 11

Lumens: 710

Weight: 9.25 lbs

Dimmable: Standard



12390GYPC

1-Light Pendant

Finish: Polished Chrome

7"W • 7"H • 125.5"OAH

Bulb Type: GU10 LED (Included)

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



12399GYPC

4-Light Pendant

Finish: Polished Chrome

15.75"W • 12.75"H • 131.75"OAH

Bulb Type: GU10 LED (Included)

Max Wattage: 5

Lumens: 1120

Weight: 19.8 lbs

Dimmable: Standard



CRETE Collection



• View from top



12398GYPC

1-Light Pendant
Finish: Polished Chrome
8"W • 10"H • 129.5"OAH
Bulb Type: GU10 LED (Included)
Max Wattage: 5
Lumens: 280
Weight: 4.3 lbs
Dimmable: Standard



12393GYPC

1-Light Pendant
Finish: Polished Chrome
8"W • 7"H • 126.5"OAH
Bulb Type: GU10 LED (Included)
Max Wattage: 5
Lumens: 280
Weight: 4.3 lbs
Dimmable: Standard



Adjustable

CRETE Collection

- 3000K Color Temperature
- 8 size options
- GU10 LED bulbs are included
- CRI 80+



12391GYPC

1-Light Pendant
Finish: Polished Chrome
6"W • 10.5"H • 130.25"OAH
Bulb Type: GU10 LED (Included)
Max Wattage: 5
Lumens: 280
Weight: 4.3 lbs
Dimmable: Standard



12392GYPC

1-Light Pendant
Finish: Polished Chrome
6"W • 10.75"H • 130.5"OAH
Bulb Type: GU10 LED (Included)
Max Wattage: 5
Lumens: 280
Weight: 4.3 lbs
Dimmable: Standard



12395GYPC

1-Light Pendant
Finish: Polished Chrome
7.5"W • 13"H • 132"OAH
Bulb Type: GU10 LED (Included)
Max Wattage: 5
Lumens: 280
Weight: 6.6 lbs
Dimmable: Standard



12394GYPC

1-Light Pendant
Finish: Polished Chrome
7.25"W • 13"H • 133"AOH
Bulb Type: GU10 LED (Included)
Max Wattage: 5
Lumens: 280
Weight: 4.3 lbs
Dimmable: Standard





BALI

Collection

Spherical dual shades constructed of woven string in two tone finish combinations, Natural with White inner and Chocolate with White inner. Shades are treated for weather resistance and are U.L. approved for damp location which make them perfect for outdoor living spaces.

BALI Collection

- *Dual shades constructed of woven strings*
- *Two options available in: Natural/White inner shade or Chocolate/White inner shade*
- *Treated for weather resistance*
- *Incandescent*



14407CHWT

14407NAWT

1-Light Pendant

23.5"W • 22.75"H • 145"OAH

Bulb Type: MB, Incan.

Max Wattage: 60



BALI

Collection

- Dual shades constructed of woven strings
- Two options available in:
Natural/White inner shade or
Chocolate/White inner shade
- Treated for weather resistance
- Incandescent

SUITABLE FOR
DAMP
LOCATION



14405CHWT
14405NAWT
1-Light Pendant
19.75"W • 19.25"H • 140"OAH
Bulb Type: MB, Incan.
Max Wattage: 60





14404CHWT
14404NAWT
1-Light Pendant
20"W • 13.75"H • 134"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



14402CHWT
14402NAWT
1-Light Pendant
15.75"W • 10"H • 131"OAH
Bulb Type: MB, Incan.
Max Wattage: 60





BAHAMA

Collection

This casual collection of lighting features hand formed shades of fiber twine coated with a poly urethane material for strength and durability. The resilience of the construction makes it suitable for damp locations and the ideal lighting for covered patios and outdoor living spaces. With the integrated LED, this collection is a perfect combination of style and security lighting.



BAHAMA

Collection

- Fiber twine coated in polyurethane for strength and durability
- Suitable for damp locations
- Available in three finishes: Chocolate, Natural, and White
- 3000K Color Temperature
- CRI 80



54378CH

54378NA

54378WT

1-Light Pendant

24.25"W • 19"H • 140"OAH

Bulb Type: LED (Included)

Max Wattage: 15

Lumens: 1050

Dimmable: Standard



BAHAMA Collection

SUITABLE FOR
DAMP
LOCATION

LED



54374CH

54374NA

54374WT

1-Light Pendant

20.25"W • 11"H • 132"OAH

Bulb Type: LED (Included)

Max Wattage: 12

Lumens: 840

Dimmable: Standard



54372CH

54372NA

54372WT

1-Light Pendant

16.25"W • 9"H • 130"OAH

Bulb Type: LED (Included)

Max Wattage: 8

Lumens: 560

Dimmable: Standard



BAHAMA Collection

- Fiber twine coated in polyurethane for strength and durability
- Suitable for damp locations
- Available in three finishes: Chocolate, Natural, and White
- 3000K Color Temperature
- CRI 80



54376CH
54376NA
54376WT
 1-Light Pendant
24.25"W • 12.5"H • 134"OAH
 Bulb Type: LED (Included)
 Max Wattage: 15
 Lumens: 1050
 Dimmable: Standard



54370CH
54370NA
54370WT
 1-Light Pendant
7.25"W • 8.5"H • 133"OAH
 Bulb Type: LED (Included)
 Max Wattage: 4.5
 Lumens: 315
 Dimmable: Standard





NORWOOD

Collection

Interlinking panels of Ash wood are bent and formed into a variety of shapes. Organically beautiful, the Norwood collection is finished in a natural Uddo oil to allow the beauty of the grain to shine through. Energy efficient GU24 fluorescent lamps are supplied with each fixture.

NORWOOD Collection

- *Interlinking panels of Ash wood finished with natural Uddo oil*
- *Beautiful organic shapes*
- *Energy efficient GU24 fluorescent lamps are included*



12403UDBK

1-Light Pendant

Finish: Black

20"W • 7"H • 127"OAH

Bulb Type: GU24, Fluorescent (Included)

Max Wattage: 26

Lumens: 1760



NORWOOD

Collection

- Interlinking panels of Ash wood finished with natural Uddo oil
- Beautiful organic shapes
- Energy efficient GU24 fluorescent lamps are included



12402UDBK

1-Light Pendant

Finish: Black

13.5"W • 16"H • 136"OAH

Bulb Type: GU24, Fluorescent (Included)

Max Wattage: 26

Lumens: 1760



12405UDBK

1-Light Pendant

Finish: Black

16"W • 15.75"H • 135.75"OAH

Bulb Type: GU24, Fluorescent (Included)

Max Wattage: 26

Lumens: 1760



NORWOOD Collection



• View from bottom angle



• View from top angle



12406UDBK

1-Light Pendant

Finish: Black

20"W • 20"H • 140"OAH

Bulb Type: GU24, Fluorescent (Included)

Max Wattage: 26

Lumens: 1760



12407UDBK

1-Light Pendant

Finish: Black


24"W • 24"H • 144"OAH

Bulb Type: GU24, Fluorescent (Included)

Max Wattage: 26

Lumens: 1760






TWISP

Collection

Twisted bands of aluminum are applied by hand to metal frames, forming artisan sculptures of light. These uniquely handcrafted pieces are available in your choice of Polished Chrome or Copper.

TWISP Collection

- Twisted bands of Aluminum
- Handcrafted pieces, available in Polished Chrome or Copper
- Incandescent



12195CP

12195PC

1-Light Pendant

20"W • 20"H • 140"OAH

Bulb Type: MB, Incan.

Max Wattage: 60



12194CP



12191CP



12192PC



12191CP
12191PC
1-Light Pendant
20"W • 12"H • 132"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12194CP
12194PC
1-Light Pendant
16"W • 16"H • 136"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12192CP
12192PC
1-Light Pendant
16"W • 9.5"H • 129.5"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



TWISP Collection

- *Twisted bands of Aluminum*
- *Handcrafted pieces, available in Polished Chrome or Copper*
- *Incandescent*



12197CP
12197PC
1-Light Pendant
15"W • 14.5"H • 134.5"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



12198CP
12198PC
1-Light Pendant
11"W • 20"H • 140"OAH
Bulb Type: MB, Incan.
Max Wattage: 60



METEOR

Collection

Clear Beveled Crystals are stung onto a continuous wire and wrapped over a tubular metal frame finished in your choice of a high luster Polished Chrome or vibrant Rose Gold. Hidden within the tubular frame is a LED light source, which not only adds beauty and sparkle to the crystal, but adds ample light for the vanity.



METEOR Collection

32500BCPC
32500BCRG
 1-Light Bath Vanity
12.5"W • 5.5"H • 5"Ext.
 HCO 2.7"
 Bulb Type: LED (Included)
 Max Wattage: 5
 Lumens: 350
 Dimmable: Standard




32500BCPC


- Tubular frame of metal rings with inset Beveled Crystal jewels
- Can be hung Vertically or Horizontally
- Dimmable LED in 3000K
- Suitable for damp locations
- Available in Rose Gold and Polished Chrome
- CRI-80



32502BCRG



32503BCPC



32504BCRG



32505BCPC

32502BCPC
32502BCRG
 1-Light Bath Vanity
20.5"W • 5.5"H • 5"Ext.
 HCO 2.7"
 Bulb Type: LED (Included)
 Max Wattage: 8
 Lumens: 560
 Dimmable: Standard



32503BCPC
32503BCRG
 1-Light Bath Vanity
23"W • 5.5"H • 5"Ext.
 HCO 2.7"
 Bulb Type: LED (Included)
 Max Wattage: 12
 Lumens: 840
 Dimmable: Standard




32504BCPC
32504BCRG
 1-Light Bath Vanity
36"W • 5.5"H • 5"Ext.
 HCO 2.7"
 Bulb Type: LED (Included)
 Max Wattage: 16
 Lumens: 1120
 Dimmable: Standard



32505BCPC
32505BCRG
 1-Light Bath Vanity
47"W • 5.5"H • 5"Ext.
 HCO 2.7"
 Bulb Type: LED (Included)
 Max Wattage: 20
 Lumens: 1400
 Dimmable: Standard





PARADIGM

Collection

Two layers of a geometric frame of steel, finished in Polished Chrome, are embedded with various Beveled Crystal Pendants to create a 3-Dimensional look of elegance and beauty. The Paradigm provides bling for the bath.

PARADIGM Collection

- High Polished Chrome frame
- Variety of Clear Beveled Crystals to create an elegant 3D look
- G9, Xenon Bulbs Included



39817BCPC

4-Light Wall Sconce

Finish: Polished Chrome

17.75"W • 8.25"H • 3.75"Ext.

Bulb Type: G9, Xenon (Included)

Max Wattage: 40



39818BCPC

6-Light Wall Sconce

Finish: Polished Chrome

23.5"W • 8.25"H • 3.75"Ext.

Bulb Type: G9, Xenon (Included)

Max Wattage: 40



39819BCPC

8-Light Wall Sconce

Finish: Polished Chrome

30"W • 8.25"H • 3.75"Ext.

Bulb Type: G9, Xenon (Included)

Max Wattage: 40



(LED Option)

BUL-2.9W-G9-CL-120V-835

G9 LED Bulb

2.9W

Color Temperature: 3500K

Total Rated Lumens: 189

Life Rated: 25,000 Hours

CRI: 75

LED


Dimmable



ICE


Collection

Blocks of piastra style Iceberg Glass sparkle and shimmer from the high powered LEDs concealed inside Polished Chrome metal supports. Not only is useful light directed down, additional light is cast indirectly upwards and into the room for even and soft illumination.



39621IBPC

- Blocks of Piastra-style Iceberg Glass
- Useful up light and additional down light
- Polished Chrome Metal Supports
- Title 24 Compliant
- 3000K Color Temperature
- CRI 90



39622IBPC



39623IBPC



39624IBPC

39621IBPC
2-Light Bath Vanity
Finish: Polished Chrome
9"W • 6"H • 3"Ext.
Bulb Type: LED (Included)
Max Wattage: 14
Lumens: 770
Dimmable: Standard



39622IBPC
4-Light Bath Vanity
Finish: Polished Chrome
19"W • 6"H • 3"Ext.
Bulb Type: LED (Included)
Max Wattage: 29
Lumens: 1595
Dimmable: Standard



39623IBPC
6-Light Bath Vanity
Finish: Polished Chrome
28"W • 6"H • 3"Ext.
Bulb Type: LED (Included)
Max Wattage: 44
Lumens: 2420
Dimmable: Standard



39624IBPC
8-Light Bath Vanity
Finish: Polished Chrome
37"W • 6"H • 3"Ext.
Bulb Type: LED (Included)
Max Wattage: 61
Lumens: 3355
Dimmable: Standard





IMAGE

Collection

This contemporary design features a Clear heavy plate glass diffuser suspended in front of an edge lit panel finished in Satin Nickel. The ends of this diffuser extend beyond the LED panel to conceal the light source and bring attention to the beauty of the glass.

- Architectural Spec grade product
- Low profile, ADA compliant
- Title 24 Compliant
- Good for Commercial and Hospitality Applications
- 3000K Color Temperature
- CRI 90

IMAGE
Collection



39635CLSN



39636CLSN



39638CLSN

39635CLSN

LED Bath Vanity
Finish: Satin Nickel
17.75"W • 5.75"H • 2.25"Ext.
Bulb Type: LED (Included)
Max Wattage: 17
Lumens: 935
Dimmable: Standard



39636CLSN

LED Bath Vanity
Finish: Satin Nickel
28"W • 5.75"H • 2.25"Ext.
Bulb Type: LED (Included)
Max Wattage: 22
Lumens: 1210
Dimmable: Standard



39638CLSN

LED Bath Vanity
Finish: Satin Nickel
36"W • 5.75"H • 2.25"Ext.
Bulb Type: LED (Included)
Max Wattage: 32
Lumens: 1760
Dimmable: Standard





PICAZZO

Collection


Contemporary straight line design epitomizes modern art while producing generous amounts of color corrected light which makes for a perfect vanity selection. A high luster Polished Chrome or a more subdued Satin Nickel, you're sure to find a desired look for your room décor.

- Available finishes: Polished Chrome or Satin Nickel
- 3000K Color Temperature
- Dimmable LED bulbs included
- CRI 90

PICAZZO Collection



39672WTPC
39672WTSN
 LED Wall Mount
18"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 16
 Lumens: 1120
 Dimmable: Standard



39674WTPC
39674WTSN
 LED Wall Mount
24"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 26
 Lumens: 1820
 Dimmable: Standard



39676WTPC
39676WTSN
 LED Wall Mount
30"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 30
 Lumens: 2100
 Dimmable: Standard





REMBRANT

Collection

This low profile picture frame vanity light features an aluminum extrusion finished in your choice of Polished Nickle or Anodized Bronze and an edge lit LED technology which is even illumination and excellent color rendering.

- Edge lit LED technology
- Two finish options
- Aluminum frame finished in Polished Nickel or Anodized Bronze
- 3000K Color Temperature
- CRI 90

REMBRANT

Collection



39662WTBRZ
39662WTPN
 LED Wall Mount
18"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 16
 Lumens: 1120
 Dimmable: Standard



39664WTBRZ
39664WTPN
 LED Wall Mount
24"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 26
 Lumens: 1820
 Dimmable: Standard



39666WTBRZ
39666WTPN
 LED Wall Mount
30"W • 5.75"H • 1.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 30
 Lumens: 2100
 Dimmable: Standard





TRIM

Collection

A panel of clear glass with a frosted border is handsomely supported by cast clips of Satin Nickel and attached to a high powered LED frame creates an attractive and very functional vanity light. Also available in a complimentary ceiling model.

TRIM
Collection

- Clear glass panel with a frosted border
- Satin Nickel cast clips
- High powered LED bulbs included
- 3000K Color Temperature
- CRI 90



87628CLFTSN



87622CLFTSN



87624CLFTSN



87626CLFTSN

87628CLFTSN

LED Flush Mount
Finish: Satin Nickel
15"L • 15"W • 2.25"H
Bulb Type: LED (Included)
Max Wattage: 20
Lumens: 1400
Dimmable: Standard



87622CLFTSN

LED Bath Vanity
Finish: Satin Nickel
13"W • 5.5"H • 2"Ext.
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 700
Dimmable: Standard



87624CLFTSN

LED Bath Vanity
Finish: Satin Nickel
23"W • 5.5"H • 2"Ext.
Bulb Type: LED (Included)
Max Wattage: 20
Lumens: 1400
Dimmable: Standard



87626CLFTSN

LED Bath Vanity
Finish: Satin Nickel
32.75"W • 5.5"H • 2"Ext.
Bulb Type: LED (Included)
Max Wattage: 30
Lumens: 2100
Dimmable: Standard




VISTA

Collection


A box of Clear glass surrounds an edge lit LED panel which is framed in Polished Chrome metal. The Clear glass is trimmed on both ends with heavy gauge metal caps. The edge lit panel provides even light distribution while maintaining a high lumen per watt ratio.



39628CLPC
39628CLSN
LED Flush Mount
10.75"L • 10.75"W • 2.5"H
Bulb Type: LED (Included)
Max Wattage: 24
Lumens: 1680
Dimmable: Standard




39629CLPC
39629CLSN
LED Flush Mount
16"L • 16"W • 2.5"H
Bulb Type: LED (Included)
Max Wattage: 32
Lumens: 2240
Dimmable: Standard




VISTA Collection

- Clean and simple Architectural Spec Grade product
- Low profile, ADA compliant
- Title 24 Compliant
- Good for Commercial and Hospitality Applications
- 3000K Color Temperature
- CRI 90



39630CLPC
 LED Bath Vanity
 Finish: Polished Chrome
10.25"W • 5.25"H • 2.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 12
 Lumens: 840
 Dimmable: Standard



39632CLPC
 LED Bath Vanity
 Finish: Polished Chrome
26"W • 5.25"H • 2.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 32
 Lumens: 2240
 Dimmable: Standard



39634CLPC
 LED Bath Vanity
 Finish: Polished Chrome
40"W • 5.25"H • 2.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 40
 Lumens: 2280
 Dimmable: Standard



ILLUMINAIRE LED

Collection

Solid blocks of glass clear on the outside and coated White on the inside provides an interesting 3D effect. This glass is supported by metal frames finished in Bronze or Satin Nickel, which house a powerful LED light.

87646CLWTBZ

87646CLWTSN

LED Flush Mount

9.25"W • 2.5"H

Bulb Type: LED PCB

Max Wattage: 20

Lumens: 1500

Dimmable: Standard

CRI-80



87644CLWTBZ

87644CLWTSN

LED Flush Mount

7"W • 2.5"H

Bulb Type: LED PCB

Max Wattage: 15

Lumens: 1120

Dimmable: Standard

CRI-80



ILLUMINAIRE LED

Collection

- 3000K Color Temperature
- 40,000 Rated Life Hours



87634CLWTBZ
87634CLWTSN
LED Flush Mount
11"W • 2.5"H
Bulb Type: LED PCB
Max Wattage: 20
Lumens: 1500
Dimmable: Standard
CRI-80



87632CLWTBZ
87632CLWTSN
LED Flush Mount
9"W • 2.5"H
Bulb Type: LED PCB
Max Wattage: 15
Lumens: 1120
Dimmable: Standard
CRI-80





COUNTERMAX®

MX-L-120-2K

Led under cabinet lighting

A perfect world for under cabinet lighting. Our latest model features 2 color temperatures, warm white and white, both in a 90 CRI for accurate color rendering. Just adjust the switch on the unit to select the best light for your application. Soft and even light is produced using an indirect light design which eliminates spots on the counter surface. Easy to install and connects either end to end or by using the connecting cord included.

Features:

- Choice of 2700K or 3200K Color Temperature.
- CRI 90+
- 120 beam spread
- Dimmable using Electronic Low Voltage dimmer
- 50,000 hr. rated life
- 3/8" knockouts on back and bottom
- Romex connector included
- 9" connecting cord included
- Linkable end to end or with MX Interlink 4 cords
- Even light distribution with no counter spots



89982AL



89983WT



89984BZ



89985WT



89986AL



89988BZ



Bronze



Brushed Aluminum



White

42" LED Under Cabinet
89988AL
89988BZ
89988WT
42"L • 3.25"W • 1.25"H
 Total Wattage: 28
 Initial Lumens: 1960

6" LED Under Cabinet
89982AL
89982BZ
89982WT
6"L • 3.25"W • 1.25"H
 Total Wattage: 4
 Initial Lumens: 280

12" LED Under Cabinet
89983AL
89983BZ
89983WT
12"L • 3.25"W • 1.25"H
 Total Wattage: 8
 Initial Lumens: 560

18" LED Under Cabinet
89984AL
89984BZ
89984WT
18"L • 3.25"W • 1.25"H
 Total Wattage: 12
 Initial Lumens: 840

24" LED Under Cabinet
89985AL
89985BZ
89985WT
24"L • 3.25"W • 1.25"H
 Total Wattage: 16
 Initial Lumens: 1120

30" LED Under Cabinet
89986AL
89986BZ
89986WT
30"L • 3.25"W • 1.25"H
 Total Wattage: 20
 Initial Lumens: 1400



MXInterLink4 Connector Cord
 9" **87876BK**
 9" **87876WT**
 18" **87877BK**
 18" **87877WT**
 24" **87878BK**
 24" **87878WT**



Plastic Wire Clip
53255
 1"L • .5"W • .25"H



MXInterLink4 Power Cord
87880BK
87880WT
 72"L



MXInterLink4 Direct Wire Box
87885BK
87885WT
 5"L • 2.25"W • 1"H

MX-L120-LO

Led under cabinet lighting

COUNTERMAX®

The MX-L120-LO is our economy LED under counter. It features an extruded aluminum body with anodized finishes and a frosted acrylic lens. Its easy mount end caps make for easy and quick installation without the use of clips. Can be direct wired with the use of direct wire box or plugged directly into an outlet.

Features:

- 3000K Color Temperature
- CRI 80 +
- 40,000 rated life hours
- Linkable end to end or with MX Interlink 5
- Value pricing
- Frosted lens



89901WT



89902BRZ



89903WT



89904WT



Anodized
Bronze



White

10" LED Under Cabinet

89901BRZ

89901WT

10"L • 4"W • 1"H

Total Wattage: 6

Initial Lumens: 390

21" LED Under Cabinet

89902BRZ

89902WT

21"L • 4"W • 1"H

Total Wattage: 10

Initial Lumens: 650

30" LED Under Cabinet

89903BRZ

89903WT

30"L • 4"W • 1"H

Total Wattage: 12

Initial Lumens: 780

40" LED Under Cabinet

89904BRZ

89904WT

40"L • 4"W • 1"H

Total Wattage: 14

Initial Lumens: 910



MXInterLink5 Direct Wire Box

89958BK

89958WT

6.5"L • 2.75"W • 1"H



Plastic Wire Clip

53255

1"L • .5"W • .25"H



MXInterLink5 Power Cord

89954BK

89954WT

72"L

Includes on/off switch



MXInterLink5 Connector Cord

9" 89951BK

9" 89951WT

18" 89952BK

18" 89952WT

24" 89953BK

24" 89953WT

The MX-L120-EL features a new edge illuminated technology, which provides even light without the common LED spots on the counter. The enclosed design does not need to be open for either wiring or for mounting. Knockouts for wiring are on a removable plate on the back for quick and easy wiring.



Anodized
Bronze



Brushed
Aluminum




White



89962WT




89963WT



89964BRZ



89965AL



89966BRZ

Features:

- 2700K Color Temperature
- CRI 90 +
- 120° beam spread
- Dimmable using a Lutron® C.L.TM standard dimmer
- 40,000 rated life hours
- Linkable end to end with MX InterLink 4
- No glare lenses



40" LED Under Cabinet

89966AL

89966BRZ

89966WT

40"L • 4"W • 1"H

Total Wattage: 20

Initial Lumens: 1400

10" LED Under Cabinet

89962AL

89962BRZ

89962WT

10"L • 4"W • 1"H

Total Wattage: 4.8

Initial Lumens: 320

13" LED Under Cabinet

89963AL

89963BRZ

89963WT

13"L • 4"W • 1"H

Total Wattage: 6.5

Initial Lumens: 420

21" LED Under Cabinet

89964AL

89964BRZ

89964WT

21"L • 4"W • 1"H

Total Wattage: 10.5

Initial Lumens: 680

30" LED Under Cabinet

89965AL

89965BRZ

89965WT

30"L • 4"W • 1"H

Total Wattage: 15

Initial Lumens: 975



MXInterLink4 Connector Cord

9" **87876BK**

9" **87876WT**

18" **87877BK**

18" **87877WT**

24" **87878BK**

24" **87878WT**



Plastic Wire Clip

53255

1"L • .5"W • .25"H



MXInterLink4 Power Cord

87880BK

87880WT

72"L



MXInterLink4 Direct Wire Box

87885BK

87885WT

5"L • 2.25"W • 1"H

MX-L120-DL


2700K LED Under Cabinet Lighting

COUNTERMAX®

The MX-L120-DL features a low profile frame and dimming capability, as well as offers increased lumen output. This series is presented with the new LG 5630 LED for closer spacing, better light distribution, and lower operating temperatures for longer life. The hinged top gives access for easy installation with captured mounting and quick wire connectors.

Features:

- 2700K Color Temperature
- CRI 82
- 120° beam spread
- Dimmable using a Lutron® C.L.™ standard dimmer
- 50,000 rated life hours
- Knockouts are 3/8"
- Includes one Romex connector
- Linkable end to end or with MX InterLink 4
- Frosted glass diffuser



Metallic Bronze

Satin Nickel

White



89932WT



89933SN



89934MB



89936WT

Frost Acrylic Lens

- 7" **87892WT** For 89932
- 13" **87893WT** For 89933
- 21" **87894WT** For 89934
- 30" **87896WT** For 89936

7" LED Under Cabinet
89932MB
89932SN
89932WT
 7"L • 4"W • 1"H
 Total Wattage: 5.1
 Initial Lumens: 289

13" LED Under Cabinet
89933MB
89933SN
89933WT
 13"L • 4"W • 1"H
 Total Wattage: 7.7
 Initial Lumens: 436

21" LED Under Cabinet
89934MB
89934SN
89934WT
 21"L • 4"W • 1"H
 Total Wattage: 10
 Initial Lumens: 587

30" LED Under Cabinet
89936MB
89936SN
89936WT
 30"L • 4"W • 1"H
 Total Wattage: 15
 Initial Lumens: 882



MXInterLink4 Direct Wire Box
87885BK
87885WT
 5"L • 2.25"W • 1"H



Plastic Wire Clip
53255
 1"L • .5"W • .25"H



MXInterLink4 Power Cord
87880BK
87880WT
 72"L



MXInterLink4 Connector Cord
 9" **87876BK**
 9" **87876WT**
 18" **87877BK**
 18" **87877WT**
 24" **87878BK**
 24" **87878WT**

The MX-L120-DL features a low profile frame and dimming capability, as well as offers increased lumen output. This series is presented with the new LG 5630 LED for closer spacing, better light distribution, and lower operating temperatures for longer life. The hinged top gives access for easy installation with captured mounting and quick wire connectors.

Features:


- 3000K Color Temperature
- CRI 82
- 120° beam spread
- Dimmable using a Lutron[®] C.L.™ standard dimmer
- 50,000 rated life hours
- Knockouts are 3/8"
- Includes one Romex connector
- Linkable end to end or with MX InterLink 4
- Frosted glass diffuser



89972WT



89973SN



89974MB



89976WT



Metallic Bronze



Satin Nickel



White



Frost Acrylic Lens

- 7" **87892WT** For 89972
- 13" **87893WT** For 89973
- 21" **87894WT** For 89974
- 30" **87896WT** For 89976

7" LED Under Cabinet

89972MB

89972SN

89972WT

7"L • 4"W • 1"H

Total Wattage: 5.1

Initial Lumens: 289

13" LED Under Cabinet

89973MB

89973SN

89973WT

13"L • 4"W • 1"H

Total Wattage: 7.7

Initial Lumens: 436

21" LED Under Cabinet

89974MB

89974SN

89974WT

21"L • 4"W • 1"H

Total Wattage: 10

Initial Lumens: 587

30" LED Under Cabinet

89976MB

89976SN

89976WT

30"L • 4"W • 1"H

Total Wattage: 15

Initial Lumens: 882



MX InterLink 4 Connector Cord

9" **87876BK**

9" **87876WT**

18" **87877BK**

18" **87877WT**

24" **87878BK**

24" **87878WT**



Plastic Wire Clip

53255

1"L • .5"W • .25"H



MX InterLink 4 Power Cord

87880BK

87880WT

72"L



MX InterLink 4 Direct Wire Box

87885BK

87885WT

5"L • 2.25"W • 1"H



LED & ENERGY EFFICIENT OUTDOOR





MANDEVILLE

Collection

This stately design features a solid Beveled Crystal beacon which is illuminated from below creating a prestigious warm welcome. Encased in a classical traditional frame, finished in your choice of Galaxy Black or Galaxy Bronze, is a down light which creates a beautiful lighting effect.

MANDEVILLE Collection

- Traditional frame finished in Galaxy Black or Galaxy Bronze with Clear Beveled Glass panels
- Coordinating Stainless Steel panels reflect Large K9 Crystal
- Dimmable CRI 90 LED up light and down light
- Title 24 Compliant for Indoor Applications



53524CLGBK

53524CLGBZ

LED Outdoor Wall

7"W • 16"H • 7"Ext.

HCO 6" • BP 6.75"W x 11"H

Bulb Type: LED PCB

Max Wattage: 4.5+8.5

Lumens: 910



53526CLGBK

53526CLGBZ

LED Outdoor Wall

9"W • 18"H • 9.25"Ext.

HCO 7" • BP 8.75"W x 12.5"H

Bulb Type: LED PCB

Max Wattage: 8.5+8.5

Lumens: 1190





VILLA

Collection

A ribbed glass diffuser glows in the night as it is illuminated by an energy efficient LED light source concealed in the hood. Available in two finish combinations Adobe with Topaz Ribbed and Anthracite with Clear Ribbed diffusers.

- Coordinating Ribbed Glass Diffuser is illuminated by hidden LED light source
- Finish combinations available:
Adobe/Topaz Ribbed and Anthracite/Clear Ribbed
- Clear Beveled Glass panels

LED 



85634CLTRAE



85632CLCRAR



85630CLCRAR

85634CLTRAE

85634CLCRAR

LED Outdoor Wall

10.5"W • 14.25"H • 6.25"Ext.

HCO 7.5" • BP 10.75"W x 14.5"H

Bulb Type: LED (Included)

Max Wattage: 10.8

Lumens: 800



85630CLTRAE

85630CLCRAR

LED Outdoor Post

9"W • 15.5"H

Bulb Type: LED (Included)

Max Wattage: 10

Lumens: 800



85632CLTRAE

85632CLCRAR

LED Outdoor Wall

9"W • 12.25"H • 4.75"Ext.

HCO 6" • BP 8.75"W x 12"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 560



TOWNHOUSE

Collection

A open air frame of cast aluminum surrounds a stainless steel mesh diffuser which creates an unusual lighting effect as the LED light illuminates the inside. Finished in either Galaxy Black with a polished Stainless Steel mesh or Galaxy Bronze with Rose Gold, this transitional design looks great in a large variety of home designs.



TOWNHOUSE

Collection

- Open air frame with stainless steel mesh diffuser
- Available finish combinations:
Galaxy Black/Stainless Steel and Galaxy Bronze/Rose Gold
- Hidden 3000K LED light source



53599GBKSST
53599GBZRG
LED Outdoor Wall
7"W • 16.5"H • 7"Ext.
HCO 7.5" • BP 6.75"W x 10.5"H
Bulb Type: LED (Included)
Max Wattage: 10
Lumens: 700



53597GBKSST
53597GBZRG
LED Outdoor Wall
4.75"W • 12"H • 5"Ext.
HCO 6" • BP 4.75"W x 8"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 490





HOLMBY HILLS

Collection

If you are looking to make an impression this is the fixture for your home. Solid Beveled Crystal font is supported by a classical aluminum frame finished in Texture Ebony or Metallic Bronze. The high lumen LED light source brings the crystal to life as well as providing glare free illumination.

HOLMBY HILLS Collection

- Solid K9 Beveled Crystal is supported by a classical Cast Aluminum frame
- Available in Textured Ebony or Metallic Bronze
- 3000K LED technology



Texture Ebony



Metallic Bronze

53487BCMB

53487BCTE

LED Outdoor Wall

5"W • 10"H • 7"Ext.

HCO 4.5" • BP 5"W x 8.5"H

Bulb Type: LED (Included)

Max Wattage: 10

Lumens: 700





BEDAZZLE

Collection

Polished rods are arranged in a creative pattern to create a unique lighting design. This oval shape fixture is available in two finish combinations, Textured Ebony with Polished Chrome rods and Galaxy Bronze with French Gold rods. The rods are supported using clear acrylic which allows for the LED light source to illuminate through the fixture and out the open bottom for excellent down light.

- Polished rods cross within oval Cast Aluminum shaped frame
- Available finish combinations: Textured Ebony/Polished Chrome and Galaxy Bronze/French Gold
- CRI 90
- Clear acrylic diffuser for down lighting



53497CLTEPC



53495CLGBZFG



53499CLGBZFG

53497CLGBZFG

53497CLTEPC

LED Outdoor Wall

10.5"W • 14"H • 6.5"Ext.

HCO 6" • BP 4.75"W x 8.75"H

Bulb Type: LED (Included)

Max Wattage: 8.5+8.5

Lumens: 1190



53495CLGBZFG

53495CLTEPC

LED Outdoor Wall

10.5"W • 10.75"H • 6.5"Ext.

HCO 5" • BP 4.75"W x 5.5"H

Bulb Type: LED (Included)

Max Wattage: 4.5+4.5

Lumens: 630



53499CLGBZFG

53499CLTEPC

LED Outdoor Post

9"W • 16.25"H

Bulb Type: LED (Included)

Max Wattage: 10

Lumens: 700





ARBOR

Collection

A sculpture of metal and Clear crystal leaves come to life while illuminated from above with a powerful LED light source. The cast aluminum frame painted in our popular Adobe finish compliments the theme and the polished back plate gives the sculpture a unique dimension.

ARBOR Collection

- Crystal Leaves Sculpture is illuminated within lantern
- Clear Beveled Glass panels and Stainless Steel back panel
- Recessed LED light source in hood

LED 



53502CLAE

LED Outdoor Wall

9"W • 13.75"H • 12"Ext.

HCO 5" • BP 4.5"W x 11.5"H

Bulb Type: LED (Included)

Max Wattage: 8.5

Lumens: 680



53504CLAE

LED Outdoor Wall

11"W • 17"H • 14"Ext.

HCO 8" • BP 5.75"W x 14.5"H

Bulb Type: LED (Included)

Max Wattage: 8.5+8.5

Lumens: 1360






PILLAR

Collection

A solid column of clear bubble glass is supported by a cast aluminum base in your choice of Brushed Aluminum or Galaxy Black. With both up and down lights, this fixture is a visual statement and a very functional light source.

- A singular, solid column of bubble glass supported by Cast Aluminum frame
- Available finishes of Brushed Aluminum and Galaxy Black
- Up and Down Lighting
- 3000K Color Temperature
- CRI 80+



Brushed Aluminum



Galaxy Black

53685CLAL

53685CLGBK

LED Outdoor Wall

5"W • 11"H • 6.75"Ext.

HCO 6" • BP 5"W x 8.5"H

Bulb Type: LED (Included)

Max Wattage: 10+10

Lumens: 1400





CIVIC

Collection

Conical shades finished in Architectural Bronze appear to be suspended by its stainless steel cable. Concealed inside these shades is a high powered COB LED which shines into a heavy Clear glass font. The bottom of these fonts have an additional thickness of glass for better light distribution and lighting effect.

- Conical shade suspended by stainless steel cable
- Thick glass for better light distribution and effect
- High-powered Integrated LED with chip on board
- 3000K Color Temperature
- CRI 85



54360CLABZ



54362CLABZ



54364CLABZ

54360CLABZ

LED Outdoor Wall
Finish: Architectural Bronze
8"W • 10.5"H • 9.25"Ext.
Bulb Type: COB LED (Included)
Max Wattage: 6
Lumens: 420
Dimmable: Standard



54364CLABZ

LED Outdoor Wall
Finish: Architectural Bronze
14"W • 17"H • 16"Ext.
Bulb Type: COB LED (Included)
Max Wattage: 11
Lumens: 770
Dimmable: Standard



54362CLABZ

LED Outdoor Wall
Finish: Architectural Bronze
10"W • 13.5"H • 11.5"Ext.
Bulb Type: COB LED (Included)
Max Wattage: 11
Lumens: 770
Dimmable: Standard





PAVILION


Collection

This classic design features indirect light from within the shade as well as direct down light through the clear acrylic diffuser. Durable die cast aluminum construction is available in your choice of Architectural Bronze or Black.


PAVILION Collection

- Classic shade design constructed in durable Cast Aluminum
- Indirect light from within shade and through clear acrylic diffuser below
- Available finishes: Architectural Bronze or Black

LED 



53512CLBK



53514CLABZ



53510BK

53512CLABZ

53512CLBK

LED Outdoor Wall

7"W • 8.5"H • 9.5"Ext.

HCO 5" • BP 5.25"W x 7.5"H

Bulb Type: LED PCB

Max Wattage: 4.5+4.5

Lumens: 630



53510ABZ

53510BK

LED Outdoor Post

10"W • 11.5"H

Bulb Type: LED PCB

Max Wattage: 8.5

Lumens: 595



53514CLABZ

53514CLBK

LED Outdoor Wall

10"W • 12.25"H • 13.25"Ext.

HCO 7" • BP 6"W x 10"H

Bulb Type: LED PCB

Max Wattage: 8.5+8.5

Lumens: 1190





54354ABZ

LED Outdoor Wall
Finish: Architectural Bronze
8"W • 22"H • 2"Ext.
Bulb Type: LED (Included)
Max Wattage: 24
Lumens: 1440
Dimmable: Standard



AVENUE

Collection

This great architectural outdoor design provides illumination from two places. A slash of light washes down the grated diffuser and out away from the wall while additional light is directed out the bottom straight down that washes the wall and illuminates the walkway below.

Available in three sizes finished in Architectural Bronze.

AVENUE Collection

- Sleak architectural product with hidden LED sources washes wall below and grated diffuser on its face
- High-powered Integrated LED
- 3000K Color Temperature



54352ABZ

LED Outdoor Wall
Finish: Architectural Bronze
7"W • 16"H • 2"Ext.
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 960
Dimmable: Standard



54350ABZ

LED Outdoor Wall
Finish: Architectural Bronze
7"W • 10"H • 2"Ext.
Bulb Type: LED (Included)
Max Wattage: 16
Lumens: 960
Dimmable: Standard



PATH

Collection

Step and pathway lighting suitable for interior or exterior application. Designed to install into a single gang box and is line voltage so addition transformers are not needed. Available in Aluminum, White, Black, or Bronze and both horizontal wide beam or vertical narrow beam spread.



- Integrated LED
- 3000K Color Temperature
- CRI 85
- Interior and Exterior Application



Bronze

- 58002AL**
- 58002BK**
- 58002BZ**
- 58002WT**

LED Step Light

3"W • 5"H • 1.5"Ext.

Bulb Type: LED (Included)

Max Wattage: 4

Lumens: 280

Dimmable: Standard



Aluminum



Black



White



Aluminum

- 58000AL**
- 58000BK**
- 58000BZ**
- 58000WT**

LED Step Light


5"W • 3"H • 1.5"Ext.

Bulb Type: LED (Included)


Max Wattage: 4

Lumens: 280

Dimmable: Standard



Black



Bronze



White



PACKS

Collection

A White acrylic diffuser is custom molded to fit a cast aluminum frame finished in a durable Metallic Bronze or Metallic Silver. A state of the art LED light engine provides years of economical service which makes this collection at home in either residential or light commercial applications.

PACKS Collection

- White acrylic diffuser custom fits Cast Aluminum frame
- Available finishes: Metallic Bronze and Metallic Silver
- Residential and Light Commercial Applications
- 3000K Color Temperature
- CRI 80+



53594WTMS



53592WTMB

53594WTMB
53594WTMS
 LED Outdoor Wall
11"W • 20"H • 3.5"Ext.
 HCO 10" • BP 9.75"W x 18.25"H
 Bulb Type: LED PCB
 Max Wattage: 32
 Lumens: 1680



53592WTMB
53592WTMS
 LED Outdoor Wall
9.25"W • 10.25"H • 3"Ext.
 HCO 5.25" • BP 7.75"W x 9"H
 Bulb Type: LED PCB
 Max Wattage: 19.2
 Lumens: 840



PIKE PLACE

Collection

A updated early electric style with a state of the art LED light engine creates a unique marriage of today and yesteryear. The hand blown Pellet glass, with its soft rounded form contrasts well with the straight edge back plate finished in Iron Ore for a rustic yet modern appeal.



PIKE PLACE Collection

- Hand Blown Pellet glass diffuses LED light
- Straight Edged Cast Aluminum arm and back plate
- Available finish: Iron Ore
- 3000K Color Temperature
- CRI 80+

LED 



54384PLIO

LED Outdoor Wall
Finish: Iron Ore
8"W • 18"H • 12.25"Ext.
HCO 7" • BP 6.5"W x 14"H
Bulb Type: LED PCB
Max Wattage: 8
Lumens: 560



54382PLIO

LED Outdoor Wall
Finish: Iron Ore
7"W • 16.5"H • 11.75"Ext.
HCO 7" • BP 6.5"W x 14"H
Bulb Type: LED PCB
Max Wattage: 8
Lumens: 560



RUSTICA

Collection

This design was created with imperfections intentionally cast into the form to emulate the rustic look of original forged craftsmanship. The Rustic Bronze and Black Smith finishes have very heavy textures which contrast well with the smooth rounded lines of the Fog glass. LED is cleverly concealed in the cap so that ample light is cast to the ground without the traditional glare of incandescent.



RUSTICA Collection

- *Rough Cast Aluminum fixture emulates Forged Craftsmanship*
- *Rustic Bronze finish with heavy texture contrasts smooth, rounded lines of glass*
- *Hidden LED light source in cap is diffused through Fog Glass removing glare*
- *3000K Color Temperature*
- *CRI 80+*

LED 



Rustic Bronze



Black Smith

54472FGRUB

54472FGBS

LED Outdoor Wall

8.25"W • 16.25"H • 13.5"Ext.

HCO 9" • BP 7"W x 7"H

Bulb Type: LED PCB

Max Wattage: 8

Lumens: 560





LIGHTRAY LED

Collection

Indirect exterior lighting not only provides illumination where you want it but also highlights the building structure for a beautiful architectural effect. Our collection of up and down lighting fixtures are available in both Architectural Bronze and Brushed Aluminum. They are also available in both incandescent and LED. The fixtures are sealed with screw lenses that are water tight and allows, for the use of standard light bulbs.



86134ABZ

86134AL

1-Light LED Wall Sconce

4.75"W • 6.75"H • 6"Ext.

HCO: 2.75"

Bulb Type: LED (Included)

Max Wattage: 6

Lumens: 420



86135ABZ

86135AL

2-Light LED Wall Sconce

4.75"W • 10.25"H • 6"Ext.

HCO: 5.25"

Bulb Type: LED (Included)

Max Wattage: 6

Lumens: 840

- Up/down light
- Installs up or down



LIGHTRAY LED

Collection

- CRI 80+
- 3000K Color Temperature
- Removeable water-tight lenses
- Cast and Machined Aluminum construction




86138ABZ



86137ABZ



86131AL



86132AL

86138ABZ
86138AL
 2-Light LED Wall Sconce
4.75"W • 13"H • 7"Ext.
 HCO: 6.5"
 Bulb Type: LED (Included)
 Max Wattage: 11
 Lumens: 1540
 • Up/down light
 • Installs up or down



86131ABZ
86131AL
 1-Light LED Wall Sconce
4.75"W • 5.25"H • 5"Ext.
 HCO: 2.5"
 Bulb Type: LED (Included)
 Max Wattage: 6
 Lumens: 420



86137ABZ
86137AL
 1-Light LED Wall Sconce
4.75"W • 8.25"H • 7"Ext.
 HCO: 2.5"
 Bulb Type: LED (Included)
 Max Wattage: 11
 Lumens: 770



86132ABZ
86132AL
 2-Light LED Wall Sconce
4.75"W • 6.75"H • 5"Ext.
 HCO: 3.5"
 Bulb Type: LED (Included)
 Max Wattage: 6
 Lumens: 840
 • Up/down light
 • Installs up or down



LIGHTRAY LED

Collection


- Dimmable LED
- 3000K Color Temperature
- Removeable water-tight lenses
- Cast and Machined Aluminum construction



86106ABZ
86106AL
 2-Light LED Wall Sconce
4"W • 4"H • 5.75"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 4.5
 Lumens: 630
 Dimmable: Standard
 • Up/down light
 • Installs up or down



86104ABZ
86104AL
 1-Light LED Wall Sconce
5"W • 6.25"H • 5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 15
 Lumens: 1050
 Dimmable: Standard



86107ABZ
86107AL
 2-Light LED Wall Sconce
4"W • 4"H • 5.75"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 4.5
 Lumens: 630
 Dimmable: Standard
 • Up/down light
 • Installs up or down



86109ABZ
86109AL
 2-Light Wall Sconce
4"W • 6.5"H • 5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 4.5
 Lumens: 630
 Dimmable: Standard
 • Up/down light
 • Installs up or down



86108ABZ
86108AL
 1-Light LED Wall Sconce
4"W • 5.25"H • 5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 4.5
 Lumens: 315
 Dimmable: Standard
 • Up/down light
 • Installs up or down



LIGHTRAY LED Collection



86128ABZ
86128AL
 1-Light LED Wall Sconce
4.25"W • 6.25"H • 4"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 10
 Lumens: 700
 Dimmable: Standard



86129ABZ
86129AL
 2-Light LED Wall Sconce
4.25"W • 11.25"H • 4"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 10
 Lumens: 1400
 Dimmable: Standard
 • Up/down light
 • Installs up or down



86112ABZ
86112AL
 2-Light LED Wall Sconce
4.25"W • 12"H • 6.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 10
 Lumens: 1400
 Dimmable: Standard
 • Up/down light
 • Installs up or down



86110ABZ
86110AL
 1-Light LED Wall Sconce
4.25"W • 8"H • 6.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 10
 Lumens: 700
 Dimmable: Standard



LIGHTRAY LED

Collection




86101ABZ
86101AL
1-Light LED Wall Sconce
5"W • 9.25"H • 7.75"Ext.
Bulb Type: LED (Included)
Max Wattage: 15
Lumens: 1050
Dimmable: Standard



86117ABZ
86117AL
2-Light LED Wall Sconce
6"W • 12.5"H • 6.75"Ext.
Bulb Type: LED (Included)
Max Wattage: 15
Lumens: 2100
Dimmable: Standard
• Up/down light
• Installs up or down



86102ABZ
86102AL
2-Light LED Wall Sconce
5"W • 15.75"H • 7.75"Ext.
Bulb Type: LED (Included)
Max Wattage: 15
Lumens: 2100
Dimmable: Standard



86115ABZ
86115AL
2-Light LED Wall Sconce
4.75"W • 10.25"H • 5.75"Ext.
Bulb Type: LED (Included)
Max Wattage: 10
Lumens: 1400
Dimmable: Standard
• Up/down light
• Installs up or down



LIGHTRAY LED

Collection

- Dimmable LED
- 3000K Color Temperature
- Removeable water-tight lenses
- Cast and Machined Aluminum construction



86123ABZ
86123AL
 2-Light LED Wall Sconce
4"W • 10.25"H • 6"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 10
 Lumens: 1400
 Dimmable: Standard

- Up/down light
- Installs up or down



86122ABZ
86122AL
 1-Light LED Wall Sconce
4"W • 6.25"H • 6"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 10
 Lumens: 700
 Dimmable: Standard



86125ABZ
86125AL
 1-Light LED Wall Sconce
4.25"W • 7.75"H • 6.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 10
 Lumens: 700
 Dimmable: Standard



86126ABZ
86126AL
 2-Light LED Wall Sconce
4.25"W • 12"H • 6.5"Ext.
 Bulb Type: LED (Included)
 Max Wattage: 10
 Lumens: 1400
 Dimmable: Standard

- Up/down light
- Installs up or down



CARRIAGE HOUSE LED

Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



55427WGOB
LED Outdoor Pendant
Finish: Oriental Bronze
11"W • 25"H
Bulb Type: LED PCB
Max Wattage: 12
Lumens: 840
Die Cast Aluminum

CA 
T24



55497WGOB
LED Outdoor Wall
Finish: Oriental Bronze
11.25"W • 26.5"H • 15"Ext.
HCO 11.25" • BP 6.75"W x 15.5"H
Bulb Type: LED PCB
Max Wattage: 12
Lumens: 840
Die Cast Aluminum

CA 
T24



55496WGOB
LED Outdoor Wall
Finish: Oriental Bronze
9"W • 19.5"H • 12.5"Ext.
HCO 7.25" • BP 5.75"W x 12.5"H
Bulb Type: LED PCB
Max Wattage: 8
Lumens: 560
Die Cast Aluminum

CA 
T24



55422WGOB
LED Outdoor Wall
Finish: Oriental Bronze
9"W • 17.75"H • 10.5"Ext.
HCO 10.5" • BP 5.75"W x 12.5"H
Bulb Type: LED PCB
Max Wattage: 8
Lumens: 560
Die Cast Aluminum

CA 
T24



55420WGOB
LED Outdoor Post
Finish: Oriental Bronze
11.25"W • 24.75"H
Bulb Type: LED PCB
Max Wattage: 12
Lumens: 840
Die Cast Aluminum

CA 
T24

DOVER LED Collection

- 3000K Color Temperature
- Die Cast Aluminum
- Dark Sky compliant



55024CDBZ

LED Outdoor Wall
Finish: Bronze

9.25"W • 25.5"H • 14"Ext.

HCO 13" • BP 7"W x 15.75"H

Bulb Type: LED PCB

Max Wattage: 12

Lumens: 840

Die Cast Aluminum



55029CDBZ

LED Outdoor Pendant
Finish: Bronze

9.5"W • 16.5"H

Bulb Type: LED PCB

Max Wattage: 12

Lumens: 840

Die Cast Aluminum



55021CDBZ

LED Outdoor Post
Finish: Bronze

9.25"W • 21"H

Bulb Type: LED PCB

Max Wattage: 12

Lumens: 840

Die Cast Aluminum



55023CDBZ

LED Outdoor Wall
Finish: Bronze

8"W • 21"H • 11"Ext.

HCO 10.5" • BP 5"W x 10.5"H

Bulb Type: LED PCB

Max Wattage: 8

Lumens: 560

Die Cast Aluminum



KNOXVILLE LED

Collection

• 3000K Color Temperature



51121FSBZ

LED Outdoor Post

Finish: Bronze

11"W • 23"H

Bulb Type: LED PCB

Max Wattage: 15

Lumens: 1050



51123FSBZ

LED Outdoor Wall

Finish: Bronze

7"W • 11"H • 8.25"Ext.

HCO 3.5" • BP 5.25"W x 6.5"H

Bulb Type: LED PCB

Max Wattage: 8

Lumens: 560



51127FSBZ

LED Outdoor Wall

Finish: Bronze

11"W • 23.75"H • 14.75"Ext.

HCO 13.75" • BP 7.25"W x 15.75"H

Bulb Type: LED PCB

Max Wattage: 15

Lumens: 1050



51125FSBZ

LED Outdoor Wall

Finish: Bronze

9"W • 18.5"H • 12.25"Ext.

HCO 11.25" • BP 5.25"W x 10.5"H

Bulb Type: LED PCB

Max Wattage: 10

Lumens: 700



COLDWATER LED Collection

- 3000K Color Temperature
- Aluminum



55054HOBU

LED Outdoor Wall
Finish: Burnished
9"W • 16"H • 10"Ext.
HCO 6" • BP 4.5"W x 9.5"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Aluminum



55053HOBU

LED Outdoor Wall
Finish: Burnished
6"W • 12"H • 8.5"Ext.
HCO 2.5" • BP 4.5"W x 9.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Aluminum



55050HOBU

LED Outdoor Wall
Finish: Burnished
6"W • 7.5"H • 6"Ext.
HCO 3.5" • BP 5"W x 7.25"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Aluminum



55051HOBU

LED Outdoor Wall
Finish: Burnished
9"W • 11"H • 6"Ext.
HCO 4" • BP 8"W x 11"H
Bulb Type: LED (Included)
Max Wattage: 7+7
Lumens: 910
Aluminum



55059HOBU

LED Outdoor Flush Mount
Finish: Burnished
9"W • 5"H
Bulb Type: LED (Included)
Max Wattage: 7+7
Lumens: 910
Aluminum



55055HOBU

LED Outdoor Post
Finish: Burnished
6"W • 12"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Aluminum



CAMBRIA LED

Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



55199FCCH

LED Outdoor Pendant
Finish: Chocolate
13"W • 21.5"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



55195FCCH

LED Outdoor Wall
Finish: Chocolate
13"W • 22.5"H • 16"Ext.
HCO 13" • BP 8.75"W x 15"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



55193FCCH

LED Outdoor Wall
Finish: Chocolate
7"W • 10.5"H • 8"Ext.
HCO 4" • BP 5"W x 8"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55194FCCH

LED Outdoor Wall
Finish: Chocolate
10"W • 17.5"H • 14"Ext.
HCO 11.5" • BP 7"W x 13"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55190FCCH

LED Outdoor Post
Finish: Chocolate
10"W • 15"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55191FCCH

LED Outdoor Post
Finish: Chocolate
13"W • 22"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



KNOB HILL LED Collection

- 3000K Color Temperature
- Die Cast Aluminum



55466SFSE

LED Outdoor Wall
Finish: Sienna

13"W • 33"H • 18.5"Ext.

HCO 16" • BP 7.5"W x 15"H

Bulb Type: LED (Included)

Max Wattage: 11

Lumens: 900

Die Cast Aluminum



55469SFSE

LED Outdoor Flush Mount
Finish: Sienna

13"W • 10"H

Bulb Type: LED (Included)

Max Wattage: 7+7

Lumens: 910

Die Cast Aluminum



55462SFSE

LED Outdoor Wall
Finish: Sienna

6"W • 14"H • 7"Ext.

HCO 9" • BP 4.75"W x 9.5"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Die Cast Aluminum



55464SFSE

LED Outdoor Wall
Finish: Sienna

8"W • 19.5"H • 12"Ext.

HCO 9.75" • BP 4.75"W x 9.5"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Die Cast Aluminum



55465SFSE

LED Outdoor Wall
Finish: Sienna

10"W • 24.5"H • 14.5"Ext.

HCO 11" • BP 4.75"W x 9.5"H

Bulb Type: LED (Included)

Max Wattage: 11

Lumens: 900

Die Cast Aluminum



55460SFSE

LED Outdoor Post
Finish: Sienna

10"W • 22.5"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Die Cast Aluminum



MORROW BAY LED

Collection

- 3000K Color Temperature
- Die Cast Aluminum



55189LTET
LED Outdoor Wall
Finish: Earth Tone
13.5"W • 32.5"H • 14.5"Ext.
HCO 15" • BP 7"W x 21"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



55183LTET
LED Outdoor Wall
Finish: Earth Tone
7"W • 14"H • 7.5"Ext.
HCO 8" • BP 5"W x 11"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55184LTET
LED Outdoor Wall
Finish: Earth Tone
8.5"W • 20"H • 9.5"Ext.
HCO 9.5" • BP 5.5"W x 12.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55188LTET
LED Outdoor Wall
Finish: Earth Tone
10.5"W • 27"H • 11"Ext.
HCO 12.5" • BP 5.25"W x 17.25"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



55181LTET
LED Outdoor Post
Finish: Earth Tone
10.5"W • 24"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



ODESSA LED Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



55013LTES

LED Outdoor Wall
Finish: Espresso
7"W • 16"H • 8.5"Ext.
HCO 7.5" • BP 4.5"W x 11.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55014LTES

LED Outdoor Wall
Finish: Espresso
9"W • 21.5"H • 12.5"Ext.
HCO 10" • BP 4.5"W x 12"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55010LTES

LED Outdoor Post
Finish: Espresso
9"W • 20.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55011LTES

LED Outdoor Post
Finish: Espresso
11.5"W • 24.5"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



55015LTES

LED Outdoor Wall
Finish: Espresso
11.5"W • 26.5"H • 15"Ext.
HCO 12" • BP 5"W x 14.5"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



SANTA BARBARA LED

Collection

- 3000K Color Temperature
- Aluminum

LED 



55035MOSE
LED Outdoor Wall
Finish: Sienna
11"W • 20"H • 13.5"Ext.
HCO 4" • BP 7"W x 17"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum

LED CA T24



55033MOSE
LED Outdoor Wall
Finish: Sienna
7"W • 13"H • 8.5"Ext.
HCO 4" • BP 5.5"W x 10"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum

LED CA T24



55031MOSE
LED Outdoor Wall
Finish: Sienna
5.5"W • 10"H • 8"Ext.
HCO 6" • BP 4"W x 7.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum

LED CA T24



55034MOSE
LED Outdoor Wall
Finish: Sienna
9"W • 16"H • 11"Ext.
HCO 3.5" • BP 6"W x 14"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum

LED CA T24



55032MOSE
LED Outdoor Deck Light
Finish: Sienna
10.5"W • 12.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum

LED CA T24



55036MOSE
LED Outdoor Post
Finish: Sienna
9"W • 16"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum

LED CA T24



55038MOSE
LED Outdoor Pendant
Finish: Sienna
9"W • 17.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum

LED CA T24



55652CDWSBZ
LED Outdoor Wall
Finish: Bronze
5.25"W • 11"H • 6.75"Ext.
HCO 2.25" • BP 4.25"W x 7"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum

LED CA T24



55653CDWSBZ
LED Outdoor Wall
Finish: Bronze
7"W • 13.75"H • 8.5"Ext.
HCO 2.5" • BP 5.25"W x 7.75"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum

LED CA T24



55650CDWSBZ
LED Outdoor Post
Finish: Bronze
8"W • 18"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum

LED CA T24

BUNGALOW LED

Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



55654CDWSBZ
LED Outdoor Wall
Finish: Bronze
8"W • 16"H • 9.5"Ext.
HCO 2.5" • BP 5.25"W x 7.75"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum

LED CA T24

BALBOA LED

Collection

• 3000K Color Temperature

VIVEX™ LED



55165GFCO

LED Outdoor Wall

Finish: Copper Oxide

12"W • 17.5"H • 14"Ext.

HCO 7" • BP 6"W x 11.5"H

Bulb Type: LED (Included)

Max Wattage: 11

Lumens: 900



55162GFCO

LED Outdoor Wall

Finish: Copper Oxide

6.5"W • 9.5"H • 8"Ext.

HCO 4" • BP 4.5"W x 7.5"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455



55163GFCO

LED Outdoor Wall

Finish: Copper Oxide

7.5"W • 11.5"H • 9.5"Ext.

HCO 4" • BP 4.5"W x 7.5"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455



55164GFCO

LED Outdoor Wall

Finish: Copper Oxide

10"W • 14"H • 11.5"Ext.

HCO 6" • BP 5.25"W x 11.5"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455



WESTPORT LED Collection

• 3000K Color Temperature

LED  **VIVEX™**



55403MCAT

LED Outdoor Wall

Finish: Artesian Bronze

9"W • 17.5"H • 11.5"Ext.

HCO 7" • BP 4.5"W x 7.5"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455



55404MCAT

LED Outdoor Wall

Finish: Artesian Bronze

10.5"W • 21"H • 14"Ext.

HCO 8.5" • BP 5.5"W x 11.5"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455



TERRACE LED

Collection

- 3000K Color Temperature
- Die Cast Aluminum



55754FSBZ

55754FSPL

LED Outdoor Wall

8"W • 16"H • 9.5"Ext.

HCO 2.5" • BP 5.25"W x 7.75"H

Bulb Type: LED (Included)

Max Wattage: 11

Lumens: 900

Die Cast Aluminum



55752FSBZ

55752FSPL

LED Outdoor Wall

5.25"W • 11"H • 6.75"Ext.

HCO 2.5" • BP 4.5"W x 7"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Die Cast Aluminum



55753FSBZ

55753FSPL

LED Outdoor Wall

7"W • 13.75"H • 8.5"Ext.

HCO 2.5" • BP 5.25"W x 7.75"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Die Cast Aluminum



55750FSBZ

55750FSPL

LED Outdoor Post

8"W • 19.25"H

Bulb Type: LED (Included)

Max Wattage: 11

Lumens: 900

Die Cast Aluminum



SIENNA LED Collection

- 3000K Color Temperature
- Die Cast Aluminum



55694FSET

LED Outdoor Wall

Finish: Earth Tone

9"W • 13.25"H • 11"Ext.

HCO 2.5" • BP 4.75"W x 8.75"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Die Cast Aluminum



55692FSET

LED Outdoor Wall

Finish: Earth Tone

6"W • 9.25"H • 7.5"Ext.

HCO 2.25" • BP 4.75"W x 6"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Die Cast Aluminum



55693FSET

LED Outdoor Wall

Finish: Earth Tone

7.5"W • 11.5"H • 9.25"Ext.

HCO 2.5" • BP 4.75"W x 8.75"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Die Cast Aluminum



55690FSET

LED Outdoor Post

Finish: Earth Tone

9"W • 15.5"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Die Cast Aluminum



LIGHTHOUSE LED

Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



55866CLFTAR

LED Outdoor Wall
Finish: Anthracite
10"W • 15.5"H • 12"Ext.
HCO 7.5" • BP 5.5"W x 15"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



55862CLFTAR

LED Outdoor Wall
Finish: Anthracite
6"W • 10.25"H • 8"Ext.
HCO 5" • BP 4.75"W x 10.25"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55864CLFTAR

LED Outdoor Wall
Finish: Anthracite
8"W • 13"H • 9.75"Ext.
HCO 6.25" • BP 5.5"W x 12.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55860CLFTAR

LED Outdoor Post
Finish: Anthracite
8"W • 16"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



LUNA LED Collection

- 3000K Color Temperature
- Aluminum
- Indoor and Outdoor Application



55217WTBM

LED Outdoor Flush Mount
Finish: Brushed Metal

11"W • 5"H

Bulb Type: LED (Included)

Max Wattage: 7+7

Lumens: 910

Aluminum



55215WTBM

LED Outdoor Wall
Finish: Brushed Metal

9"W • 12"H • 4"Ext.

HCO 7" • BP 8"W x 11"H

Bulb Type: LED (Included)

Max Wattage: 7

Lumens: 455

Aluminum



55216WTBM

LED Outdoor Wall
Finish: Brushed Metal

9"W • 21"H • 4"Ext.

HCO 10.5" • BP 8"W x 20"H

Bulb Type: LED (Included)

Max Wattage: 7+7

Lumens: 910

Aluminum



OAKVILLE LED

Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



55786WGBO

LED Outdoor Wall
Finish: Black Oxide
12"W • 21"H • 14.5"Ext.
HCO 10" • BP 4.75"W x 8.5"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



55788WGBO

LED Outdoor Pendant
Finish: Black Oxide
12"W • 19"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



55782WGBO

LED Outdoor Wall
Finish: Black Oxide
6.25"W • 9.5"H • 7"Ext.
HCO 2.5" • BP 4.25"W x 5.75"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55784WGBO

LED Outdoor Wall
Finish: Black Oxide
8"W • 14.25"H • 10"Ext.
HCO 7" • BP 4.75"W x 8.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55785WGBO

LED Outdoor Wall
Finish: Black Oxide
10"W • 17.5"H • 12"Ext.
HCO 8.25" • BP 4.75"W x 8.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55780WGBO

LED Outdoor Post
Finish: Black Oxide
10"W • 17.75"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



RADCLIFFE LED Collection

- 3000K Color Temperature
- Die Cast Aluminum



55642WFBO

LED Outdoor Wall
Finish: Black Oxide
7"W • 11.25"H • 8.25"Ext.
HCO 4" • BP 4.75"W x 7.75"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55643WFBO

LED Outdoor Wall
Finish: Black Oxide
9"W • 14.5"H • 10.5"Ext.
HCO 5" • BP 4.75"W x 10"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55644WFBO

LED Outdoor Wall
Finish: Black Oxide
9"W • 16.75"H • 11.75"Ext.
HCO 8.25" • BP 4.75"W x 10"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum



55649WFBO

LED Outdoor Pendant
Finish: Black Oxide
11"W • 16.5"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



55646WFBO

LED Outdoor Wall
Finish: Black Oxide
11"W • 20.5"H • 14.25"Ext.
HCO 10.25" • BP 6.25"W x 12.5"H
Bulb Type: LED (Included)
Max Wattage: 11
Lumens: 900
Die Cast Aluminum



WESTLAKE LED

Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



55104BK
55104RP

LED Outdoor Wall
9.5"W • 19"H • 10"Ext.
HCO 6" • BP 4.5"W x 10"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Frost Glass
Die Cast Aluminum



55100BK
55100RP
LED Outdoor Wall
8"W • 15"H • 8"Ext.
HCO 2" • BP 4.5"W x 4.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Frost Glass
Die Cast Aluminum



55103BK
55103RP
LED Outdoor Wall
9.5"W • 24"H • 10"Ext.
HCO 19.5" • BP 4.5"W x 10"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Frost Glass
Die Cast Aluminum



55102BK
55102RP
LED Outdoor Wall
8"W • 15"H • 8"Ext.
HCO 11" • BP 4.5"W x 4.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Frost Glass
Die Cast Aluminum



MADRONA LED

Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



55041BK
55041RP

LED Outdoor Wall
8"W • 16"H • 8.5"Ext.
HCO 5" • BP 4.5"W x 4.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Frost Glass
Die Cast Aluminum



55044BK
55044RP
LED Outdoor Wall
9.5"W • 20.5"H • 10"Ext.
HCO 17" • BP 4.5"W x 4.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Frost Glass
Die Cast Aluminum



SIDE DOOR LED Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



56924BK
56924EB
56924RP
56924WT

LED Outdoor Wall
5.5"W • 8.5"H • 6.5"Ext.
HCO 2.5" • BP 4.5"W x 4.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Frost Glass
Die Cast Aluminum



56926BK
56926EB
56926RP
56926WT

LED Outdoor Wall
5.5"W • 10"H • 6"Ext.
HCO 2.5" • BP 4.5"W x 4.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Frost Glass
Die Cast Aluminum



FLUSH MOUNT LED Collection

- 3000K Color Temperature
- Die Cast Aluminum

LED 



57920BK
57920RP

LED Outdoor Flush Mount
11.5"W • 4.5"H
Bulb Type: LED (Included)
Max Wattage: 7
Lumens: 455
Die Cast Aluminum





REVERE EE Collection

- Self-Ballasted GU24 Bulbs (Included)
- 2700K Color Temperature
- 10,000 Rated Life Hours
- All Aluminum Construction



85330CDFTBK

1-Light Outdoor Post
Finish: Black
9"W • 19"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



85332CDFTBK

1-Light Outdoor Wall
Finish: Black
7"W • 14.5"H • 9.5"Ext.
HCO 5.5" • BP 4.5"W x 13"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 13
Lumens: 900



85335CDFTBK

1-Light Outdoor Wall
Finish: Black
9"W • 18.5"H • 12"Ext.
HCO 8" • BP 4.5"W x 17"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



85338CDFTBK

1-Light Outdoor Wall
Finish: Black
12"W • 24"H • 15.5"Ext.
HCO 9.5" • BP 4.5"W x 20.5"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



85336CDFTBK

1-Light Outdoor Wall
Finish: Black
9"W • 16"H • 5.5"Ext.
HCO 6.75" • BP 9"W x 11"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



85331CDFTBK

1-Light Outdoor Wall
Finish: Black
7"W • 17.5"H • 9.5"Ext.
HCO 8.5" • BP 4.5"W x 13"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 13
Lumens: 900



85334CDFTBK

1-Light Outdoor Wall
Finish: Black
9"W • 23.5"H • 12"Ext.
HCO 12.5" • BP 4.5"W x 17"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



85337CDFTBK

1-Light Outdoor Wall
Finish: Black
12"W • 30"H • 15.5"Ext.
HCO 15.75" • BP 4.5"W x 20.5"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



LIGHTHOUSE EE

Collection

- Self-Ballasted GU24 Bulbs (Included)
- 2700K Color Temperature
- 10,000 Rated Life Hours



85860CLFTAR

1-Light Outdoor Post
Finish: Anthracite
8"W • 16"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



85862CLFTAR

1-Light Outdoor Wall
Finish: Anthracite
6"W • 10.25"H • 8"Ext.
HCO 5" • BP 4.75"W x 10.25"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 13
Lumens: 900



85864CLFTAR

1-Light Outdoor Wall
Finish: Anthracite
8"W • 13"H • 9.75"Ext.
HCO 6.25" • BP 5.5"W x 12.5"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



85866CLFTAR

1-Light Outdoor Wall
Finish: Anthracite
10"W • 15.5"H • 12"Ext.
HCO 7.5" • BP 5.5"W x 15"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 26
Lumens: 1760



DOVER EE Collection

- Self-Ballasted GU24 Bulbs (Included)
- 2700K Color Temperature
- 10,000 Rated Life Hours



86592CDFTBZ

1-Light Outdoor Post
Finish: Bronze
10"W • 21"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



86593CDFTBZ

1-Light Outdoor Wall
Finish: Bronze
8"W • 19.5"H • 9.5"Ext.
HCO 11.5" • BP 5"W x 10.5"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 13
Lumens: 900



86594CDFTBZ

1-Light Outdoor Wall
Finish: Bronze
10"W • 24.5"H • 13"Ext.
HCO 13.5" • BP 7"W x 15.75"H
Bulb Type: GU24, Fluo. (Included)
Max Wattage: 18
Lumens: 1355



INDEX

12161.....	70	20923.....	38	39613.....	48
12162.....	70	20925.....	38	39615.....	49
12163.....	70	20927.....	37	39617.....	49
12179.....	75	25030.....	76	39621.....	102
12181.....	74	25031.....	76	39622.....	102
12183.....	74	25070.....	76	39623.....	102
12184.....	74	25071.....	76	39624.....	102
12185.....	74	25140.....	68	39628.....	111
12186.....	73	25142.....	68	39629.....	111
12187.....	73	25144.....	67	39630.....	112
12188.....	73	25145.....	67	39632.....	112
12189.....	73	25147.....	68	39634.....	112
12190.....	72	27541.....	54	39635.....	104
12191.....	95	27542.....	54	39636.....	104
12192.....	95	27546.....	53	39638.....	104
12194.....	95	27548.....	52	39650.....	4
12195.....	94	32500.....	98	39655.....	4
12197.....	96	32502.....	98	39657.....	2
12198.....	96	32503.....	98	39659.....	3
12390.....	78	32504.....	98	39662.....	108
12391.....	80	32505.....	98	39664.....	108
12392.....	80	38382.....	26	39666.....	108
12393.....	79	38383.....	25	39672.....	106
12394.....	80	38384.....	23	39674.....	106
12395.....	80	38385.....	26	39676.....	106
12396.....	78	38386.....	25	39754.....	55
12397.....	78	38387.....	25	39756.....	56
12398.....	79	38482.....	22	39758.....	56
12399.....	78	38483.....	21	39763.....	18
12402.....	91	38484.....	20	39764.....	17
12403.....	90	38485.....	22	39765.....	17
12405.....	91	38486.....	21	39767.....	15
12406.....	92	38487.....	21	39768.....	18
12407.....	92	39102.....	64	39769.....	16
14402.....	84	39104.....	63	39771.....	60
14404.....	84	39108.....	62	39772.....	60
14405.....	83	39600.....	50	39773.....	60
14407.....	82	39603.....	48	39774.....	59
20913.....	41	39605.....	47	39777.....	59
20915.....	41	39607.....	46	39778.....	58
20917.....	42	39609.....	45	39791.....	12
20918.....	42	39611.....	44	39793.....	11

INDEX

39795.....	11	53597.....	128	55102.....	175
39796.....	10	53599.....	128	55103.....	175
39798.....	12	53685.....	136	55104.....	175
39817.....	100	54350.....	142	55162.....	167
39818.....	100	54352.....	142	55163.....	167
39819.....	100	54354.....	141	55164.....	167
43441.....	28	54360.....	138	55165.....	167
43444.....	28	54362.....	138	55181.....	163
43446.....	27	54364.....	138	55183.....	163
43551.....	30	54370.....	88	55184.....	163
43556.....	29	54372.....	87	55188.....	163
43558.....	30	54374.....	87	55189.....	163
43664.....	33	54376.....	88	55190.....	161
43666.....	32	54378.....	86	55191.....	161
43667.....	34	54382.....	148	55193.....	161
43668.....	34	54384.....	148	55194.....	161
43741.....	8	54472.....	150	55195.....	161
43746.....	8	55010.....	164	55199.....	161
43747.....	6	55011.....	164	55215.....	172
43748.....	8	55013.....	164	55216.....	172
43749.....	7	55014.....	164	55217.....	172
43813.....	36	55015.....	164	55403.....	168
43814.....	36	55021.....	158	55404.....	168
51121.....	159	55023.....	158	55420.....	157
51123.....	159	55024.....	158	55422.....	157
51125.....	159	55029.....	158	55427.....	157
51127.....	159	55031.....	165	55460.....	162
53255.....	116	55032.....	165	55462.....	162
117,118,119,120		55033.....	165	55464.....	162
53487.....	130	55034.....	165	55465.....	162
53495.....	132	55035.....	165	55466.....	162
53497.....	132	55036.....	165	55469.....	162
53499.....	132	55038.....	165	55496.....	157
53502.....	134	55041.....	175	55497.....	157
53504.....	134	55044.....	175	55642.....	174
53510.....	140	55050.....	160	55643.....	174
53512.....	140	55051.....	160	55644.....	174
53514.....	140	55053.....	160	55646.....	174
53524.....	124	55054.....	160	55649.....	174
53526.....	124	55055.....	160	55650.....	166
53592.....	146	55059.....	160	55652.....	166
53594.....	146	55100.....	175	55653.....	166
















INDEX

55654.....	166	86106.....	153	89903.....	117
55690.....	170	86107.....	153	89904.....	117
55692.....	170	86108.....	153	89932.....	119
55693.....	170	86109.....	153	89933.....	119
55694.....	170	86110.....	154	89934.....	119
55750.....	169	86112.....	154	89936.....	119
55752.....	169	86115.....	155	89951.....	117
55753.....	169	86117.....	155	89952.....	117
55754.....	169	86122.....	156	89953.....	117
55780.....	173	86123.....	156	89954.....	117
55782.....	173	86125.....	156	89958.....	117
55784.....	173	86126.....	156	89962.....	118
55785.....	173	86128.....	154	89963.....	118
55786.....	173	86129.....	154	89964.....	118
55788.....	173	86131.....	152	89965.....	118
55860.....	171	86132.....	152	89966.....	118
55862.....	171	86134.....	151	89972.....	120
55864.....	171	86135.....	151	89973.....	120
55866.....	171	86137.....	152	89974.....	120
56924.....	176	86138.....	152	89976.....	120
56926.....	176	86592.....	180	89982.....	116
57920.....	176	86593.....	180	89983.....	116
58000.....	144	86594.....	180	89984.....	116
58002.....	144	87622.....	110	89985.....	116
85330.....	178	87624.....	110	89986.....	116
85331.....	178	87626.....	110	89988.....	116
85332.....	178	87628.....	110	91910.....	42
85334.....	178	87632.....	114	SHD298CG.....	53
85335.....	178	87634.....	114	SHD299GY.....	53
85336.....	178	87644.....	113	SHD396RB.....	46
85337.....	178	87646.....	113		
85338.....	178	87876.....	116, 118, 119, 120		
85630.....	126	87877.....	116, 118, 119, 120		
85632.....	126	87878.....	116, 118, 119, 120		
85634.....	126	87880.....	116, 118, 119, 120		
85860.....	179	87885.....	116, 118, 119, 120		
85862.....	179	87892.....	119, 120		
85864.....	179	87893.....	119, 120		
85866.....	179	87894.....	119, 120		
86101.....	155	87896.....	119, 120		
86102.....	155	89901.....	117		
86104.....	153	89902.....	117		











REPLACEMENT BULBS

Type	Base	Watts	Item	Description
CF	2G11	18	BUCF-FT18-2G11-830	18W CFL Twin 4 Pin 2G11 Bulb 3000K
CF	2G11	36	BUCF-FT36-2G11-830	36W CFL Twin 4 Pin 2G11 Bulb 3000K
CF	G24q-1	13	BUCF-CFQ13-G24Q-1-827	13W CFL Quad 4 Pin G24q-1 Bulb 2700K
CF	G24q-2	18	BUCF-CFQ18-G24Q-2-827	18W CFL Quad 4 Pin G24q-2 Bulb 2700K
CF	G24q-3	26	BUCF-CFQ26-G24Q-3-827	26W CFL Quad 4 Pin G24q-3 Bulb 2700K
CF	G24q-3	26	BUCF-CFQ26-G24Q-3-830	26W CFL Quad 4 Pin G24q-3 Bulb 3000K
CF	GX23-2	13	BUCF-CFQ13-GX23-2-827	13W CFL Quad Bi-Pin GX23-2 Bulb 2700K
F	GU24	13	BUF-SP13-GU24-827	13W FL Spiral GU24 Bulb 2700K
F	GU24	13	BUF-SPLP13-GU24-827	13W FL Low Profile Spiral GU24 Bulb 2700K
F	GU24	18	BUF-SP18-GU24-827	18W FL Spiral GU24 Bulb 2700K
F	GU24	18	BUF-SPLP18-GU24-827	18W FL Low Profile Spiral GU24 Bulb 2700K
F	GU24	26	BUF-SP26-GU24-827	26W FL Spiral GU24 Bulb 2700K
F	T5	13	BUF-F13T5-831	13W FL T5 Linear Mini Bi-Pin Bulb 3100K 21"L
F	T5	16	BUF-F16T5-831	16W FL T5 Linear Mini Bi-Pin Bulb 3100K 23.5"L
F	T5	21	BUF-F21T5-827	21W FL T5 Linear Mini Bi-Pin Bulb 2700K 34"L
F	T5	21	BUF-F21T5-830	21W FL T5 Linear Mini Bi-Pin Bulb 3000K 34"L
F	T5	24	BUF-F24T5-835	24W FL T5 Linear Mini Bi-Pin Bulb 3500K 22"L
F	T5	26	BUF-F26T5-831	26W FL T5 Linear Mini Bi-Pin Bulb 3100K 41.5"L
F	T5	39	BUF-F39T5-835	39W FL T5 Linear Mini Bi-Pin Bulb 3500K 34"L
F	T5	8	BUF-F8T5-831	8W FL T5 Linear Mini Bi-Pin Bulb 3100K
F	T9	22	BUF-FC8T9-WW	22W FL T9 Circline 4 Pin Bulb 2700K
F	T9	32	BUF-FC12T9-WW	32W FL T9 Circline 4 Pin Bulb 2700K
F	T9	40	BUF-FC16T9-WW	40W FL T9 Circline 4 Pin Bulb 3100K
H	E26	50	BUH-50W-PAR20-FL-CL-120V	50W Halogen PAR20 120V Bulb Clear
H	GU10	35	BUH-35W-GU10-CL-120V	35W Halogen GU10 110-130V Bulb Clear
H	GU10	50	BUH-50W-GU10-CL-120V	50W Halogen GU10 110-130V Bulb Clear
I	E26	40	BUI-40W-T10-E26-IF-120V	40W Incandescent MB T10 120V Bulb Inside Frost
I	E26	60	BUI-60W-ST64-E26-CL-120V	60W Incandescent MB ST64 120V Bulb Clear
I	E26	60	BUI-60W-T10-E26-IF-120V	60W Incandescent MB T10 120V Bulb Inside Frost
L	E12	4	BUL-4W-E12-T-CL-120V-827	LED Filament 4W E12 Candelabra 2700K
L	G3	0.2	BUL-.2W-G3-CL-12V	.2W LED G3 12V 3500K Bulb Clear
L	G4	1.5	BUL-1.5W-G4-CL-12V	1.5W LED G4 12V 3000K Bulb Clear (See Supp Descr)
L	G9	2.3	BUL-2.3W-G9-CL-120V-830	2.3W LED G9 3000K 120V Bulb Clear
L	G9	2.9	BUL-2.9W-G9-CL-120V-827	2.9W LED G9 2700K 120V Bulb Clear
L	G9	2.9	BUL-2.9W-G9-CL-120V-835	2.9W LED G9 3500K 120V Bulb Clear
L	GU10	4	BUL-4W-GU10-CL-120V	4W Dimmable LED GU10 3500K 120V Bulb Clear
L	GU10	5	BUL-5W-GU10-FT-120V-830	5W Dimmable LED GU10 3000K 120V Bulb Clear
L	GU24	11	BUL-11W-GU24-CL-120V-830	11W LED GU24 3000K 120V Clear
L	GU24	7	BUL-7W-GU24-CL-120V-830	7W LED GU24 3000K 120V Clear
L	GU24	9	BUL-9W-GU24-FT-120V-830	9W Dimmable LED GU24 3000K 120V Bulb Frosted
L	MR11	3	BUL-3W-MR11-CL-12V	3W LED MR11 12V 3000K Bulb Clear
L	MR16	3	BUL-3W-MR16-FL-CL-12V	3W LED MR16 3000K 12V Bulb Clear
L	MR16	7	BUL-7W-MR16-FL-CL-12V	7W LED MR16 3000K 12V Clear
L	PAR30	11	BUL-11W-PAR30-CL-120V-830	11W Dimmable LED PAR30 3000K 120V
L	PAR38	16	BUL-16W-PAR38-CL-120V-830	16W Dimmable LED PAR38 3000K 120V
X	G4	10	BUX-10W-G4-CL-12V	10W Xenon Bi-Pin G4 12V Bulb Clear
X	G4	10	BUX-10W-G4-FT-12V	10W Xenon Bi-Pin G4 12V Bulb Frosted
X	G4	20	BUX-20W-G4-CL-12V	20W Xenon Bi-Pin G4 12V Bulb Clear
X	G4	20	BUX-20W-G4-FT-12V	20W Xenon Bi-Pin G4 12V Bulb Frosted
X	G4	35	BUX-35W-G4-CL-12V	35W Xenon Bi-Pin G4 12V Bulb Clear
X	G6.35	35	BUX-35W-G6.35-CL-12V	35W Xenon Bi-Pin G6.35 12V Bulb Clear
X	G6.35	35	BUX-35W-G6.35-FT-12V	35W Xenon Bi-Pin G6.35 12V Bulb Frosted
X	G6.35	50	BUX-50W-G6.35-CL-12V	50W Xenon Bi-Pin G6.35 12V Bulb Clear
X	G6.35	50	BUX-50W-G6.35-FT-12V	50W Xenon Bi-Pin G6.35 12V Bulb Frosted
X	G8	20	BUX-20W-G8-CL-120V	20W Xenon Bi-Pin G8 120V Bulb Clear
X	G9	25	BUX-25W-G9-CL-120V	25W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	25	BUX-25W-G9-FT-120V	25W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	40	BUX-40W-G9-CL-120V	40W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	40	BUX-40W-G9-FT-120V	40W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	50	BUX-50W-G9-CL-120V	50W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	50	BUX-50W-G9-FT-120V	50W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	60	BUX-60W-G9-CL-120V	60W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	60	BUX-60W-G9-FT-120V	60W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	75	BUX-75W-G9-CL-120V	75W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	75	BUX-75W-G9-FT-120V	75W Xenon Bi-Pin G9 120V Bulb Frosted
X	WEDGE	18	BUX-18W-WEDGE-CL-12V	18W Xenon Xelogen Wedge 12V Bulb Clear

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BUCF-FT18-2G11-830	CF	2G11	18	18W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-FT36-2G11-830	CF	2G11	36	36W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-CFQ13-G24Q-1-827	CF	G24q-1	13	13W CFL Quad 4 Pin G24q-1 Bulb 2700K
	BUCF-CFQ18-G24Q-2-827	CF	G24q-2	18	18W CFL Quad 4 Pin G24q-2 Bulb 2700K
	BUCF-CFQ26-G24Q-3-827	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 2700K
	BUCF-CFQ26-G24Q-3-830	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 3000K
	BUCF-CFQ13-GX23-2-827	CF	GX23-2	13	13W CFL Quad Bi-Pin GX23-2 Bulb 2700K
	BUF-SP13-GU24-827	F	GU24	13	13W FL Spiral GU24 Bulb 2700K
	BUF-SP18-GU24-827	F	GU24	18	18W FL Spiral GU24 Bulb 2700K
	BUF-SP26-GU24-827	F	GU24	26	26W FL Spiral GU24 Bulb 2700K
	BUF-SPLP13-GU24-827	F	GU24	13	13W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-SPLP18-GU24-827	F	GU24	18	18W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-F13T5-831	F	T5	13	13W FL T5 Linear Mini Bi-Pin Bulb 3100K 21"L
	BUF-F16T5-831	F	T5	16	16W FL T5 Linear Mini Bi-Pin Bulb 3100K 23.5"L
	BUF-F21T5-827	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 2700K 34"L
	BUF-F21T5-830	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 3000K 34"L
	BUF-F24T5-835	F	T5	24	24W FL T5 Linear Mini Bi-Pin Bulb 3500K 22"L
	BUF-F26T5-831	F	T5	26	26W FL T5 Linear Mini Bi-Pin Bulb 3100K 41.5"L
	BUF-F39T5-835	F	T5	39	39W FL T5 Linear Mini Bi-Pin Bulb 3500K 34"L
	BUF-F8T5-831	F	T5	8	8W FL T5 Linear Mini Bi-Pin Bulb 3100K
	BUF-FC8T9-WW	F	T9	22	22W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC12T9-WW	F	T9	32	32W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC16T9-WW	F	T9	40	40W FL T9 Circline 4 Pin Bulb 3100K
	BUH-50W-PAR20-FL-CL-120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BUH-35W-GU10-CL-120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BUH-50W-GU10-CL-120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear
	BUI-40W-T10-E26-IF-120V	I	E26	40	40W Incandescent MB T10 120V Bulb Inside Frost
	BUI-60W-T10-E26-IF-120V	I	E26	60	60W Incandescent MB T10 120V Bulb Inside Frost
	BUI-60W-ST64-E26-CL-120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BUL-4W-E12-T-CL-120V-827	L	E12	4	LED Filament 4W E12 Candelabra 2700K
	BUL-.2W-G3-CL-12V	L	G3	0.2	.2W LED G3 12V 3500K Bulb Clear
	BUL-1.5W-G4-CL-12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear (See Supp Descr)
	BUL-2.3W-G9-CL-120V-830	L	G9	2.3	2.3W LED G9 3000K 120V Bulb Clear
	BUL-2.9W-G9-CL-120V-827	L	G9	2.9	2.9W LED G9 2700K 120V Bulb Clear
	BUL-2.9W-G9-CL-120V-835	L	G9	2.9	2.9W LED G9 3500K 120V Bulb Clear

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BUL-4W-GU10-CL-120V	L	GU10	4	4W Dimmable LED GU10 3500K 120V Bulb Clear
	BUL-5W-GU10-FT-120V-830	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear
	BUL-11W-GU24-CL-120V-830	L	GU24	11	11W LED GU24 3000K 120V Clear
	BUL-7W-GU24-CL-120V-830	L	GU24	7	7W LED GU24 3000K 120V Clear
	BUL-9W-GU24-FT-120V-830	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted
	BUL-3W-MR11-CL-12V	L	Mr11	3	3W LED MR11 12V 3000K Bulb Clear
	BUL-3W-MR16-FL-CL-12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
	BUL-7W-MR16-FL-CL-12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BUL-11W-PAR30-CL-120V-830	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
	BUL-16W-PAR38-CL-120V-830	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V
	BUX-10W-G4-CL-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-10W-G4-FT-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-20W-G4-CL-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-20W-G4-FT-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-35W-G4-CL-12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-35W-G6.35-CL-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-35W-G6.35-FT-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-50W-G6.35-CL-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-50W-G6.35-FT-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-20W-G8-CL-120V	X	G8	20	20W Xenon Bi-Pin G8 120V Bulb Clear
	BUX-25W-G9-CL-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-25W-G9-FT-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-40W-G9-CL-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-40W-G9-FT-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-50W-G9-CL-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-50W-G9-FT-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-60W-G9-CL-120V	X	G9	60	60W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-60W-G9-FT-120V	X	G9	60	60W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-75W-G9-CL-120V	X	G9	75	75W Xenon Bi-Pin G9 120V Bulb Clear
BUX-75W-G9-FT-120V	X	G9	75	75W Xenon Bi-Pin G9 120V Bulb Frosted	
	BUX-18W-WEDGE-CL-12V	X	WEDGE	18	18W Xenon Xelogen Wedge 12V Bulb Clear

Bulb Type Glossary

CF - Compact Fluorescent
 F - Fluorescent
 H - Halogen

I - Incandescent
 L - LED
 X - Xenon

FINISH

ABZ	Architectural Bronze
ACP	Antique Copper
AE	Adobe
AL	Brushed Aluminum
AP	Antique Pecan
AR	Anthracite
AT	Artesian Bronze
BK	Black
BM	Brushed Metal
BO	Black Oxide
BRZ	Anodized Bronze
BS	Black Smith
BU	Burnished
BW	Barn Wood
BZ	Bronze
CF	Country Froge
CH	Chocolate
CO	Copper Oxide
CP	Copper
CR	Clear Ribbed
DBZ	Dark Bronze
EB	Empire Bronze
ES	Espresso
ET	Earth Tone
FG	French Gold
GB	Gold Bronze
GBK	Galaxy Black
GBZ	Galaxy Bronze
IO	Iron Ore
LB	Luster Bronze
MB	Metallic Bronze
MS	Matte Silver
NA	Natural
OB	Oriental Bronze
OI	Oil Rubbed Bronze
PC	Polished Chrome
PL	Platinum
PN	Polished Nickel
RG	Rose Gold
RP	Rust Patina
RUB	Rustic Bronze
SE	Sienna
SN	Satin Nickel
SST	Stainless Steel
SW	Senora Wood
TE	Texture Ebony
TR	Topaz Ribbed
TXB	Textured Black
WT	White

GLASS STYLES

BC	Beveled Crystal
BG	Bubble Glass
CD	Seedy
CG	Cognac
CL	Clear
FC	Frosted Seedy
FG	Fog
FS	Frosted Seedy
FT	Frosted
GF	Golden Frost
HO	Honey
IB	Iceburg
IC	Ice
JC	Flambe Crystal
LA	Lace
LT	Latte
MC	Mocha Cloud
MO	Mocha
PL	Pellet
SF	Snow Flake
SH	Scotch Crystal
SW	Satin White
WF	Weathered Frost
WG	Waterglass
WS	Wilshire
WT	White

SHADES

CG	Cognac
CH	Chocolate
CP	Copper
CS	Chocolate Sheer
GY	Grey
HP	Hemp
JV	Jave
LN	Linen
NA	Natural
RB	Rustic Beige
UD	Uddo
WT	White

LEGEND



ADA Compliant



Energy Efficient



For Damp Location



For Wet Location



Installs on Slope Ceiling



Installs Up or Down



LED



LED Dimmer



Dimmable using standard dimmer.
Lutron® CL dimmers are recommended



California Title 24

All new homes, additions, alterations and most commercial buildings in California must meet minimum energy efficiency standards contained in Title 24, Part 6 of the California Code of Regulations. When you see the California Title 24 symbol next to a Maxim Lighting fixtures, you can be assured that the fixtures complies. More information on California Title 24 can be found on the California Energy Commission web site at energy.ca.gov/title24.

Warranty And Other Information

- For specific and detailed warranty information, ask your Maxim Lighting sales representative or visit www.maximlighting.com/warranty.
- Maxim Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Bulbs are not included unless otherwise noted.



CounterMax, Maxim Lighting and StarStrand are registered trademarks of Maxim Lighting International, Inc. All designs, logos, products and images © Copyright 2016 Maxim Lighting International, Inc. All Rights Reserved. Printed in China

LMXCAT1601

\$5.00



Maxim Lighting International

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 800.486.7337

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@maximlighting.com
Web: www.maximlighting.com

Maxim Lighting and all designs, logos and images © 2016 Maxim Lighting International. All Rights Reserved. Printed in China

