



**MAXIM**<sup>®</sup>  
L I G H T I N G

June 2016 Supplement



## TABLE OF CONTENTS

Arbor	115	Mandeville	113
Atom	17	Midtown	33
Aviary	13	Miranda	9
Baldwin	49	Moon Ray	137
Bali	55	New School	21
Bedazzle	107	Orbit	5
Bejewel	91	Packs	125
Casa Grande	111	Path	133
Civic	131	Pavilion	129
Cocoon	51	Pendant Separator Kit	64
Conical	93	Picazzo	85
CounterMax MX-L-120-2K	102	Pike Place	121
CounterMax MX-LD-AC	101	Pillar	119
Crete	59	Rembrant	81
Curl	75	Road House	11
Diverse	100	Rustica	123
Equinox	25	Silhouette	37
Esquire	47	Splendor	29
Essentials	99	Swing	1
Flux	98	Tier	77
Hennessy	45	Townhouse	127
Holmby Hills	117	Tribeca	43
Hotel	65	Trim	79
Ice	89	Vanity	87
Image	90	Villa	109
Kartier	73	Vino	63
Lightray LED	135	Vista	83
Linear EE	97	Wall Pak	105
Linear LED	95	Westport DC	139
Lucid	41		

## LEGEND



ADA Compliant



California Title 24



Dimmable



Energy Efficient



Energy Star Certified



For Damp Location



For Wet Location



Installs on Slope Ceiling



Installs Up or Down



LED



LED Dimmer

**30253WTPD**

6-Light Chandelier  
Finish: Platinum Dusk  
**24"W • 30"H**  
Bulb Type: CA, Incan.  
Max Wattage: 60



# SWING

Collection

White opal glass shades suspend from angular metal frames available in our rich Platinum Dusk finish. The chandeliers' metal frames pivot which allows you to adjust the fixture to create a unique look and re-position the light source to where it is needed.

# SWING

Collection

- *Pivoting metal arms allow to reposition light*
- *White opal glass shades*
- *NEW Platinum Dusk finish*

## **30255WTPD**

8-Light Chandelier  
Finish: Platinum Dusk  
**30"W • 36"H**  
Bulb Type: CA, Incan.  
Max Wattage: 60



# SWING

Collection



## 30257WTPD

6-Light Chandelier

Finish: Platinum Dusk

**48"L • 6"W • 27"H • 71.5"OAH**

Bulb Type: CA, Incan.

Max Wattage: 60

- Includes One 6" stem  
(Order 6" stems: STR05706PD-AS)
- Includes Three 12" stems  
(Order 12" stems: STR05712PD-AS)



# SWING Collection

- Pivoting metal arms allow to reposition light
- White opal glass shades
- NEW Platinum Dusk finish



### 30259WTPD

1-Light Mini Pendant  
Finish: Platinum Dusk  
**9"W • 13.75"H • 58.75"OAH**  
Bulb Type: CA, Incan.  
Max Wattage: 60

- Includes One 6" stem  
(Order 6" stems: STR04806PD-AS)
- Includes Three 12" stems  
(Order 12" stems: STR04812PD-AS)



### 30251WTPD

1-Light Wall Sconce  
Finish: Platinum Dusk  
**9"W • 13.75"H • 6.5"Ext.**  
Bulb Type: CA, Incan.  
Max Wattage: 60

# ORBIT

Collection

A spherical frame of metal surround a simple line chandelier draped in crystal for a transitional style that fits any interior design.



Orbit is available in 2 sizes and 2 finishes, Oil Rubbed Bronze with Cognac crystal and a combo finish of Anthracite and Polished Nickel with clear crystal.







# ORBIT

Collection

- Anthracite and Polished Nickel finish supplied with Clear crystals
- Oil Rubbed Bronze finish supplied with Cognac crystal



**25145 OI, ARPN**  
9-Light Pendant  
**30"W • 33"H**  
Bulb Type: CA, Incan.  
Max Wattage: 60

- Crystal Included



**25144 OI, ARPN**  
6-Light Pendant  
**25"W • 28"H**  
Bulb Type: CA, Incan.  
Max Wattage: 60


- Crystal Included



25142ARPN



25140OI



25147ARPN

**25142 OI, ARPN**  
4-Light Pendant  
**19"W • 21.5"H**  
Bulb Type: CA, Incan.  
Max Wattage: 60

- Crystal Included

**25147 OI, ARPN**  
12-Light Chandelier  
**40"W • 43.5"H**  
Bulb Type: CA, Incan.  
Max Wattage: 40

- Crystal Included

**25140 OI, ARPN**  
3-Light Pendant  
**12"W • 14"H**  
Bulb Type: CA, Incan.  
Max Wattage: 60

- Crystal Included



**32516APBY**  
12-Light Pendant  
Finish: Antique Pecan/Bay  
**26"W • 42"H**  
Bulb Type: CA, Incan.  
Max Wattage: 60

# MIRANDA

Collection

Cages constructed of wood, finished in Antique Pecan, blend beautifully with the metal bars painted in our rich Bay finish. Elegant chandeliers, draped in crystal, grace the interior of the cage to create a unique transitional style to fit a wide variety of interiors.

# MIRANDA

Collection

- Cages of wood finished in Antique Pecan with metal bars create industrial look
- Crystal drapes interior, elegant chandelier



**32512APBY**  
4-Light Pendant  
Finish: Antique Pecan/Bay  
**15"W • 27"H**  
Bulb Type: CA, Incan.  
Max Wattage: 60



**32514APBY**  
6-Light Pendant  
Finish: Antique Pecan/Bay  
**20"W • 32"H**  
Bulb Type: CA, Incan.  
Max Wattage: 60



**20927BWIO**  
6-Light Pendant  
Finish: Barn Wood/Iron Ore  
**36"L • 19"W • 23"H**  
Bulb Type: CA, Incan.  
Max Wattage: 40  
Dimmable: Standard



# ROAD HOUSE

Collection

Unique pendants formed of bent wood finished in Barn Wood creates a weathered and distressed look. The internal clusters and details are constructed of cast iron in a hammered pattern and finished in a natural looking Iron Ore. A excellent blend of soft shape and rustic finish allows for this collection to fit into a number of interior designs.

# ROAD HOUSE

Collection

- *Weathered and distressed Barn-style wood*
- *Detailed hammered patterns on a cast iron frame finished in Iron Ore*
- *Dimmable*
- *Incandescent*



## **20923BWIO**

4-Light Pendant  
Finish: Barn Wood/Iron Ore

**19"W • 23"H**

Bulb Type: CA, Incan.

Max Wattage: 40

Dimmable: Standard



## **20925BWIO**

5-Light Pendant

Finish: Barn Wood/Iron Ore

**22"W • 31.5"H**

Bulb Type: CA, Incan.

Max Wattage: 40

Dimmable: Standard





**38484CGOI**

10-Light Pendant

Finish: Oil Rubbed Bronze

**19.25"W • 35.5"H • 84.5"OAH**

Bulb Type: G9, LED (Included)

Bulb: BUL-2.9W-G9-CL-120V-827

Max Wattage: 3

Lumens: 2100



# AVIARY

Collection

Heavy weight steel cages support a circular band of individual glass rods which run beyond the entire height of the fixture. A spiraling cluster of G9 LED bulbs refract light in an unusual pattern creating a lighting effect sure to create attention. You can choose between the rounded style in Anthracite and Clear rods or the more transitional faceted shape in Oil Rubbed Bronze with Cognac rods.





• See pages 143-145  
for G9 LED option



- Heavyweight steel cages support a circular band of glass rods
- Available in two options:  
Anthrite with clear rods or  
Oil Rubbed Bronze with Cognac rods
- G9, LED lamps included
- 2700K Color Temperature
- CRI 80



38486CGOI



38487CGOI



38485CGOI



38483CGOI



38482CGOI

**All Pendants on pages come with:**

- Includes Two 6" stems  
(Order 6" stems: STR06206OI-SG)
- Includes Two 12" stems  
(Order 12" stems: STR06212OI-SG)
- Includes One 12" stem with U-joint  
(Order 12" stem with U-joint: STR06212OIS-SG)

**38482CGOI**

5-Light Wall Sconce  
Finish: Oil Rubbed Bronze  
**9.25"W • 27"H • 4.5"Ext.**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 1050



**38483CGOI**

8-Light Pendant  
Finish: Oil Rubbed Bronze  
**9.5"W • 27"H • 76.5"OAH**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 1680



**38485CGOI**

12-Light Pendant  
Finish: Oil Rubbed Bronze  
**15"W • 18"H • 67.25"OAH**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 2520



**38486CGOI**

13-Light Pendant  
Finish: Oil Rubbed Bronze  
**20.25"W • 22"H • 71.25"OAH**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 2730



**38487CGOI**

13-Light Pendant  
Finish: Oil Rubbed Bronze  
**27"W • 23.5"H • 72.75"OAH**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 2730





- Heavyweight steel cages support a circular band of glass rods
- Available in two options: Anthracite with clear rods or Oil Rubbed Bronze with Cognac rods
- G9, LED lamps included
- 3500K Color Temperature
- CRI 80

**38382CLAR**

5-Light Wall Sconce  
Finish: Anthracite  
**9"W • 27"H • 5"Ext.**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 1050



**38383CLAR**

8-Light Pendant  
Finish: Anthracite  
**9"W • 27"H • 76.5"OAH**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 1680



**38385CLAR**

12-Light Pendant  
Finish: Anthracite  
**15"W • 18"H • 67.25"OAH**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 2520



**38386CLAR**

13-Light Pendant  
Finish: Anthracite  
**21"W • 22"H • 71.25"OAH**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 2730



**38387CLAR**

13-Light Pendant  
Finish: Anthracite  
**28"W • 23.5"H • 72.75"OAH**  
Bulb Type: G9, LED (Included)  
Bulb: BUL-2.9W-G9-CL-120V-827  
Max Wattage: 3  
Lumens: 2730



38387CLAR



38386CLAR



38383CLAR



38385CLAR



38382CLAR

**All Pendants on pages come with:**

- Includes Two 6" stems (Order 6" stems: STR06206AR-SG)
- Includes Two 12" stems (Order 12" stems: STR06212AR-SG)
- Includes One 12" stem with U-joint (Order 12" stem with U-joint: STR06212ARS-SG)

# AVIARY Collection



• See pages 143-145  
for G9 LED option

LED 



## 38384CLAR

10-Light Pendant

Finish: Anthracite

**20"W • 35.5"H • 84.5"OAH**

Bulb Type: G9, LED (Included)

Bulb: BUL-2.9W-G9-CL-120V-827

Max Wattage: 3

Lumens: 2100



# ATOM

Collection

A Mid-Century Modern industrial classic revived featuring softly bent arms finished in Black with Polished Nickel accents that terminate at round White opal glass balls.



- Mid-Century Modern revival
- Contrasting Polished Nickel and Black finish
- White opal glass softly diffuses candelabra light

**24727WTBKPN**

12-Light Pendant  
Finish: Black/Polished Nickel

**36"W • 25.75"H • 64"OAH**

Bulb Type: CA, Incan.

Max Wattage: 40

Lumens: 33600

- Includes One 6" stem  
(Order 6" stems: STR06206BKPN-MH)
- Includes Three 12" stems  
(Order 12" stems: STR06212BKPN-MH)





24725WTBKPN

**24725WTBKPN**

8-Light Pendant

Finish: Black/Polished Nickel

**28"W • 22.75"H • 61.5"OAH**

Bulb Type: CA, Incan.

Max Wattage: 40

Lumens: 22400

- Includes One 6" stem  
(Order 6" stems: STR06206BKPN-MH)
- Includes Three 12" stems  
(Order 12" stems: STR06212BKPN-MH)



94720WTBKPN

**94720WTBKPN**

1-Light Mini Pendant

Finish: Black/Polished Nickel

**6"W • 7.5"H • 86.25"OAH**

Bulb Type: CA, Incan.

Max Wattage: 40

Lumens: 2800

- Includes One 6" stem  
(Order 6" stems: STR06206BKPN-MH)
- Includes Three 12" stems  
(Order 12" stems: STR06212BKPN-MH)



- Mid-Century Modern revival
- Contrasting Polished Nickel and Black finish
- White opal glass softly diffuses candelabra light



24722WTBKPN

**24722WTBKPN**

2-Light Wall Sconce  
Finish: Black/Polished Nickel  
**6"W • 18.25"H • 14.75"Ext.**  
Bulb Type: CA, Incan.  
Max Wattage: 40  
Lumens: 5600



24720WTBKPN

**24720WTBKPN**

10-Light Flush Mount  
Finish: Black/Polished Nickel  
**38"W • 30"H**  
Bulb Type: CA, Incan.  
Max Wattage: 40  
Lumens: 28000

# NEW SCHOOL

Collection

This classic look was updated with modern day styling and technology. Tubular metal frames finished in Satin Nickel support school house glass shades in Satin White. Powered by dimmable LED modules this collection is the perfect marriage of ageless styling and space age technology.





# NEW SCHOOL Collection

- Classic school house shades in Satin White
- Dimmable LED modules
- 3000K Color Temperature, CRI 90, dimmable



## 30245SWSN

5-Light LED Chandelier

Finish: Satin Nickel

**28"W • 9.5"H • 51.5"OAH**

Bulb Type: LED (Integrated)

Max Wattage: 33

Lumens: 2600

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR04906SN-RS)
- Includes Two 12" stems  
(Order 12" stems: STR04912SN-RS)



# NEW SCHOOL Collection



## 30243SWSN

3-Light LED Chandelier

Finish: Satin Nickel

**21.5"W • 9.5"H • 51.5"OAH**

Bulb Type: LED (Integrated)

Max Wattage: 23

Lumens: 1600

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR04906SN-RS)
- Includes Two 12" stems  
(Order 12" stems: STR04912SN-RS)



## 90240SWSN

1-Light LED Mini Pendant

Finish: Satin Nickel

**7.5"W • 6.5"H • 48.5"OAH**

Bulb Type: LED (Integrated)

Max Wattage: 9

Lumens: 690

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR04906SN-RS)
- Includes Two 12" stems  
(Order 12" stems: STR04912SN-RS)



# NEW SCHOOL Collection

- Classic school house shades in Satin White
- Dimmable LED modules
- 3000K Color Temperature, CRI 90, dimmable



30240SWSN



30242SWSN



30247SWSN

## 30240SWSN

1-Light LED Flush Mount  
Finish: Satin Nickel  
**10.5"W • 11"H**  
Bulb Type: LED (Integrated)  
Max Wattage: 15  
Lumens: 1050  
Dimmable: Standard



## 30247SWSN

3-Light LED Bath Vanity  
Finish: Satin Nickel  
**28"W • 10.5"H • 9.5"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 23  
Lumens: 1600  
Dimmable: Standard



## 30242SWSN

1-Light LED Wall Sconce  
Finish: Satin Nickel  
**7.5"W • 10"H • 9"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 9  
Lumens: 690  
Dimmable: Standard





# EQUINOX

Collection

Bands of steel finished in Polished Nickel or Textured Black with Polished Nickel accents, create spherical forms of lighting. These spheres are graced with Beveled Crystal fonts which conceal dimmable LED bulbs. A perfect blend of grace, beauty and energy efficiency.

# EQUINOX Collection

- Bands of steel finished in Polished Nickel or Textured Black with Polished Nickel accents
- Beveled Crystal fonts
- Concealed dimmable LED bulbs
- 3500K Color Temperature
- CRI 90



• Includes LED GU24 bulbs,  
see pages 143-145 for information



39108BCPN



39108BCTXBPN

**39108BCPN**  
**39108BCTXBPN**  
LED Pendant  
**39.75"W • 46.5"H • 126"OAH**  
Bulb Type: LED (Included)  
Max Wattage: 64.4  
Lumens: 5320  
Dimmable: Standard



EQUINOX  
Collection



39104BCPN



39104BCTXBPN

**39104BCPN**  
**39104BCTXBPN**  
LED Pendant  
**25"W • 29.75"H • 110.25"OAH**  
Bulb Type: LED (Included)  
Max Wattage: 34.5  
Lumens: 2850  
Dimmable: Standard



# EQUINOX Collection

- Bands of steel finished in Polished Nickel or Textured Black with Polished Nickel accents
- Beveled Crystal fonts
- Concealed dimmable LED bulbs
- 3500K Color Temperature
- CRI 90



• Includes LED GU24 bulbs,  
see pages 143-145 for information



39102BCPN



39102BCTXBPN

### 39102BCPN

### 39102BCTXBPN

LED Pendant

**18"W • 21"H • 102.25"OAH**


Bulb Type: LED (Included)

Max Wattage: 13.8

Lumens: 1140

Dimmable: Standard





# SPLENDOR

Collection

Crystalline diffusers sparkle in the night when illuminated by high powered LED. The Bronze metal frames soften the look and contrasts well with the brilliance of the diffuser. The collection features two sizes of round pendants including round and square ceiling mount styles.



# SPLENDOR Collection

- Crystalline diffusers illuminated by high powered LED
- 3000K Color Temperature, CRI 80, dimmable



35047CRYBZ



35046CRYBZ

## 35047CRYBZ

LED Chandelier

Finish: Bronze

**32"W • 2.5"H • 124"OAH**

Bulb Type: LED (Integrated)

Max Wattage: 57.6

Lumens: 4032

Dimmable: Standard



## 35046CRYBZ

LED Chandelier

Finish: Bronze

**23.5"W • 2.5"H • 124"OAH**

Bulb Type: LED (Integrated)

Max Wattage: 43.2


Lumens: 3024

Dimmable: Standard



# SPLENDOR

Collection



## 35044CRYBZ

LED Flush Mount

Finish: Bronze


**23.5"W • 3.75"H**

Bulb Type: LED (Integrated)

Max Wattage: 48

Lumens: 3360

Dimmable: Standard



## 35043CRYBZ

LED Flush Mount

Finish: Bronze


**15.5"W • 3.75"H**

Bulb Type: LED (Integrated)

Max Wattage: 24

Lumens: 1680

Dimmable: Standard



# SPLENDOR Collection

- Crystalline diffusers illuminated by high powered LED
- 3000K Color Temperature, CRI 80, dimmable



## **35041CRYBZ**

LED Flush Mount

Finish: Bronze

**23.5"W • 3.75"H**

Bulb Type: LED (Integrated)

Max Wattage: 48

Lumens: 3360

Dimmable: Standard



## **35040CRYBZ**

LED Flush Mount

Finish: Bronze

**15.5"W • 3.75"H**

Bulb Type: LED (Integrated)

Max Wattage: 24

Lumens: 1680

Dimmable: Standard





# MIDTOWN

Collection

It is hard to find large scale lighting for those large areas that is not custom made. This collection features a metal frame finished in Gold Bronze supporting tall Clear glass cylinders. The tall scale candles finished in a complimentary gold are topped with LED filament bulbs which are included.

# MIDTOWN Collection

- Metal frame finished in Gold Bronze
- Tall scale clear glass and Gold candles
- Includes LED filament bulbs
- 2700K Color Temperature
- CRI 90+



• Includes LED filament bulbs see pages 143-145 for additional information



## 43747CLGB

8-Light Pendant

Finish: Gold Bronze

**55"L • 20"W • 26.75"H • 66.5"OAH**

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 2240

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR08706GB-MT)
- Includes Six 12" stems  
(Order 12" stems: STR08712GB-MT)



# MIDTOWN

## Collection

- Metal frame finished in Gold Bronze
- Tall scale clear glass and Gold candles
- Includes LED filament bulbs
- 2700K Color Temperature
- CRI 90+



• Includes LED filament bulbs see pages 143-145 for additional information

LED



### 43749CLGB

18-Light Pendant

Finish: Gold Bronze

47.25"L • 47.25"W • 34.5"H • 74.25"OAH

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 5040

Dimmable: Standard

- Includes One 6" stem  
(Order 6" stems: STR08706GB-MT)
- Includes Three 12" stems  
(Order 12" stems: STR08712GB-MT)





43748CLGB



43741CLGB



43746CLGB

**43748CLGB**

8-Light Pendant

Finish: Gold Bronze

**33.5"L • 33.5"W • 27"H • 65.25"OAH**

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 2240

Dimmable: Standard

- Includes One 6" stem  
(Order 6" stems: STR08706GB-MT)
- Includes Three 12" stems  
(Order 12" stems: STR08712GB-MT)



**43746CLGB**

6-Light Pendant

Finish: Gold Bronze

**41.75"L • 20"W • 26.75"H • 66.5"OAH**

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 1680

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR08706GB-MT)
- Includes Six 12" stems  
(Order 12" stems: STR08712GB-MT)



**43741CLGB**

1-Light Wall Sconce

Finish: Gold Bronze

**5"W • 19"H • 8"Ext.**

Bulb Type: E12 LED filament (Included)

Bulb: BUL-4W-E12-T-CL-120V-827

Max Wattage: 4

Lumens: 280

Dimmable: Standard





# SILHOUETTE

Collection

Minimalistic metal forms in Textured Black beautifully frame Beveled Crystal pendants. The crystals come to life when illuminated by LED concealed in the supporting cast cups. A perfect combination of simplicity and elegance.



# SILHOUETTE

Collection

- Open frame cage in Textured Black finish
- Custom crystal pendants illuminated by hidden LED source
- 3000K Color Temperature, dimmable



## 21044BCTXB

4-Light Pendant

Finish: Textured Black

19.75"L • 19.75"W • 11.5"H • 62.25"OAH

Bulb Type: LED (Integrated)

Max Wattage: 12

Lumens: 840

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR05006TXB-SG)
- Includes Three 12" stems  
(Order 12" stems: STR05012TXB-SG)



# SILHOUETTE

Collection

LED



## 21046BCTXB

4-Light Pendant

Finish: Textured Black

**34.5"L • 13.75"W • 11.5"H • 62.25"OAH**

Bulb Type: LED (Integrated)

Max Wattage: 12

Lumens: 840

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR05006TXB-SG)
- Includes Three 12" stems  
(Order 12" stems: STR05012TXB-SG)



# SILHOUETTE Collection

- Open frame cage in Textured Black finish
- Custom crystal pendants illuminated by hidden LED source
- 3000K Color Temperature, dimmable



## 21043BCTXB

3-Light Pendant

Finish: Textured Black

21.25"L • 18.5"W • 25"H • 75"OAH

Bulb Type: LED (Integrated)

Max Wattage: 9

Lumens: 630

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR05006TXB-SG)
- Includes Three 12" stems  
(Order 12" stems: STR05012TXB-SG)



## 21041BCTXB

1-Light Pendant

Finish: Textured Black

12"L • 12"W • 11.5"H • 62.25"OAH

Bulb Type: LED (Integrated)

Max Wattage: 3

Lumens: 210

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR05006TXB-SG)
- Includes Three 12" stems  
(Order 12" stems: STR05012TXB-SG)



# LUCID

## Collection

Drum shades constructed from two layers of sheer Organza fabric laminated to a clear inner liner, allows light to shine out as well as down. White glass cylinder shades diffuse light and conceal the light source. Available in your choice of 2 finish combinations, Silver Sheer shade on Satin Nickel and Tan Sheer shade on Oil Rubbed Bronze.



24550TSOI



24559SSSN



24555SSSN

**24555 SSSN, TSOI**  
5-Light Pendant  
**26"W • 24"H**  
Bulb Type: MB, Incan.  
Max Wattage: 60

**24550 SSSN, TSOI**  
4-Light Semi-Flush Mount  
**18"W • 14.5"H**  
Bulb Type: MB, Incan.  
Max Wattage: 60

**24559 SSSN, TSOI**  
2-Light Wall Sconce  
**14"W • 10.5"H • 7"Ext.**  
Bulb Type: MB, Incan.  
Max Wattage: 60

# LUCID

## Collection

- Sheer Organza shades veil  
white glass cylinder shades
- 2 finish combinations:  
Silver Sheer/Satin Nickel and  
Tan Sheer/Oil Rubbed Bronze



**24557 SSSN, TSOI**  
6-Light Pendant  
**18"W • 40"H**  
Bulb Type: MB, Incan.  
Max Wattage: 60





# TRIBECA

Collection

This urban lifestyle design features square shades of Linen with a coffee color trim mounted onto a metal frame finished in Dark Bronze. LED downlights are mounted in the bottom of the frame as well as replaceable LED bulbs inside the shade.

- Square shades of linen with a coffee color trim
- Metal frame finished in Dark Bronze
- Features LED downlights mounted on the bottom of the frame
- Replaceable, GU24 LED lamps included
- 3000K Color Temperature
- CRI 90

# TRIBECA Collection



• Includes LED GU24 bulbs, see pages 143-145 for information



### 43813LNDBZ

3-Light Pendant

Finish: Dark Bronze

**35.5"L • 9.75"W • 9"H • 44.75"OAH**

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 2940

Dimmable: Standard



### 43814LNDBZ

4-Light Pendant

Finish: Dark Bronze

**46"L • 9.75"W • 9"H • 44.75"OAH**

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 3920

Dimmable: Standard




#### All items on this page come with:

- Includes Two 6" stems  
(Order 6" stems: STR06206DBZ-MT)
- Includes Six 12" stems  
(Order 12" stems: STR06212DBZ-MT)

# HENNESY

## Collection

This large scale collection features Chocolate Sheer organza fabric over an off-white interior shade for a unique 3 dimensional look. The heavy weight steel frame is finished in Oil Rubbed Bronze which enhances the color of the shade. Whether it is a board room, lobby, or large dining area, the Hennesy is a perfect fit.



### **43446CSOI**

8-Light Pendant

Finish: Oil Rubbed Bronze

**41.25"W • 17.5"H • 49.5"OAH**

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 5040

Dimmable: Standard

• Includes Two 6" stems

(Order 6" stems: STR08706OI-MT)

• Includes Six 12" stems

(Order 12" stems: STR08712OI-MT)





# HENNESY Collection

- Sheer chocolate organza fabric
- Off white interior shades
- Heavy weight steel frame finished in Oil Rubbed Bronze
- 3000K Color Temperature
- CRI 90



• Includes LED GU24 bulbs,  
see pages 143-145 for information



## 43444CSOI

8-Light Pendant

Finish: Oil Rubbed Bronze

**31.5"W • 14"H • 48.75"OAH**

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 5040

Dimmable: Standard

- Includes Two 6" stems  
(Order 6" stems: STR08706OI-MT)
- Includes Six 12" stems  
(Order 12" stems: STR08712OI-MT)



## 43441CSOI

2-Light Wall Mount

Finish: Oil Rubbed Bronze

**13.75"W • 12.25"H • 8"Ext.**

Bulb Type: GU24 LED (Included)


Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 1260

Dimmable: Standard





# ESQUIRE

Collection

Classic straight lines and large scale makes this collection an excellent candidate for light commercial applications. Dual LED downlights are encased in each rectangular font which is finished in a dark Bronze and contrasted nicely with a soft white Linen shade. This collection is 100% LED for low maintenance and energy efficiency.



## 43667LNDBZ

8-Light Pendant

Finish: Dark Bronze

**24.75"W • 7.75"H • 45.5"OAH**

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 5740

Dimmable: Standard



# ESQUIRE Collection

- Soft White Linen shade
- Dual LED downlights encased in a Dark Bronze rectangular font
- 3000K Color Temperature
- CRI 90+
- GU24, LED lamps included
- 100% LED for low maintenance



• Includes LED GU24 bulbs, see pages 143-145 for information



43666LNDBZ

### 43666LNDBZ

12-Light Pendant

Finish: Dark Bronze

**63"L • 13.75"W • 7.75"H • 45.5"OAH**

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 8610

Dimmable: Standard



43664LNDBZ

### 43664LNDBZ

8-Light Pendant

Finish: Dark Bronze

**47.25"L • 13.75"W • 7.75"H • 45.5"OAH**

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 5740

Dimmable: Standard



43668LNDBZ

### 43668LNDBZ

12-Light Pendant

Finish: Dark Bronze

**41.25"L • 26.5"W • 7.75"H • 45.5"OAH**

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 8610

Dimmable: Standard



#### All items on pages 47-48 come with:

- Includes Two 6" stems  
(Order 6" stems: STR06206DBZ-MT)
- Includes Six 12" stems  
(Order 12" stems: STR06212DBZ-MT)



# BALDWIN

## Collection

Rectangular shades of white Linen float on a frame of Dark Bronze to create a soft contemporary design that fit a wide range of interiors. With an LED light source, this collection is perfect for light commercial as well as residential applications.



43556LNDBZ



### **43556LNDBZ**

6-Light Pendant

Finish: Dark Bronze

**35.5"W • 12"H • 131"OAH**

Bulb Type: GU24 LED (Included)

Bulb: BUL-9W-GU24-FT-120V-830

Max Wattage: 9

Lumens: 3780

Dimmable: Standard



# BALDWIN Collection

- White linen rectangle shades
- Dark Bronze metal frame
- GU24 LED lamps included
- Perfect for commercial or residential applications
- 3000K Color Temperature
- CRI 90



• Includes LED GU24 bulbs,  
see pages 143-145 for information



43558LNDBZ



43551LNDBZ

## 43551LNDBZ

1-Light Wall Mount  
Finish: Dark Bronze  
**10"W • 11.75"H • 9"Ext.**  
Bulb Type: GU24 LED (Included)  
Bulb: BUL-9W-GU24-FT-120V-830  
Max Wattage: 9  
Lumens: 630  
Dimmable: Standard



## 43558LNDBZ

8-Light Pendant  
Finish: Dark Bronze  
**47.25"W • 12"H • 131"OAH**  
Bulb Type: GU24 LED (Included)  
Bulb: BUL-9W-GU24-FT-120V-830  
Max Wattage: 9  
Lumens: 5040  
Dimmable: Standard





# COCOON

Collection

A web of fiberglass is bonded together with latex and stretched over steel frames creating a 1950's contemporary design. When illuminated, the fiber shows through the soft fabric and adds texture to this unique look.

# COCOON Collection

- *Soft fabric for textured unique look*
- *Incandescent*



**12190WTPC**  
1-Light Pendant  
Finish: Polished Chrome  
**25"W • 10"H • 130"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60



# COCOON Collection



12189WTPC



12186WTPC



12188WTPC



12187WTPC

## 12189WTPC

1-Light Pendant  
Finish: Polished Chrome  
**19"W • 15.75"H • 138"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60



## 12188WTPC

1-Light Pendant  
Finish: Polished Chrome  
**13"W • 21.25"H • 141"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60



## 12186WTPC

1-Light Pendant  
Finish: Polished Chrome  
**15.25"W • 11"H • 131"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60



## 12187WTPC

1-Light Pendant  
Finish: Polished Chrome  
**19.25"W • 12"H • 131.75"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60





# COCOON Collection

- Soft fabric for textured unique look
- Incandescent



12181WTPC



12185WTPC



12184WTPC



12183WTPC

**12181WTPC**  
1-Light Pendant  
Finish: Polished Chrome  
**10.5"W • 14"H • 133.75"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60



**12185WTPC**  
1-Light Pendant  
Finish: Polished Chrome  
**16"W • 8"H • 127.75"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60



**12184WTPC**  
1-Light Pendant  
Finish: Polished Chrome  
**11"W • 22.25"H • 131.75"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60



**12183WTPC**  
1-Light Pendant  
Finish: Polished Chrome  
**8"W • 16"H • 135.75"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60





# BALI

Collection

Spherical dual shades constructed of woven string in two-tone finish combinations, Natural with White inner and Chocolate with White inner. Shades are treated for weather resistance and are U.L. approved for damp location which make them perfect for outdoor living spaces.

BALI  
Collection

- Dual shades constructed of woven strings
- Two options available in: Natural/White inner shade or Chocolate/White inner shade
- Treated for weather resistance
- Incandescent



**14407 CHWT, NAWT**

1-Light Pendant

**23.5"W • 22.75"H • 145"OAH**

Bulb Type: MB, Incan.

Max Wattage: 60



# BALI

Collection

- *Dual shades constructed of woven strings*
- *Two options available in:  
Natural/White inner shade or  
Chocolate/White inner shade*
- *Treated for weather resistance*
- *Incandescent*



**14405 CHWT, NAWT**  
1-Light Pendant  
**19.75"W • 19.25"H • 140"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60





**14404 CHWT, NAWT**  
1-Light Pendant  
**20"W • 13.75"H • 134"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60



**14402 CHWT, NAWT**  
1-Light Pendant  
**15.75"W • 10"H • 131"OAH**  
Bulb Type: MB, Incan.  
Max Wattage: 60





# CRETE

Collection

Pendants molded in natural Gray finish concrete cement provide a unique urban contemporary design element. Metal Polished Chrome hardware contrasts beautifully with the black fabric covered wire. Powerful and efficient illumination is provided by the included GU10, 3000K LED bulbs.

# CRETE Collection

- 3000K Color Temperature
- 8 size options
- CRI 80+



## 12396GYPC

1-Light Pendant  
Finish: Polished Chrome

**15.25"W • 15"H • 133"OAH**

Bulb Type: PAR38 LED (Included)  
Bulb: BUL-16W-PAR38-FT-120V-830  
Max Wattage: 16  
Lumens: 1120  
Weight: 20.5 lbs  
Dimmable: Standard



## 12397GYPC

1-Light Pendant  
Finish: Polished Chrome

**12"W • 11"H • 131"OAH**

Bulb Type: PAR30 LED (Included)  
Bulb: BUL-11W-PAR30-FT-120V-830  
Max Wattage: 11  
Lumens: 710  
Weight: 9.25 lbs  
Dimmable: Standard



## 12390GYPC

1-Light Pendant  
Finish: Polished Chrome

**7"W • 7"H • 125.5"OAH**

Bulb Type: GU10 LED (Included)  
Bulb: BUL-5W-GU10-FT-120V-830  
Max Wattage: 5  
Lumens: 280  
Weight: 4.3 lbs  
Dimmable: Standard



## 12399GYPC

4-Light Pendant  
Finish: Polished Chrome

**15.75"W • 12.75"H • 131.75"OAH**

Bulb Type: GU10 LED (Included)  
Bulb: BUL-5W-GU10-FT-120V-830  
Max Wattage: 5  
Lumens: 1120  
Weight: 19.8 lbs  
Dimmable: Standard



# CRETE Collection


LED  



• Close up



12398GYPC



• View from top

• Adjustable

## 12393GYPC

1-Light Pendant

Finish: Polished Chrome

**8"W • 7"H • 126.5"OAH**

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



## 12398GYPC

1-Light Pendant

Finish: Polished Chrome

**8"W • 10"H • 129.5"OAH**

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard





# CRETE Collection

- 3000K Color Temperature
- 8 size options
- GU10 LED bulbs are included
- CRI 80+



## 12391GYPC

1-Light Pendant

Finish: Polished Chrome

**6"W • 10.5"H • 130.25"OAH**

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



## 12392GYPC

1-Light Pendant

Finish: Polished Chrome

**6"W • 10.75"H • 130.5"OAH**

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



## 12395GYPC

1-Light Pendant

Finish: Polished Chrome

**7.5"W • 13"H • 132"OAH**

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 6.6 lbs

Dimmable: Standard



## 12394GYPC

1-Light Pendant

Finish: Polished Chrome

**7.25"W • 13"H • 133"AOH**

Bulb Type: GU10 LED (Included)

Bulb: BUL-5W-GU10-FT-120V-830

Max Wattage: 5

Lumens: 280

Weight: 4.3 lbs

Dimmable: Standard



# VINO

## Collection

Bottle shaped pedants are created using a burgundy finished inner frame coated in a White acrylic material. When illuminated the burgundy shows through for that very VINO look. These pedants are suitable for damp locations and can be also installed as a three light cluster using the optional separator kit.

- Bottle shaped pendant finished with a burgundy inner frame
- White Acrylic material
- Can be installed as a three light cluster using our separator kit
- 2700K Color Temperature
- Suitable for damp locations
- GU24, Fluorescent bulbs included



### 12161WTWT

1-Light Pendant

Finish: White

**4.75"W • 11.75"H • 134"OAH**

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 900



### 12162WTWT

1-Light Pendant

Finish: White

**6"W • 15.75"H • 138"OAH**

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 900



### 12163WTWT

1-Light Pendant

Finish: White

**8"W • 18.25"H • 140"OAH**

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 18

Lumens: 1355



# PENDANT SEPARATOR KIT

Using this kit you can create your own arrangement of cord hung pendants. Purchase any three Cocoon or Vino pendants and the kit to create your cascading design. Kit includes separator and three cord canopy.

• *Kit includes separator and three cord canopy*



**12179PC**  
Pendant Frame  
Finish: Polished Chrome  
20"L • 17.75"W • 2"H  
Sold Separately



• **12179PC**  
(Shown with Cocoon Collection)



• **12179PC**  
(Shown with Twisp Collection)



• **12179PC**  
(Shown with Vino Collection)



# HOTEL

## Collection

Inspired design for hospitality and residences, this collection features white Wafer fabric shades and heavy Polished Chrome arms that characterize the quality of these products. Be it bedside or suspension, the sweeping, swinging, and adjustable light sources in this collection allow you to direct the light to your preference. All include LED lamping.

- White wafer fabric shades softly diffuse LED lamping provided.
- Heavy Polished Chrome arms suspend the shades
- 3000K Color Temperature, Bulbs are CRI 90+



- USB Port

**60147WAPC**

1-Light Table Lamp  
Finish: Polished Chrome  
**22.75"L • 11"W • 19.75"/30.75"H**  
Bulb Type: LED (Included)  
Max Wattage: 9  
Lumens: 600

- Adjustable
- USB Port Included



**60148WAPC**

1-Light Table Lamp  
Finish: Polished Chrome  
**32"L • 14.25"W • 28"/39"H**  
Bulb Type: LED (Included)  
Max Wattage: 16  
Lumens: 1120

- Adjustable
- USB Port Included



**60149WAPC**

1-Light Floor Lamp  
Finish: Polished Chrome  
**46.5"L • 14.25"W • 48"/73.25"H**  
Bulb Type: LED (Included)  
Max Wattage: 16  
Lumens: 1120

- Adjustable



# HOTEL

Collection

LED 



60144WAPC



60139WAPC



60138WAPC



• USB Port

### 60138WAPC

1-Light Table Lamp  
 Finish: Polished Chrome  
**37.75"L • 11"W • 19"/31.5"H**  
 Bulb Type: LED (Included)  
 Max Wattage: 16  
 Lumens: 1120

- Adjustable
- USB Port Included



### 60144WAPC

2-Light Pendant  
 Finish: Polished Chrome  
**41.5"L • 11.75"W • 33"/49.5"H**  
 Bulb Type: LED (Included)  
 Max Wattage: 32  
 Lumens: 2240

- Adjustable



### 60139WAPC

1-Light Floor Lamp  
 Finish: Polished Chrome  
**49.5"L • 11.75"W • 48"/74"H**  
 Bulb Type: LED (Included)  
 Max Wattage: 16  
 Lumens: 1120

- Adjustable




# HOTEL Collection

- White wafer fabric shades softly diffuse LED lamping provided.
- Heavy Polished Chrome arms suspend the shades
- 3000K Color Temperature, Bulbs are CRI 90+



60143WAPC



## 60135WAPC

1-Light Pendant  
Finish: Polished Chrome  
**26"L • 11"W • 24.5"/56.25"H**  
Bulb Type: LED (Included)  
Max Wattage: 16  
Lumens: 1120

- Adjustable



## 60136WAPC

1-Light Pendant  
Finish: Polished Chrome  
**63"L • 15.25"W • 35.5"/72.5"H**  
Bulb Type: LED (Included)  
Max Wattage: 16  
Lumens: 1120

- Adjustable



## 60143WAPC

1-Light Pendant  
Finish: Polished Chrome  
**36"L • 11.75"W • 33"/49.5"H**  
Bulb Type: LED (Included)  
Max Wattage: 16  
Lumens: 1120

- Adjustable



# HOTEL Collection

LED



## 60132WAPC

1-Light Wall Sconce

Finish: Polished Chrome

**9.75"W • 11.75/20.5"H • 30.25"Ext.**

Bulb Type: LED (Included)

Max Wattage: 16

Lumens: 1120

- Adjustable



## 60133WAPC

1-Light Wall Sconce

Finish: Polished Chrome

**11"W • 19.25/32.75"H • 47.25"Ext.**

Bulb Type: LED (Included)

Max Wattage: 16

Lumens: 1120

- Adjustable





# HOTEL Collection

- *White wafer fabric shades softly diffuse LED lamping provided.*
- *Heavy Polished Chrome arms suspend the shades*
- *3000K Color Temperature, Bulbs are CRI 90+*



## **60105BKPC**

2-Light Wall Sconce  
Finish: Black/Polished Chrome  
**6.25"W • 8.75"H • 3.25"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 3+12  
Lumens: 860

- Backlit



## **60100SV**

1-Light Wall Sconce  
Finish: Silver  
**4.75"W • 18.25"H • 1.5"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 3  
Lumens: 145



# HOTEL

## Collection

- White wafer fabric shades softly diffuse LED lamping provided.
- Heavy Polished Chrome arms suspend the shades
- 3000K Color Temperature, Bulbs are CRI 90+

LED 



60116WAPC



60112WAPC



60117WAPC

### 60112WAPC

2-Light Wall Sconce  
Finish: Polished Chrome  
**8.5"W • 12.25"H • 10.5"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 1 + 9  
Lumens: 685



### 60116WAPC

1-Light Wall Sconce  
Finish: Polished Chrome  
**8.5"W • 11.5"H • 3.75"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 9  
Lumens: 600



### 60117WAPC

2-Light Wall Sconce  
Finish: Polished Chrome  
**8.5"W • 11.5"H • 5"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 1 + 9  
Lumens: 685





60160WAPC



60120WAPC



60141WAPC



60130WAPC

**60160WAPC**

1-Light Wall Sconce  
Finish: Polished Chrome  
**11"W • 17"H • 6.75"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 9  
Lumens: 600



**60141WAPC**

1-Light Wall Sconce  
Finish: Polished Chrome  
**9.75"W • 12.25"H • 12"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 9  
Lumens: 600



**60120WAPC**

2-Light Wall Sconce  
Finish: Polished Chrome  
**11"W • 12"H • 7"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 1 + 9  
Lumens: 685



**60130WAPC**

1-Light Wall Sconce  
Finish: Polished Chrome  
**9.25"W • 12.5"H • 15.25"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 9  
Lumens: 600



• Swing Arm



# KARTIER

Collection

All the luxury of a diamond tennis bracelet in a functional light source. Zinc castings in Polished Chrome are complemented by your choice of cast links in Polished Brass and Beveled Crystal or, for a more contemporary look, Polished Chrome and chrome plated Crystal. Bring elegance to your home with this vanity redefined.

# KARTIER Collection

- LED is encased in Zinc castings finished in Polished Chrome
- Zinc-cast links are finished in Polished Brass with Crystal or Chrome with chrome plated crystal
- 3000K Color Temperature, CRI 80+, dimmable



30161PC



30163PCPB



30165PC

### 30161 PC, PCPB

1-Light LED Bath Vanity  
**7.5"W • 5"H • 3.25"Ext.**  
 Bulb Type: LED (Integrated)  
 Max Wattage: 7.2  
 Lumens: 500  
 Dimmable: Standard



### 30163 PC, PCPB

3-Light LED Bath Vanity  
**22.25"W • 5"H • 3.25"Ext.**  
 Bulb Type: LED (Integrated)  
 Max Wattage: 21.6  
 Lumens: 1500  
 Dimmable: Standard



### 30165 PC, PCPB

5-Light LED Bath Vanity  
**37"W • 5"H • 3.25"Ext.**  
 Bulb Type: LED (Integrated)  
 Max Wattage: 36  
 Lumens: 2500  
 Dimmable: Standard





# CURL

Collection


The curl of heavy Piastra glass is framed by Polished Chrome supports. Available in multiple configurations, this vanity is sure to make a statement in any environment, be it bath or corridor.

# CURL Collection


- Heavy Piastra-style Rolled glass
- Polished Chrome metal supports
- 3000K Color Temperature
- CRI 90+, dimmable with ELV dimmer



39681RRPC



39683RRPC



39685RRPC

### 39681RRPC

1-Light LED Bath Vanity  
 Finish: Polished Chrome  
**7"W • 5.5"H • 3.25"Ext.**  
 Bulb Type: LED (Integrated)  
 Max Wattage: 10  
 Lumens: 680  
 Dimmable: Standard



### 39683RRPC

3-Light LED Bath Vanity  
 Finish: Polished Chrome  
**24"W • 5.5"H • 3.25"Ext.**  
 Bulb Type: LED (Integrated)  
 Max Wattage: 30  
 Lumens: 2040  
 Dimmable: Standard



### 39685RRPC

5-Light LED Bath Vanity  
 Finish: Polished Chrome  
**41.25"W • 5.5"H • 3.25"Ext.**  
 Bulb Type: LED (Integrated)  
 Max Wattage: 50  
 Lumens: 3400  
 Dimmable: Standard





# TIER

Collection

Classic lines are enhanced with rings finished in Polished Chrome supporting Frosted Glass to create this transitional look.



# TIER Collection

- Frosted glass supported by Polished Chrome rings
- Damp location rated



## 2131FTPC

1-Light Bath Vanity  
Finish: Polished Chrome  
**4.75"W • 9.5"H • 6.25"Ext.**  
Bulb Type: MB, Incan.  
Max Wattage: 60



## 2132FTPC

2-Light Bath Vanity  
Finish: Polished Chrome  
**14"W • 9.5"H • 6.25"Ext.**  
Bulb Type: MB, Incan.  
Max Wattage: 60



## 2133FTPC

3-Light Bath Vanity  
Finish: Polished Chrome  
**22.5"W • 9.5"H • 6.25"Ext.**  
Bulb Type: MB, Incan.  
Max Wattage: 60



## 2134FTPC

4-Light Bath Vanity  
Finish: Polished Chrome  
**30.75"W • 9.5"H • 6.25"Ext.**  
Bulb Type: MB, Incan.  
Max Wattage: 60



# TRIM

Collection

A panel of clear glass with a frosted border is handsomely supported by cast clips of Satin Nickel and attached to a high powered LED frame creating an attractive and very functional vanity light. Also available in a complimentary ceiling model.

- Clear glass panel with a frosted border
- Satin Nickel cast clips
- High powered LED bulbs included
- 3000K Color Temperature
- CRI 90



87628CLFTSN



87622CLFTSN



87624CLFTSN



87626CLFTSN

**87628CLFTSN**

LED PCB Flush Mount  
Finish: Satin Nickel  
**15"L • 15"W • 2.25"H**  
Bulb Type: LED PCB (Included)  
Max Wattage: 20  
Lumens: 1400  
Dimmable: Standard



**87622CLFTSN**

LED PCB Bath Vanity  
Finish: Satin Nickel  
**13"W • 5.5"H • 2"Ext.**  
Bulb Type: LED PCB (Included)  
Max Wattage: 16  
Lumens: 700  
Dimmable: Standard



**87624CLFTSN**

LED PCB Bath Vanity  
Finish: Satin Nickel  
**23"W • 5.5"H • 2"Ext.**  
Bulb Type: LED PCB (Included)  
Max Wattage: 20  
Lumens: 1400  
Dimmable: Standard



**87626CLFTSN**

LED PCB Bath Vanity  
Finish: Satin Nickel  
**32.75"W • 5.5"H • 2"Ext.**  
Bulb Type: LED PCB (Included)  
Max Wattage: 30  
Lumens: 2100  
Dimmable: Standard





# REMBRANT

Collection

This low profile picture frame vanity light features an aluminum extrusion finished in your choice of Polished Nickel or Anodized Bronze and an edge lit LED technology giving off even illumination and excellent color rendering.

- Edge lit LED technology
- Two finish options
- Aluminum frame finished in Polished Nickel or Anodized Bronze
- 3000K Color Temperature
- CRI 90

# REMBRANT

Collection



**39662 WTBRZ, WTPN**  
 LED PCB Wall Mount  
**18"W • 5.75"H • 1.5"Ext.**  
 Bulb Type: LED PCB (Included)  
 Max Wattage: 16  
 Lumens: 1120  
 Dimmable: Standard



**39664 WTBRZ, WTPN**  
 LED PCB Wall Mount  
**24"W • 5.75"H • 1.5"Ext.**  
 Bulb Type: LED PCB (Included)  
 Max Wattage: 26  
 Lumens: 1820  
 Dimmable: Standard



**39666 WTBRZ, WTPN**  
 LED PCB Wall Mount  
**30"W • 5.75"H • 1.5"Ext.**  
 Bulb Type: LED PCB (Included)  
 Max Wattage: 30  
 Lumens: 2100  
 Dimmable: Standard




# VISTA

## Collection


A box of Clear glass surrounds an edge lit LED panel which is framed in Polished Chrome metal. The Clear glass is trimmed on both ends with heavy gauge metal caps. The edge lit panel provides even light distribution while maintaining a high lumen per watt ratio.



**39628 CLPC, CLSN**  
LED PCB Flush Mount  
**10.75"L • 10.75"W • 2.5"H**  
Bulb Type: LED PCB (Included)  
Max Wattage: 24  
Lumens: 1680  
Dimmable: Standard




**39629 CLPC, CLSN**  
LED PCB Flush Mount  
**16"L • 16"W • 2.5"H**  
Bulb Type: LED PCB (Included)  
Max Wattage: 32  
Lumens: 2240  
Dimmable: Standard




# VISTA Collection

- Clean and simple Architectural Spec Grade product
- Low profile, ADA compliant
- Title 24 Compliant
- Good for Commercial and Hospitality Applications
- 3000K Color Temperature
- CRI 90



### 39630CLPC

LED PCB Bath Vanity  
Finish: Polished Chrome  
**10.25"W • 5.25"H • 2.5"Ext.**  
Bulb Type: LED PCB (Included)  
Max Wattage: 12  
Lumens: 840  
Dimmable: Standard



### 39632CLPC

LED PCB Bath Vanity  
Finish: Polished Chrome  
**26"W • 5.25"H • 2.5"Ext.**  
Bulb Type: LED PCB (Included)  
Max Wattage: 32  
Lumens: 2240  
Dimmable: Standard



### 39634CLPC

LED PCB Bath Vanity  
Finish: Polished Chrome  
**40"W • 5.25"H • 2.5"Ext.**  
Bulb Type: LED PCB (Included)  
Max Wattage: 40  
Lumens: 2280  
Dimmable: Standard





# PICAZZO

Collection

A Contemporary straight line design epitomizes modern art while producing generous amounts of color corrected light which makes for a perfect vanity selection. Choose between a high luster Polished Chrome or a more subdued Satin Nickel finish, you're sure to find a desired look for your room décor.




- Available finishes: Polished Chrome or Satin Nickel
- 3000K Color Temperature
- Dimmable LED bulbs included
- CRI 90

# PICAZZO

Collection



**39672 WTPC, WTSN**  
 LED PCB Wall Mount  
**18"W • 5.75"H • 1.5"Ext.**  
 Bulb Type: LED PCB (Integrated)  
 Max Wattage: 16  
 Lumens: 1120  
 Dimmable: Standard




**39674 WTPC, WTSN**  
 LED PCB Wall Mount  
**24"W • 5.75"H • 1.5"Ext.**  
 Bulb Type: LED PCB (Integrated)  
 Max Wattage: 26  
 Lumens: 1820  
 Dimmable: Standard



**39676 WTPC, WTSN**  
 LED PCB Wall Mount  
**30"W • 5.75"H • 1.5"Ext.**  
 Bulb Type: LED PCB (Integrated)  
 Max Wattage: 30  
 Lumens: 2100  
 Dimmable: Standard





# VANITY

Collection

Crisp edges of stainless steel frame panes of etched acrylic that softly diffuse and conceal LED luminaries in a sleek, simple design.

# VANITY Collection

- 110-277V input
- Stainless Steel frame
- Damp location rated
- CRI 90



## 55582WTSN

LED Bath Vanity  
Finish: Satin Nickel  
**24.25"W • 5"H • 4"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 24  
Lumens: 1680



## 55584WTSN

LED Bath Vanity  
Finish: Satin Nickel  
**36"W • 5"H • 4"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 28  
Lumens: 2000



## 55586WTSN

LED Bath Vanity  
Finish: Satin Nickel  
**48.75"W • 5"H • 4"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 35  
Lumens: 2500



# ICE

## Collection

Blocks of Piastra style Iceberg Glass sparkle and shimmer from the high powered LEDs concealed inside Polished Chrome metal supports. Not only is useful light directed down additional light is cast indirectly upwards providing the room with even and soft illumination.

- Blocks of Piastra-style Iceberg Glass
- Useful up light and additional down light
- Polished Chrome Metal Supports
- Title 24 Compliant
- 3000K Color Temperature
- CRI 90



39621IBPC



39622IBPC



39623IBPC



39624IBPC

### 39621IBPC

2-Light Bath Vanity  
Finish: Polished Chrome  
**9"W • 6"H • 3"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 14  
Lumens: 770  
Dimmable: Standard



### 39622IBPC

4-Light Bath Vanity  
Finish: Polished Chrome  
**19"W • 6"H • 3"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 29  
Lumens: 1595  
Dimmable: Standard



### 39623IBPC

6-Light Bath Vanity  
Finish: Polished Chrome  
**28"W • 6"H • 3"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 44  
Lumens: 2420  
Dimmable: Standard



### 39624IBPC

8-Light Bath Vanity  
Finish: Polished Chrome  
**37"W • 6"H • 3"Ext.**  
Bulb Type: LED (Included)  
Max Wattage: 61  
Lumens: 3355  
Dimmable: Standard



# IMAGE

Collection

This contemporary design features a Clear heavy plate glass diffuser suspended in front of an edge lit panel finished in Satin Nickel. The ends of this diffuser extend beyond the LED panel to conceal the light source and bring attention to the beauty of the glass.



39635CLSN



39636CLSN



39638CLSN



39638CLSN

- Architectural Spec grade product
- Low profile, ADA compliant
- Title 24 Compliant
- Good for Commercial and Hospitality Applications
- 3000K Color Temperature
- CRI 90

### 39635CLSN

LED Bath Vanity  
 Finish: Satin Nickel  
**17.75"W • 5.75"H • 2.25"Ext.**  
 Bulb Type: LED (Included)  
 Max Wattage: 17  
 Lumens: 935  
 Dimmable: Standard



### 39636CLSN

LED Bath Vanity  
 Finish: Satin Nickel  
**28"W • 5.75"H • 2.25"Ext.**  
 Bulb Type: LED (Included)  
 Max Wattage: 22  
 Lumens: 1210  
 Dimmable: Standard



### 39638CLSN

LED Bath Vanity  
 Finish: Satin Nickel  
**36"W • 5.75"H • 2.25"Ext.**  
 Bulb Type: LED (Included)  
 Max Wattage: 32  
 Lumens: 1760  
 Dimmable: Standard





# BEJEWEL

## Collection

This unique bath vanity collection features Beveled Crystal shades placed in an alternating pattern on a round metal bar finished in Polished Nickel with Satin Nickel accents. The light supplied by the replaceable G9 LED bulbs is directed both up and down for even distribution.

# BEJEWEL Collection

- Custom beveled crystals cause refracting light effect
- Two tone finish: Polished Nickel/Satin Nickel
- Replaceable Maxim G9 LED bulbs provided
- 3500K Color Temperature, CRI 90, dimmable



3035BCPNSN



3037BCPNSN



3039BCPNSN

### 3035BCPNSN

5-Light Bath Vanity  
 Finish: Polished Nickel/Satin Nickel  
**18.75"W • 5.5"H • 8.75"Ext.**  
 Bulb Type: LED (Included)  
 Max Wattage: 11.5  
 Lumens:1000  
 Dimmable: Standard



### 3037BCPNSN

7-Light Bath Vanity  
 Finish: Polished Nickel/Satin Nickel  
**26.25"W • 5.5"H • 8.75"Ext.**  
 Bulb Type: LED (Included)  
 Max Wattage: 16.1  
 Lumens:1400  
 Dimmable: Standard



### 3039BCPNSN

9-Light Bath Vanity  
 Finish: Polished Nickel/Satin Nickel  
**33.75"W • 5.5"H • 8.75"Ext.**  
 Bulb Type: LED (Included)  
 Max Wattage: 20.7  
 Lumens:1800  
 Dimmable: Standard





# CONICAL

Collection

Conical collection's Satin White cone-shaped glass is supported by a sweeping rectangular tube arm finished in Polished Chrome or Satin Nickel. This interesting marriage between contemporary geometric shape and traditional styling is a unique addition to any bathroom.



# CONICAL Collection

- *Finish: Polished Chrome or Satin Nickel*
- *Glass: Satin White*
- *Suitable for Damp Location*
- *Incandescent*
- *Standard Dimmable*



**9011 SWPC, SWSN**  
1-Light Bath Vanity  
**4.25"W • 6.5"H • 6.25"Ext.**  
Bulb Type: MB, Incan.  
Max Wattage: 60



**9012 SWPC, SWSN**  
2-Light Bath Vanity  
**13"W • 6.5"H • 6.25"Ext.**  
Bulb Type: MB, Incan.  
Max Wattage: 60



**9013 SWPC, SWSN**  
3-Light Bath Vanity  
**19"W • 6.5"H • 6.25"Ext.**  
Bulb Type: MB, Incan.  
Max Wattage: 60



**9014 SWPC, SWSN**  
4-Light Bath Vanity  
**26.25"W • 6.5"H • 6.25"Ext.**  
Bulb Type: MB, Incan.  
Max Wattage: 60

# LINEAR LED

## Collection

Commercial grade energy efficient lighting featuring linear frames of metal finished in Satin Nickel and etched opal glass over a multiple LED array to update an architecturally classic design.

LED 

### 55542WTSN

LED Flush Mount  
Finish: Satin Nickel  
**12"W • 3.25"H**  
Bulb Type: LED (Integrated)  
Max Wattage: 15  
Lumens: 950



### 55543WTSN

LED Flush Mount  
Finish: Satin Nickel  
**14"W • 3.25"H**  
Bulb Type: LED (Integrated)  
Max Wattage: 20  
Lumens: 1250



### 55544WTSN

LED Flush Mount  
Finish: Satin Nickel  
**16"W • 4"H**  
Bulb Type: LED (Integrated)  
Max Wattage: 23  
Lumens: 1450



### 55546WTSN

LED Flush Mount  
Finish: Satin Nickel  
**11.75"W • 4.25"H**  
Bulb Type: LED (Integrated)  
Max Wattage: 15  
Lumens: 1050

- Emergency Battery Backup



### 55548WTSN

LED Flush Mount  
Finish: Satin Nickel  
**32"L • 18"W • 4.5"H**  
Bulb Type: LED (Integrated)  
Max Wattage: 35  
Lumens: 2500



# LINEAR LED Collection

- 110-277V inputs available
- 3000K Color Temperature
- CRI 90



**55532WTSN**  
LED Wall Mount  
Finish: Satin Nickel  
**7"W • 10"H • 3.5"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 15  
Lumens: 950



**55540WTSN**  
LED Wall Mount  
Finish: Satin Nickel  
**12"W • 6"H • 3"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 12  
Lumens: 700



**55534WTSN**  
LED Wall Mount  
Finish: Satin Nickel  
**25"W • 6"H • 4.25"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 24  
Lumens: 1500



**55535WTSN**  
LED Wall Mount  
Finish: Satin Nickel  
**36"W • 6"H • 4.5"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 28  
Lumens: 1800



**55536WTSN**  
LED Wall Mount  
Finish: Satin Nickel  
**48"W • 6"H • 4.25"Ext.**  
Bulb Type: LED (Integrated)  
Max Wattage: 35  
Lumens: 2200



# LINEAR EE

## Collection

Linear EE collection's commercial grade energy efficient lighting features linear frames of metal finished in Satin Nickel and White acrylic diffusers. High Power Factor ballasts allow for commercial applications and the fluorescent light source ensure low maintenance and energy cost savings. Specific styles of Linear EE are also available with a LED light source in the Linear LED collection

- *Finish: Satin Nickel*
- *Glass: White*
- *2700K Color Temperature*
- *Fluorescent, GU24 Bulbs Included*

### 85550WTSN

1-Light Wall Mount

Finish: Satin Nickel

**12"W • 6"H • 3"Ext.**

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 900

**CA**  
T24



85550WTSN

### 85552WTSN

2-Light Flush Mount

Finish: Satin Nickel

**12"W • 3.25"H**

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 1800

**CA**  
T24



85552WTSN

### 85553WTSN

2-Light Flush Mount

Finish: Satin Nickel

**14"W • 3.25"H**

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 18

Lumens: 2400

**CA**  
T24



85553WTSN

### 85554WTSN

3-Light Flush Mount

Finish: Satin Nickel

**16"W • 4"H**

Bulb Type: GU24, Fluo. (Included)

Max Wattage: 13

Lumens: 2700

**CA**  
T24



85554WTSN

# FLUX

Collection

Clean white opal glass is illuminated from a hidden LED light source. Handsome Satin Silver finishes pair well to create this commercial grade LED product.

- 3000K Color Temperature, dimmable LED
- CRI 90



55560SWSS



55562SWSS



55564SWSS

### 55560SWSS

LED Flush Mount  
Finish: Satin Silver  
**7"W • 4"H**  
Bulb Type: LED (Included)  
Max Wattage: 15  
Lumens: 800  
Dimmable: Standard



### 55564SWSS

LED Flush Mount  
Finish: Satin Silver  
**11"W • 4"H**  
Bulb Type: LED (Included)  
Max Wattage: 23  
Lumens: 1300  
Dimmable: Standard



### 55562SWSS

LED Flush Mount  
Finish: Satin Silver  
**9"W • 4"H**  
Bulb Type: LED (Included)  
Max Wattage: 20  
Lumens: 1100  
Dimmable: Standard



# ESSENTIALS

## Collection

Basic utility fixtures or Frost glass and White metal frames priced for budget applications where LED is very beneficial.

- 3000K Color Temperature
- CRI 90



### 55526FTSN

LED Flush Mount

Finish: Satin Nickel

**16"W • 5"H**

Bulb Type: LED (Included)

Max Wattage: 23

Lumens: 1500

Dimmable: Standard



### 55525FTSN

LED Flush Mount

Finish: Satin Nickel

**12"W • 4"H**

Bulb Type: LED (Included)

Max Wattage: 15

Lumens: 950

Dimmable: Standard



### 55510WTSN

LED Wall Mount

Finish: Satin Nickel

**8"W • 8.25"H • 4"Ext.**

Bulb Type: LED (Included)

Max Wattage: 9

Lumens: 400



# DIVERSE


Collection

This very compact LED flush mount easily installs on any 3.25" octagon box and gives the look of a recessed trim. Constructed of die cast aluminum, this diverse luminaire is dimmable and also approved for wet location, so it can be used in virtually any ceiling application, including showers.

- For residential use only
- Suitable for Wet Locations



87610WTWT  
87612WTWT



87610WTSN  
87612WTSN



1.25"H

57615WTWT  
57617WTWT



87610WTBZ  
87612WTBZ

## 87610 WTBZ, WTSN, WTWT

LED Flush Mount

**6.5"W • 1.5"H**

Bulb Type: LED (Included)

Max Wattage: 8

Initial Lumens: 1000

Delivered Lumens: 700

3000K Color Temperature

**CRI-80**



## 87612 WTBZ, WTSN, WTWT

LED Flush Mount

**6.5"W • 1.5"H**

Bulb Type: LED (Included)

Max Wattage: 8

Initial Lumens: 800

Delivered Lumens: 600

3000K Color Temperature

**CRI-90**



## 57615WTWT

LED Flush Mount

Finish: White

**7.5"W • 1.25"H**

Bulb Type: LED (Included)

Max Wattage: 15

Initial Lumens: 1270

Delivered Lumens: 850

2700K Color Temperature

**CRI-90**



## 57617WTWT

LED Flush Mount

Finish: White

**7.5"W • 1.25"H**

Bulb Type: LED (Included)

Max Wattage: 15

Initial Lumens: 1280

Delivered Lumens: 800

3000K Color Temperature

**CRI-90**



# MX-LD-AC

LED Disc

# COUNTERMAX®

Like our MX-LD-R disc, this disc features two piece construction which allows for both surface mount or recessed installation. Unlike the LD-R the AC requires no driver for easier installation. These discs are available in your choice of Bronze, White, or Brushed Aluminum.

### Features:

- Surfaced or recessed installation
- 2700K & 3000K color temperature 90 CRI
- Line voltage construction No driver required
- Die cast aluminum construction
- Aluminum heatsink
- Lightguard diffuser
- Linkable up to 20 discs
- 12" leads on both ends
- 12" and 24" connecting cord available
- Dimmable using electronic low voltage dimmer
- Not suitable for enclosed cabinets



53890AL



53890BRZ



53890WT



Recessed



Surface



53880AL  
53882AL



53880BRZ  
53882BRZ



53880WT  
53882WT

### 53890 AL, BRZ, WT

Starter Kits

- Includes three AC LED Discs
- Includes one Power Cord (53885)

### 53880 AL, BRZ, WT

AC LED Disc

**2.75"W • 1"H**

Bulb Type: LED (Included)

Max Wattage: 6

Lumens: 400

- **3000K Color Temperature**

### 53882 AL, BRZ, WT

AC LED Disc

**2.75"W • 1"H**

Bulb Type: LED (Included)

Max Wattage: 6

Lumens: 400

- **2700K Color Temperature**



WT White



BK Black

### Power Cord

**53885 BK, WT**

**72"L**

- Inline On/Off switch

### Connecting Cord

12" **53886** BK, WT

24" **53887** BK, WT



A perfect world for under cabinet lighting. Our latest model features 2 color temperatures, warm white and white, both in a 90 CRI for accurate color rendering. Just adjust the switch on the unit to select the best light for your application. Soft and even light is produced using an indirect light design which eliminates spots on the counter surface. Easy to install and connects either end to end or by using the connecting cord included.

### Features:

- Choice of 2700K or 3200K Color Temperature.
- CRI 90+
- 120 beam spread
- Dimmable using Electronic Low Voltage dimmer
- 50,000 hr. rated life
- 3/8" knockouts on back and bottom
- Romex connector included
- 9" connecting cord included
- Linkable end to end or with MX Interlink 4 cords
- Even light distribution with no counter spots



89982AL



89983WT



89984BZ



89985WT



89986AL



89988BZ



Bronze



Brushed Aluminum



White

### 42" LED Under Cabinet

**89988 AL, BZ, WT**  
**42"L • 3.25"W • 1.25"H**  
 Total Wattage: 28  
 Initial Lumens: 1960

### 6" LED Under Cabinet

**89982 AL, BZ, WT**  
**6"L • 3.25"W • 1.25"H**  
 Total Wattage: 4  
 Initial Lumens: 280

### 12" LED Under Cabinet

**89983 AL, BZ, WT**  
**12"L • 3.25"W • 1.25"H**  
 Total Wattage: 8  
 Initial Lumens: 560

### 18" LED Under Cabinet

**89984 AL, BZ, WT**  
**18"L • 3.25"W • 1.25"H**  
 Total Wattage: 12  
 Initial Lumens: 840

### 24" LED Under Cabinet

**89985 AL, BZ, WT**  
**24"L • 3.25"W • 1.25"H**  
 Total Wattage: 16  
 Initial Lumens: 1120

### 30" LED Under Cabinet

**89986 AL, BZ, WT**  
**30"L • 3.25"W • 1.25"H**  
 Total Wattage: 20  
 Initial Lumens: 1400



**MXInterLink4 Connector Cord**  
 9" **87876 BK, WT**  
 18" **87877 BK, WT**  
 24" **87878 BK, WT**



**Plastic Wire Clip**  
**53255**  
 1"L • .5"W • .25"H



**MXInterLink4 Power Cord**  
**87880 BK, WT**  
 72"L



**MXInterLink4 Direct Wire Box**  
**87885 BK, WT**  
 6.5"L • 2.75"W • 1"H




# OUTDOOR



# WALL PAK

Collection



# WALL PAK Collection

- Heavy Cast Construction
- Commercial Grade Light Engine
- ETL and DLC
- 110-277V Input



55557CLBZ



55555CLBZ



55550CLBK

### 55550CLBK

LED Outdoor Wall  
Finish: Black  
**6"W • 10.5"H • 4.25"Ext.**  
HCO 5" • BP 5.75" x 10.25"H  
Bulb Type: LED (Included)  
Max Wattage: 15  
Lumens: 900

- 3000K Color Temperature



### 55557CLBZ

LED Outdoor Wall  
Finish: Bronze  
**14.5"W • 9.5"H • 7.5"Ext.**  
HCO 6" • BP 14.25" x 9"H  
Bulb Type: LED (Included)  
Max Wattage: 80  
Lumens: 6800

- 5000K Color Temperature



### 55555CLBZ

LED Outdoor Wall  
Finish: Bronze  
**13"W • 9"H • 7.5"Ext.**  
HCO 6" • BP 13.75" x 8.5"H  
Bulb Type: LED (Included)  
Max Wattage: 40  
Lumens: 3400

- 5000K Color Temperature





# BEDAZZLE

Collection

Polished rods are arranged in a creative pattern to create a unique lighting design. This oval shape fixture is available in two finish combinations, Textured Ebony with Polished Chrome rods and Galaxy Bronze with French Gold rods. The rods are supported using clear acrylic which allows for the LED light source to illuminate through the fixture and out the open bottom for excellent down light.

# BEDAZZLE Collection



- Polished rods cross within oval Cast Aluminum shaped frame
- Available finish combinations: Textured Ebony/Polished Chrome and Galaxy Bronze/French Gold
- Clear acrylic diffuser for down lighting
- 3000K Color Temperature
- CRI 80+



53497CLTEPC



53495CLGBZFG



53499CLGBZFG

**53497 CLGBZFG, CLTEPC**  
LED PCB Outdoor Wall  
**10.5"W • 14"H • 6.5"Ext.**  
HCO 6" • BP 4.75"W x 8.75"H  
Bulb Type: LED PCB (Integrated)  
Bulb: PCB214  
Max Wattage: 8.5+8.5  
Lumens: 1190



**53495 CLGBZFG, CLTEPC**  
LED PCB Outdoor Wall  
**10.5"W • 10.75"H • 6.5"Ext.**  
HCO 5" • BP 4.75"W x 5.5"H  
Bulb Type: LED PCB (Integrated)  
Bulb: PCB214  
Max Wattage: 4.5+4.5  
Lumens: 630



**53499 CLGBZFG, CLTEPC**  
LED PCB Outdoor Post  
**9"W • 16.25"H**  
Bulb Type: LED PCB (Integrated)  
Bulb: PCB214  
Max Wattage: 10  
Lumens: 700





# VILLA

Collection

A ribbed glass diffuser glows in the night as it is illuminated by an energy efficient LED light source concealed in the hood. Available in two finish combinations Adobe with Topaz Ribbed and Anthracite with Clear Ribbed diffusers.



- Coordinating Ribbed Glass Diffuser is illuminated by hidden LED light source
- Finish combinations available:  
Adobe/Topaz Ribbed and Anthracite/Clear Ribbed
- Clear Beveled Glass panels
- CRI 80+



85634CLTRAE



85632CLCRAR



85630CLCRAR

**85634 CLTRAE, CLCRAR**  
LED PCB Outdoor Wall  
**10.5"W • 14.25"H • 6.25"Ext.**  
HCO 7.5" • BP 10.75"W x 14.5"H  
Bulb Type: LED PCB (Integrated)  
Bulb: PCB224  
Max Wattage: 10.8  
Lumens: 800



**85630 CLTRAE, CLCRAR**  
LED PCB Outdoor Post  
**9"W • 15.5"H**  
Bulb Type: LED PCB (Integrated)  
Bulb: PCB225  
Max Wattage: 10  
Lumens: 800



**85632 CLTRAE, CLCRAR**  
LED PCB Outdoor Wall  
**9"W • 12.25"H • 4.75"Ext.**  
HCO 6" • BP 8.75"W x 12"H  
Bulb Type: LED PCB (Integrated)  
Bulb: PCB224  
Max Wattage: 7  
Lumens: 560



# CASA GRANDE

Collection

Old World styling in a durable die cast aluminum finished in Anthracite creates a forged iron look with a modern twist. The rustic look of the metal contrasts nicely with the light effect of the ribbed Constellation glass.





# CASA GRANDE

Collection


- Available in EE fluorescent  or Incandescent DC 
- Durable Die Cast Aluminum
- Anthracite finish contrasts with ribbed Constellation glass




 **83125CONAR**  
 1-Light Outdoor Wall  
 Finish: Anthracite  
**10"W • 21.25"H • 13.5"Ext.**  
 HCO 10.25" • BP 6"W x 10"H  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 18  
 Lumens: 1260  
 Die Cast Aluminum


 **3125CONAR**  
 Bulb Type: MB, Incan.  
 Max Wattage: 60  
 Die Cast Aluminum




 **83123CONAR**  
 1-Light Outdoor Wall  
 Finish: Anthracite  
**8"W • 17"H • 10.75"Ext.**  
 HCO 8.5" • BP 5.25"W x 7.5"H  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 13  
 Lumens: 910  
 Die Cast Aluminum


 **3123CONAR**  
 Bulb Type: MB, Incan.  
 Max Wattage: 60  
 Die Cast Aluminum




 **83120CONAR**  
 1-Light Outdoor Post  
 Finish: Anthracite  
**8"W • 19.25"H**  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 13  
 Lumens: 910  
 Die Cast Aluminum

 **3120CONAR**  
 Bulb Type: MB, Incan.  
 Max Wattage: 60  
 Die Cast Aluminum



 **83129CONAR**  
 1-Light Outdoor Pendant  
 Finish: Anthracite  
**10"W • 18.5"H**  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 18  
 Lumens: 1260  
 Die Cast Aluminum

 **3129CONAR**  
 Bulb Type: MB, Incan.  
 Max Wattage: 60  
 Die Cast Aluminum



# MANDEVILLE

Collection

This stately design features a solid Beveled Crystal beacon which is illuminated from below creating a prestigious warm welcome. Encased in a classical traditional frame, finished in your choice of Galaxy Black or Galaxy Bronze, is a down light which creates a beautiful lighting effect.

# MANDEVILLE Collection

- Traditional frame finished in Galaxy Black or Galaxy Bronze with Clear Beveled Glass panels
- Coordinating Stainless Steel panels reflect Large K9 Crystal
- Dimmable CRI 90 LED up light and down light
- Title 24 Compliant for Indoor Applications
- CRI 80+



**53524 CLGBK, CLGBZ**  
LED PCB Outdoor Wall  
**7"W • 16"H • 7"Ext.**  
HCO 6" • BP 6.75"W x 11"H  
Bulb Type: LED PCB (Included)  
Max Wattage: 4.5+8.5  
Lumens: 910



**53526 CLGBK, CLGBZ**  
LED PCB Outdoor Wall  
**9"W • 18"H • 9.25"Ext.**  
HCO 7" • BP 8.75"W x 12.5"H  
Bulb Type: LED PCB (Included)  
Max Wattage: 8.5+8.5  
Lumens: 1190





# ARBOR

Collection

A sculpture of metal and Clear crystal leaves come to life while illuminated from above with a powerful LED light source. The cast aluminum frame painted in our popular Adobe finish compliments the theme and the polished back plate gives the sculpture a unique dimension.

# ARBOR Collection

- *Crystal Leaves Sculpture is illuminated within lantern*
- *Clear Beveled Glass panels and Stainless Steel back panel*
- *Recessed LED light source in hood*
- *3000K Color Temperature*
- *CRI 80+*



### **53502CLAE**

LED PCB Outdoor Wall

**9"W • 13.75"H • 12"Ext.**

HCO 5" • BP 4.5"W x 11.5"H

Bulb Type: LED PCB (Included)

Max Wattage: 8.5

Lumens: 680



### **53504CLAE**

LED PCB Outdoor Wall

**11"W • 17"H • 14"Ext.**

HCO 8" • BP 5.75"W x 14.5"H

Bulb Type: LED PCB (Included)

Max Wattage: 8.5+8.5

Lumens: 1360



# HOLMBY HILLS

Collection

- Solid K9 Beveled Crystal is supported by a classical Cast Aluminum frame
- Available in Textured Ebony or Metallic Bronze
- 3000K LED technology
- CRI 80+



Texture Ebony



Metallic Bronze

### 53487 BCMB, BCTE

LED Outdoor Wall

**5"W • 10"H • 7"Ext.**

HCO 4.5" • BP 5"W x 8.5"H

Bulb Type: LED (Included)

Max Wattage: 10

Lumens: 700







# HOLMBY HILLS

Collection

If you are looking to make an impression this is the fixture for your home. Solid Beveled Crystal font is supported by a classical aluminum frame finished in Texture Ebony or Metallic Bronze. The high lumen LED light source brings the crystal to life as well as providing glare free illumination.



# PILLAR

Collection

A solid column of clear bubble glass is supported by a cast aluminum base in your choice of Brushed Aluminum or Galaxy Black. With both up and down lights, this fixture is a visual statement and a very functional light source.

# PILLAR Collection

- A singular, solid column of bubble glass supported by Cast Aluminum frame
- Available finishes of Brushed Aluminum and Galaxy Black
- Up and Down Lighting
- 3000K Color Temperature
- CRI 80+

FOR  
WET  
LOCATION

LED 

DIMMABLE 



Brushed Aluminum



Galaxy Black

## 53685 CLAL, CLGBK

LED PCB Outdoor Wall

**5"W • 11"H • 6.75"Ext.**

HCO 6" • BP 5"W x 8.5"H

Bulb Type: LED PCB (Included)

Max Wattage: 10+10

Lumens: 1400



# PIKE PLACE

Collection

A updated early electric style with a state of the art LED light engine creates a unique marriage of today and yesteryear. The hand blown Pellet glass, with its soft rounded form contrasts well with the straight edge back plate finished in Iron Ore for a rustic yet modern appeal.



# PIKE PLACE

Collection

- Hand Blown Pellet glass diffuses LED light
- Straight Edged Cast Aluminum arm and back plate
- Available finish: Iron Ore
- 3000K Color Temperature
- CRI 80+



### 54384PLIO

LED PCB Outdoor Wall  
Finish: Iron Ore  
**8"W • 18"H • 12.25"Ext.**  
HCO 7" • BP 6.5"W x 14"H  
Bulb Type: LED PCB (Included)  
Bulb: PCB137  
Max Wattage: 8  
Lumens: 560



### 54382PLIO

LED PCB Outdoor Wall  
Finish: Iron Ore  
**7"W • 16.5"H • 11.75"Ext.**  
HCO 7" • BP 6.5"W x 14"H  
Bulb Type: LED PCB (Included)  
Bulb: PCB137  
Max Wattage: 8  
Lumens: 560



# RUSTICA

## Collection

This design was created with imperfections intentionally cast into the form to emulate the rustic look of original forged craftsmanship. The Rustic Bronze and Black Smith finishes heavy textures which contrasts well with the smooth rounded lines of the Fog glass. LED is cleverly concealed in the cap so that ample light is cast to the ground without the traditional glare of incandescent.



# RUSTICA Collection

- *Rough Cast Aluminum fixture emulates Forged Craftsmanship*
- *Rustic Bronze finish with heavy texture contrasts smooth, rounded lines of glass*
- *Hidden LED light source in cap is diffused through Fog Glass removing glare*
- *3000K Color Temperature*
- *CRI 80+*



Rustic Bronze



Black Smith

## **54472 FGRUB, FGBS**

LED PCB Outdoor Wall

**8.25"W • 16.25"H • 13.5"Ext.**

HCO 9" • BP 7"W x 7"H

Bulb Type: LED PCB (Included)

Bulb: PCB137

Max Wattage: 8

Lumens: 560





# PACKS

Collection

A White acrylic diffuser is custom molded to fit a cast aluminum frame finished in a durable Metallic Bronze or Metallic Silver. A state of the art LED light engine provides years of economical service which makes this collection at home in either residential or light commercial applications.



# PACKS Collection

- White acrylic diffuser custom fits Cast Aluminum frame
- Available finishes: Metallic Bronze and Metallic Silver
- Residential and Light Commercial Applications
- 3000K Color Temperature
- CRI 80+



53594WTMS

### 53594 WTMB, WTMS

LED PCB Outdoor Wall  
**11"W • 20"H • 3.5"Ext.**  
 HCO 10" • BP 9.75"W x 18.25"H  
 Bulb Type: LED PCB (Included)  
 Bulb: PCB065  
 Max Wattage: 32  
 Lumens: 1680



53592WTMB

### 53592 WTMB, WTMS


LED PCB Outdoor Wall  
**9.25"W • 10.25"H • 3"Ext.**  
 HCO 5.25" • BP 7.75"W x 9"H  
 Bulb Type: LED PCB (Included)  
 Bulb: PCB065  
 Max Wattage: 19.2  
 Lumens: 840



# TOWNHOUSE

Collection

A open air frame of cast aluminum surrounds a stainless steel mesh diffuser which creates an unusual lighting effect as the LED light illuminates the inside. Finished in either Galaxy Black with a polished Stainless Steel mesh or Galaxy Bronze with Rose Gold, this transitional design looks great in a large variety of home designs.



# TOWNHOUSE

Collection

- Open air frame with stainless steel mesh diffuser
- Available finish combinations:  
Galaxy Black/Stainless Steel and Galaxy Bronze/Rose Gold
- Hidden 3000K LED light source
- CRI 80+



**53599 GBKSST, GBZRG**  
LED Outdoor Wall  
**7"W • 16.5"H • 7"Ext.**  
HCO 7.5" • BP 6.75"W x 10.5"H  
Bulb Type: LED (Included)  
Max Wattage: 10  
Lumens: 700



**53597 GBKSST, GBZRG**  
LED Outdoor Wall  
**4.75"W • 12"H • 5"Ext.**  
HCO 6" • BP 4.75"W x 8"H  
Bulb Type: LED (Included)  
Max Wattage: 7  
Lumens: 490





# PAVILION

Collection


This classic design features indirect light from within the shade as well as direct down light through the clear acrylic diffuser. Durable die cast aluminum construction is available in your choice of Architectural Bronze or Black.

# PAVILION Collection

- Classic shade design constructed in durable Cast Aluminum
- Indirect light from within shade and through clear acrylic diffuser below
- Available finishes: Architectural Bronze or Black
- CRI 80+



53512CLBK



53514CLABZ



53510BK

**53512 CLABZ, CLBK**  
LED PCB Outdoor Wall  
**7"W • 8.5"H • 9.5"Ext.**  
HCO 5" • BP 5.25"W x 7.5"H  
Bulb Type: LED PCB (Included)  
Max Wattage: 4.5 + 4.5  
Lumens: 630



**53510 ABZ, BK**  
LED PCB Outdoor Post  
**10"W • 11.5"H**  
Bulb Type: LED PCB (Included)  
Max Wattage: 8.5  
Lumens: 595



**53514 CLABZ, CLBK**  
LED PCB Outdoor Wall  
**10"W • 12.25"H • 13.25"Ext.**  
HCO 7" • BP 6"W x 10"H  
Bulb Type: LED PCB (Included)  
Max Wattage: 8.5 + 8.5  
Lumens: 1190



- Conical shade suspended by stainless steel cable
- Thick glass for better light distribution and effect
- High-powered Integrated LED with chip on board
- Dark sky certified
- 3000K Color Temperature
- CRI 85+



54364CLABZ



54362CLABZ



54360CLABZ

# CIVIC

## Collection

Conical shades finished in Architectural Bronze appear to be suspended by its stainless steel cable. Concealed inside these shades is a high powered COB LED which shines into a heavy Clear glass font. The bottom of these fonts have an additional thickness of glass for better light distribution and lighting effect.

### 54360CLABZ

LED Outdoor Wall  
 Finish: Architectural Bronze  
**8"W • 10.5"H • 9.25"Ext.**  
 HCO: 5.75"  
 Bulb Type: COB LED (Included)  
 Max Wattage: 6  
 Lumens: 420  
 Dimmable: Standard



### 54362CLABZ

LED Outdoor Wall  
 Finish: Architectural Bronze  
**10"W • 13.5"H • 11.5"Ext.**  
 HCO: 7.25"  
 Bulb Type: COB LED (Included)  
 Max Wattage: 11  
 Lumens: 770  
 Dimmable: Standard



### 54364CLABZ

LED Outdoor Wall  
 Finish: Architectural Bronze  
**13.5"W • 18"H • 15.75"Ext.**  
 HCO: 7.25"  
 Bulb Type: COB LED (Included)  
 Max Wattage: 11  
 Lumens: 770  
 Dimmable: Standard



Now available with Frosted Dome Diffuser

- Dark Sky

CIVC  
Collection



54365FTABZ



54361FTABZ



54363FTABZ



54367FTABZ

**54361FTABZ**

LED Outdoor Wall  
 Finish: Architectural Bronze  
**7.75"W • 8.25"H • 9.5"Ext.**  
 HCO 2.75" • BP 4.25"W x 7.25"H  
 Bulb Type: LED (Included)  
 Max Wattage: 6  
 Lumens: 726



**54363FTABZ**

LED Outdoor Wall  
 Finish: Architectural Bronze  
**9.75"W • 10.25"H • 11.75"Ext.**  
 HCO 3" • BP 4.5"W x 9.25"H  
 Bulb Type: LED (Included)  
 Max Wattage: 11  
 Lumens: 900



**54365FTABZ**

LED Outdoor Wall  
 Finish: Architectural Bronze  
**13.5"W • 13.75"H • 15.75"Ext.**  
 HCO 4" • BP 5.75"W x 12.25"H  
 Bulb Type: LED (Included)  
 Max Wattage: 11  
 Lumens: 900



**54367FTABZ**

LED Outdoor Pendant  
 Finish: Architectural Bronze  
**9.75"W • 3.5"H • 48.75"OAH**  
 Bulb Type: LED (Included)  
 Max Wattage: 11  
 Lumens: 900

- Includes One 6" stem (Order 6" stems: STR06206ABZ-SM)
- Includes Three 12" stems (Order 12" stems: STR06212ABZ-SM)



# PATH

Collection

Step and pathway lighting suitable for interior or exterior application. Designed to install into a single gang box and is line voltage so additional transformers are not needed. Available in Aluminum, White, Black, or Bronze and both horizontal wide beam or vertical narrow beam spread.



Aluminum

**58000 AL, BK, BZ, WT**

LED PCB Step Light

**5"W • 3"H • 1.5"Ext.**

Bulb Type: LED PCB (Included)


Bulb: PCB170

Max Wattage: 4

Lumens: 280



Black



Bronze



White



- Interior and Exterior Application
- LED PCBs Included
- 3000K Color Temperature
- CRI 80+



Bronze



Aluminum



Black



White

- Electric box included

**58002 AL, BK, BZ, WT**

LED PCB Step Light

**3"W • 5"H • 1.5"Ext.**

Bulb Type: LED PCB (Included)

Max Wattage: 4

Lumens: 280



White



Bronze



Aluminum

**58006 AL, BZ, WT**

LED Wall Mount

**3.25"W • 3.25"H • 1.5"Ext.**

Bulb Type: LED (Included)

Max Wattage: 2

Lumens: 140



Aluminum



Bronze



White

**58004 AL, BZ, WT**

LED Wall Mount

**3.25"W • 3.25"H • 1.5"Ext.**

Bulb Type: LED (Included)

Max Wattage: 2

Lumens: 140





# LIGHTRAY LED

## Collection

Indirect exterior lighting not only provides illumination where you want it but also highlights the building structure for a beautiful architectural effect. Our collection of up and down lighting fixtures are available in both Architectural Bronze and Brushed Aluminum. They are also available in both incandescent and LED. The fixtures are sealed with screw lenses that are water tight and allows, for the use of standard light bulbs.



**86134 ABZ, AL**  
LED PCB Wall Sconce  
**4.75"W • 6.75"H • 6"Ext.**  
HCO: 2.75"  
Bulb Type: LED PCB (Included)  
Max Wattage: 6  
Lumens: 420



**86135 ABZ, AL**  
LED PCB Wall Sconce  
**4.75"W • 10.25"H • 6"Ext.**  
HCO: 5.25"  
Bulb Type: LED PCB (Included)  
Max Wattage: 6  
Lumens: 840

- Up/down light



# LIGHTRAY LED

Collection

- Removable water-tight lens
- Cast and Machine Aluminum construction
- 3000K Color Temperature
- CRI 80+



86138ABZ



86137ABZ



86131AL



86132AL

**86138 ABZ, AL**  
LED PCB Wall Sconce  
**4.75"W • 13"H • 7"Ext.**  
HCO: 2.5"  
Bulb Type: LED PCB (Included)  
Max Wattage: 11  
Lumens: 1540

- Up/down light



**86131 ABZ, AL**  
LED PCB Wall Sconce  
**4.75"W • 5.25"H • 5"Ext.**  
HCO: 2.5"  
Bulb Type: LED PCB (Included)  
Max Wattage: 6  
Lumens: 420



**86137 ABZ, AL**  
LED PCB Wall Sconce  
**4.75"W • 8.25"H • 7"Ext.**  
HCO: 2.5"  
Bulb Type: LED PCB (Included)  
Max Wattage: 11  
Lumens: 770



**86132 ABZ, AL**  
LED PCB Wall Sconce  
**4.75"W • 6.75"H • 5"Ext.**  
HCO: 3.5"  
Bulb Type: LED PCB (Included)  
Max Wattage: 6  
Lumens: 840

- Up/down light





# MOON RAY

Collection

Crafted of 304 Grade Stainless steel and UV stabilized acrylic, Moon Ray offers a classic design thoughtfully engineered to withstand commercial uses indoors and outdoors. Advanced LED technology delivers high light output.

# MOON RAY Collection

- 304 Grade Stainless Steel for Outdoor
- 110-277V input
- Wet location
- 3000K Color Temperature, CRI 80+



**55538WTBZ**  
LED Outdoor Wall  
Finish: Bronze  
**7"W • 10"H • 3.5"Ext.**  
HCO 3.5" • BP 4.25"W x 9.75"H  
Bulb Type: LED (Included)  
Max Wattage: 15  
Lumens: 950



55571WTBZ

**55571WTBZ**  
LED Outdoor Wall  
Finish: Bronze  
**6"W • 12"H • 4"Ext.**  
HCO 6" • BP 5.25"W x 11"H  
Bulb Type: LED (Included)  
Max Wattage: 15  
Lumens: 700



55573WTBZ

**55573WTBZ**  
LED Outdoor Wall  
Finish: Bronze  
**6"W • 18"H • 4"Ext.**  
HCO 9" • BP 5.25"W x 17"H  
Bulb Type: LED (Included)  
Max Wattage: 20  
Lumens: 1050



55575WTBZ

**55575WTBZ**  
LED Outdoor Wall  
Finish: Bronze  
**6"W • 24"H • 4"Ext.**  
HCO 12" • BP 5.25"W x 23.25"H  
Bulb Type: LED (Included)  
Max Wattage: 23  
Lumens: 1250



55577WTBZ

**55577WTBZ**  
LED Outdoor Wall  
Finish: Bronze  
**6"W • 30"H • 4"Ext.**  
HCO 15" • BP 5.25"W x 29"H  
Bulb Type: LED (Included)  
Max Wattage: 28  
Lumens: 1450





# WESTPORT DC


Collection

The Westport Collection of outdoor lighting fixtures gives you the ability to pierce the darkness, enhancing the look of your home. Designed in a Artesian Bronze finished and a Wisp glass, you are sure to gain that desire


# WESTPORT DC Collection

- Available in EE fluorescent  or Incandescent DC 
- Die Cast Aluminum





 **84105WPAT**  
 1-Light Outdoor Wall  
 Finish: Artesian Bronze  
**13"W • 25"H • 16"Ext.**  
 HCO 10.5" • BP 6"W x 11.75"H  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 26  
 Lumens: 1820  
 Die Cast Aluminum





 **84109WPAT**  
 2-Light Outdoor Flush Mount  
 Finish: Artesian Bronze  
**13"W • 6.5"H**  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 13  
 Lumens: 1820  
 Die Cast Aluminum




 **84102WPAT**  
 1-Light Outdoor Wall  
 Finish: Artesian Bronze  
**7"W • 12"H • 9"Ext.**  
 HCO 5.5" • BP 5"W x 7.75"H  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 13  
 Lumens: 910  
 Die Cast Aluminum

 **34205WPAT**  
 Bulb Type: MB, Incan.  
 Max Wattage: 100  
 Lumens: 7000  
 Die Cast Aluminum


 **34209WPAT**  
 Bulb Type: MB, Incan.  
 Max Wattage: 60  
 Lumens: 8400  
 Die Cast Aluminum

 **34202WPAT**  
 Bulb Type: MB, Incan.  
 Max Wattage: 60  
 Lumens: 4200  
 Die Cast Aluminum




 **84103WPAT**  
 1-Light Outdoor Wall  
 Finish: Artesian Bronze  
**9"W • 17.5"H • 11.5"Ext.**  
 HCO 7" • BP 5"W x 7.75"H  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 13  
 Lumens: 910  
 Die Cast Aluminum




 **84104WPAT**  
 1-Light Outdoor Wall  
 Finish: Artesian Bronze  
**10.5"W • 21"H • 14"Ext.**  
 HCO 8.5" • BP 6"W x 11.75"H  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 18  
 Lumens: 1260  
 Die Cast Aluminum





 **84107WPAT**  
 1-Light Outdoor Pendant  
 Finish: Artesian Bronze  
**10.5"W • 21.5"H**  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 18  
 Lumens: 1260  
 Die Cast Aluminum




 **84100WPAT**  
 1-Light Outdoor Post  
 Finish: Artesian Bronze  
**10.5"W • 23"H**  
 Bulb Type: GU24, Fluo. (Included)  
 Max Wattage: 18  
 Lumens: 1260  
 Die Cast Aluminum

 **34203WPAT**  
 Bulb Type: MB, Incan.  
 Max Wattage: 60  
 Lumens: 4200  
 Die Cast Aluminum

 **34204WPAT**  
 Bulb Type: MB, Incan.  
 Max Wattage: 100  
 Lumens: 7000  
 Die Cast Aluminum

 **34207WPAT**  
 Bulb Type: MB, Incan.  
 Max Wattage: 100  
 Lumens: 7000  
 Die Cast Aluminum

 **34200WPAT**  
 Bulb Type: MB, Incan.  
 Max Wattage: 100  
 Lumens: 7000  
 Die Cast Aluminum

# INDEX














2131.....	78	21043.....	40	38383.....	15
2132.....	78	21044.....	38	38384.....	16
2133.....	78	21046.....	38	38385.....	15
2134.....	78	24550.....	41	38386.....	15
3035.....	92	24555.....	41	38387.....	15
3037.....	92	24557.....	42	38482.....	14
3039.....	92	24559.....	41	38483.....	14
3120.....	112	24720.....	20	38484.....	13
3123.....	112	24722.....	20	38485.....	14
3125.....	112	24725.....	19	38486.....	14
3129.....	112	24727.....	18	38487.....	14
9011.....	94	25140.....	8	39102.....	28
9012.....	94	25142.....	8	39104.....	27
9013.....	94	25144.....	7	39108.....	26
9014.....	94	25145.....	7	39621.....	89
12161.....	63	25147.....	8	39622.....	89
12162.....	63	30161.....	74	39623.....	89
12163.....	63	30163.....	74	39624.....	89
12179.....	64	30165.....	74	39628.....	83
12181.....	54	30240.....	24	39629.....	83
12183.....	54	30242.....	24	39630.....	84
12184.....	54	30243.....	23	39632.....	84
12185.....	54	30245.....	22	39634.....	84
12186.....	53	30247.....	24	39635.....	90
12187.....	53	30251.....	4	39636.....	90
12188.....	53	30253.....	1	39638.....	90
12189.....	53	30255.....	2	39662.....	82
12190.....	52	30257.....	3	39664.....	82
12390.....	60	30259.....	4	39666.....	82
12391.....	62	32512.....	10	39672.....	86
12392.....	62	32514.....	10	39674.....	86
12393.....	61	32516.....	9	39676.....	86
12394.....	62	34200.....	140	39681.....	76
12395.....	62	34202.....	140	39683.....	76
12396.....	60	34203.....	140	39685.....	76
12397.....	60	34204.....	140	43441.....	46
12398.....	61	34205.....	140	43444.....	46
12399.....	60	34207.....	140	43446.....	45
14402.....	58	34209.....	140	43551.....	50
14404.....	58	35040.....	32	43556.....	49
14405.....	57	35041.....	32	43558.....	50
14407.....	56	35043.....	31	43664.....	48
20923.....	12	35044.....	31	43666.....	48
20925.....	12	35046.....	30	43667.....	47
20927.....	11	35047.....	30	43668.....	48
21041.....	40	38382.....	15	43741.....	36




# INDEX

43746.....	36	55538.....	138	83120.....	112
43747.....	34	55540.....	96	83123.....	112
43748.....	36	55542.....	95	83125.....	112
43749.....	35	55543.....	95	83129.....	112
43813.....	44	55544.....	95	84100.....	140
43814.....	44	55546.....	95	84102.....	140
53255.....	102	55548.....	95	84103.....	140
53487.....	117	55550.....	106	84104.....	140
53495.....	108	55555.....	106	84105.....	140
53497.....	108	55557.....	106	84107.....	140
53499.....	108	55560.....	98	84109.....	140
53502.....	116	55562.....	98	85550.....	97
53504.....	116	55564.....	98	85552.....	97
53510.....	130	55571.....	138	85553.....	97
53512.....	130	55573.....	138	85554.....	97
53514.....	130	55575.....	138	85630.....	110
53524.....	114	55577.....	138	85632.....	110
53526.....	114	55582.....	88	85634.....	110
53592.....	126	55584.....	88	86131.....	136
53594.....	126	55586.....	88	86132.....	136
53597.....	128	57615.....	100	86134.....	135
53599.....	128	57617.....	100	86135.....	135
53685.....	120	58000.....	133	86137.....	136
53880.....	101	58002.....	134	86138.....	136
53882.....	101	58004.....	134	87610.....	100
53885.....	101	58006.....	134	87612.....	100
53886.....	101	60100.....	70	87622.....	80
53887.....	101	60105.....	70	87624.....	80
53890.....	101	60112.....	71	87626.....	80
54360.....	131	60116.....	71	87628.....	80
54361.....	132	60117.....	71	87876.....	102
54362.....	131	60120.....	72	87877.....	102
54363.....	132	60130.....	72	87878.....	102
54364.....	131	60132.....	69	87880.....	102
54365.....	132	60133.....	69	87885.....	102
54367.....	132	60135.....	68	89982.....	102
54382.....	122	60136.....	68	89983.....	102
54384.....	122	60138.....	67	89984.....	102
54472.....	124	60139.....	67	89985.....	102
55510.....	99	60141.....	72	89986.....	102
55525.....	99	60143.....	68	89988.....	102
55526.....	99	60144.....	67	90240.....	23
55532.....	96	60147.....	66	94720.....	19
55534.....	96	60148.....	66		
55535.....	96	60149.....	66		
55536.....	96	60160.....	72		

# LEGEND


-  ADA Compliant
-  Conversion Kit
-  Diffuser Available
-  Energy Efficient
-  CFL Fluorescent
-  For Damp Location
-  For Wet Location
-  Incandescent
-  Installs on Slope Ceiling
-  Installs Up or Down
-  LED
-  LED
-  LED Dimmer

 Energy Star Certified

Installing new ENERGY STAR qualified light fixtures is a smart way to save energy and money. Maxim Lighting is proud to be a ENERGY STAR partner. Look for this ENERGY STAR logo to find Maxim Lighting fixtures that use 1/4 of the energy of traditional incandescent fixtures and last up to 10 times longer. More information on ENERGY STAR can be found on the ENERGY STAR web site at [energystar.gov](http://energystar.gov).

 Dimmable

Dimmable using standard dimmer. Lutron® CL dimmers are recommended

 California Title 24

All new homes, additions, alterations and most commercial buildings in California must meet minimum energy efficiency standards contained in Title 24, Part 6 of the California Code of Regulations. When you see the California Title 24 symbol next to a Maxim Lighting fixtures, you can be assured that the fixtures complies. More information on California Title 24 can be found on the California Energy Commission web site at [energy.ca.gov/title24](http://energy.ca.gov/title24).

## Warranty And Other Information
















- For specific and detailed warranty information, ask your Maxim Lighting sales representative or visit [www.maximlighting.com/warranty](http://www.maximlighting.com/warranty).
- Maxim Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Bulbs are not included unless otherwise noted.














CounterMax, Maxim Lighting and StarStrand are registered trademarks of Maxim Lighting International, Inc. All designs, logos, products and images © Copyright 2016 Maxim Lighting International, Inc. All Rights Reserved. Printed in China



# LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BUCF-FT18-2G11-830	CF	2G11	18	18W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-FT36-2G11-830	CF	2G11	36	36W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-CFQ13-G24Q-1-827	CF	G24q-1	13	13W CFL Quad 4 Pin G24q-1 Bulb 2700K
	BUCF-CFQ18-G24Q-2-827	CF	G24q-2	18	18W CFL Quad 4 Pin G24q-2 Bulb 2700K
	BUCF-CFQ26-G24Q-3-827	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 2700K
	BUCF-CFQ26-G24Q-3-830	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 3000K
	BUCF-CFQ13-GX23-2-827	CF	GX23-2	13	13W CFL Quad Bi-Pin GX23-2 Bulb 2700K
	BUF-SP13-GU24-827	F	GU24	13	13W FL Spiral GU24 Bulb 2700K
	BUF-SP18-GU24-827	F	GU24	18	18W FL Spiral GU24 Bulb 2700K
	BUF-SP26-GU24-827	F	GU24	26	26W FL Spiral GU24 Bulb 2700K
	BUF-SPLP13-GU24-827	F	GU24	13	13W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-SPLP18-GU24-827	F	GU24	18	18W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-F13T5-831	F	T5	13	13W FL T5 Linear Mini Bi-Pin Bulb 3100K 21"L
	BUF-F16T5-831	F	T5	16	16W FL T5 Linear Mini Bi-Pin Bulb 3100K 23.5"L
	BUF-F21T5-827	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 2700K 34"L
	BUF-F21T5-830	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 3000K 34"L
	BUF-F24T5-835	F	T5	24	24W FL T5 Linear Mini Bi-Pin Bulb 3500K 22"L
	BUF-F26T5-831	F	T5	26	26W FL T5 Linear Mini Bi-Pin Bulb 3100K 41.5"L
	BUF-F39T5-835	F	T5	39	39W FL T5 Linear Mini Bi-Pin Bulb 3500K 34"L
	BUF-F8T5-831	F	T5	8	8W FL T5 Linear Mini Bi-Pin Bulb 3100K
	BUF-FC8T9-WW	F	T9	22	22W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC12T9-WW	F	T9	32	32W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC16T9-WW	F	T9	40	40W FL T9 Circline 4 Pin Bulb 3100K
	BUH-50W-PAR20-FL-CL-120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BUH-35W-GU10-CL-120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BUH-50W-GU10-CL-120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear
	BUI-40W-T10-E26-IF-120V	I	E26	40	40W Incandescent MB T10 120V Bulb Inside Frost
	BUI-60W-T10-E26-IF-120V	I	E26	60	60W Incandescent MB T10 120V Bulb Inside Frost
	BUI-60W-ST64-E26-CL-120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BUL-4W-E12-T-CL-120V-827	L	E12	4	LED Filament 4W E12 Candelabra 2700K
	BUL-.2W-G3-CL-12V	L	G3	0.2	.2W LED G3 12V 3500K Bulb Clear
	BUL-1.5W-G4-CL-12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear (See Supp Descr)
	BUL-2.3W-G9-CL-120V-835	L	G9	2.3	2.3W LED G9 3500K 120V Bulb Clear
	BUL-2.9W-G9-CL-120V-827	L	G9	2.9	2.9W LED G9 2700K 120V Bulb Clear
	BUL-2.9W-G9-CL-120V-835	L	G9	2.9	2.9W LED G9 3500K 120V Bulb Clear

# LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BUL-5W-GU10-FT-120V-830	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear
	BUL-11W-GU24-CL-120V-830	L	GU24	11	11W LED GU24 3000K 120V Clear
	BUL-7W-GU24-CL-120V-830	L	GU24	7	7W LED GU24 3000K 120V Clear
	BUL-9W-GU24-FT-120V-830	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted
	BUL-3W-MR11-CL-12V	L	Mr11	3	3W LED MR11 12V 3000K Bulb Clear
	BUL-3W-MR16-FL-CL-12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
	BUL-7W-MR16-FL-CL-12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BUL-11W-PAR30-CL-120V-830	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
	BUL-16W-PAR38-CL-120V-830	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V
	BUX-10W-G4-CL-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-10W-G4-FT-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-20W-G4-CL-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-20W-G4-FT-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-35W-G4-CL-12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-35W-G6.35-CL-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-35W-G6.35-FT-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-50W-G6.35-CL-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-50W-G6.35-FT-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-20W-G8-CL-120V	X	G8	20	20W Xenon Bi-Pin G8 120V Bulb Clear
	BUX-25W-G9-CL-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-25W-G9-FT-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-40W-G9-CL-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-40W-G9-FT-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-50W-G9-CL-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BUX-50W-G9-FT-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-18W-WEDGE-CL-12V	X	WEDGE	18	18W Xenon Xelogen Wedge 12V Bulb Clear

## Bulb Type Glossary

CF - Compact Fluorescent  
 F - Fluorescent  
 H - Halogen

I - Incandescent  
 L - LED  
 X - Xenon

# REPLACEMENT BULBS

Type	Base	Watts	Item	Description
CF	2G11	18	BUCF-FT18-2G11-830	18W CFL Twin 4 Pin 2G11 Bulb 3000K
CF	2G11	36	BUCF-FT36-2G11-830	36W CFL Twin 4 Pin 2G11 Bulb 3000K
CF	G24q-1	13	BUCF-CFQ13-G24Q-1-827	13W CFL Quad 4 Pin G24q-1 Bulb 2700K
CF	G24q-2	18	BUCF-CFQ18-G24Q-2-827	18W CFL Quad 4 Pin G24q-2 Bulb 2700K
CF	G24q-3	26	BUCF-CFQ26-G24Q-3-827	26W CFL Quad 4 Pin G24q-3 Bulb 2700K
CF	G24q-3	26	BUCF-CFQ26-G24Q-3-830	26W CFL Quad 4 Pin G24q-3 Bulb 3000K
CF	GX23-2	13	BUCF-CFQ13-GX23-2-827	13W CFL Quad Bi-Pin GX23-2 Bulb 2700K
F	GU24	13	BUF-SP13-GU24-827	13W FL Spiral GU24 Bulb 2700K
F	GU24	13	BUF-SPLP13-GU24-827	13W FL Low Profile Spiral GU24 Bulb 2700K
F	GU24	18	BUF-SP18-GU24-827	18W FL Spiral GU24 Bulb 2700K
F	GU24	18	BUF-SPLP18-GU24-827	18W FL Low Profile Spiral GU24 Bulb 2700K
F	GU24	26	BUF-SP26-GU24-827	26W FL Spiral GU24 Bulb 2700K
F	T5	13	BUF-F13T5-831	13W FL T5 Linear Mini Bi-Pin Bulb 3100K 21"L
F	T5	16	BUF-F16T5-831	16W FL T5 Linear Mini Bi-Pin Bulb 3100K 23.5"L
F	T5	21	BUF-F21T5-827	21W FL T5 Linear Mini Bi-Pin Bulb 2700K 34"L
F	T5	21	BUF-F21T5-830	21W FL T5 Linear Mini Bi-Pin Bulb 3000K 34"L
F	T5	24	BUF-F24T5-835	24W FL T5 Linear Mini Bi-Pin Bulb 3500K 22"L
F	T5	26	BUF-F26T5-831	26W FL T5 Linear Mini Bi-Pin Bulb 3100K 41.5"L
F	T5	39	BUF-F39T5-835	39W FL T5 Linear Mini Bi-Pin Bulb 3500K 34"L
F	T5	8	BUF-F8T5-831	8W FL T5 Linear Mini Bi-Pin Bulb 3100K
F	T9	22	BUF-FC8T9-WW	22W FL T9 Circline 4 Pin Bulb 2700K
F	T9	32	BUF-FC12T9-WW	32W FL T9 Circline 4 Pin Bulb 2700K
F	T9	40	BUF-FC16T9-WW	40W FL T9 Circline 4 Pin Bulb 3100K
H	E26	50	BUH-50W-PAR20-FL-CL-120V	50W Halogen PAR20 120V Bulb Clear
H	GU10	35	BUH-35W-GU10-CL-120V	35W Halogen GU10 110-130V Bulb Clear
H	GU10	50	BUH-50W-GU10-CL-120V	50W Halogen GU10 110-130V Bulb Clear
I	E26	40	BUI-40W-T10-E26-IF-120V	40W Incandescent MB T10 120V Bulb Inside Frost
I	E26	60	BUI-60W-ST64-E26-CL-120V	60W Incandescent MB ST64 120V Bulb Clear
I	E26	60	BUI-60W-T10-E26-IF-120V	60W Incandescent MB T10 120V Bulb Inside Frost
L	E12	4	BUL-4W-E12-T-CL-120V-827	LED Filament 4W E12 Candelabra 2700K
L	G3	0.2	BUL-.2W-G3-CL-12V	.2W LED G3 12V 3500K Bulb Clear
L	G4	1.5	BUL-1.5W-G4-CL-12V	1.5W LED G4 12V 3000K Bulb Clear (See Supp Descr)
L	G9	2.3	BUL-2.3W-G9-CL-120V-830	2.3W LED G9 3000K 120V Bulb Clear
L	G9	2.9	BUL-2.9W-G9-CL-120V-827	2.9W LED G9 2700K 120V Bulb Clear
L	G9	2.9	BUL-2.9W-G9-CL-120V-835	2.9W LED G9 3500K 120V Bulb Clear
L	GU10	4	BUL-4W-GU10-CL-120V	4W Dimmable LED GU10 3500K 120V Bulb Clear
L	GU10	5	BUL-5W-GU10-FT-120V-830	5W Dimmable LED GU10 3000K 120V Bulb Clear
L	GU24	11	BUL-11W-GU24-CL-120V-830	11W LED GU24 3000K 120V Clear
L	GU24	7	BUL-7W-GU24-CL-120V-830	7W LED GU24 3000K 120V Clear
L	GU24	9	BUL-9W-GU24-FT-120V-830	9W Dimmable LED GU24 3000K 120V Bulb Frosted
L	MR11	3	BUL-3W-MR11-CL-12V	3W LED MR11 12V 3000K Bulb Clear
L	MR16	3	BUL-3W-MR16-FL-CL-12V	3W LED MR16 3000K 12V Bulb Clear
L	MR16	7	BUL-7W-MR16-FL-CL-12V	7W LED MR16 3000K 12V Clear
L	PAR30	11	BUL-11W-PAR30-CL-120V-830	11W Dimmable LED PAR30 3000K 120V
L	PAR38	16	BUL-16W-PAR38-CL-120V-830	16W Dimmable LED PAR38 3000K 120V
X	G4	10	BUX-10W-G4-CL-12V	10W Xenon Bi-Pin G4 12V Bulb Clear
X	G4	10	BUX-10W-G4-FT-12V	10W Xenon Bi-Pin G4 12V Bulb Frosted
X	G4	20	BUX-20W-G4-CL-12V	20W Xenon Bi-Pin G4 12V Bulb Clear
X	G4	20	BUX-20W-G4-FT-12V	20W Xenon Bi-Pin G4 12V Bulb Frosted
X	G4	35	BUX-35W-G4-CL-12V	35W Xenon Bi-Pin G4 12V Bulb Clear
X	G6.35	35	BUX-35W-G6.35-CL-12V	35W Xenon Bi-Pin G6.35 12V Bulb Clear
X	G6.35	35	BUX-35W-G6.35-FT-12V	35W Xenon Bi-Pin G6.35 12V Bulb Frosted
X	G6.35	50	BUX-50W-G6.35-CL-12V	50W Xenon Bi-Pin G6.35 12V Bulb Clear
X	G6.35	50	BUX-50W-G6.35-FT-12V	50W Xenon Bi-Pin G6.35 12V Bulb Frosted
X	G8	20	BUX-20W-G8-CL-120V	20W Xenon Bi-Pin G8 120V Bulb Clear
X	G9	25	BUX-25W-G9-CL-120V	25W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	25	BUX-25W-G9-FT-120V	25W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	40	BUX-40W-G9-CL-120V	40W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	40	BUX-40W-G9-FT-120V	40W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	50	BUX-50W-G9-CL-120V	50W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	50	BUX-50W-G9-FT-120V	50W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	60	BUX-60W-G9-CL-120V	60W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	60	BUX-60W-G9-FT-120V	60W Xenon Bi-Pin G9 120V Bulb Frosted
X	G9	75	BUX-75W-G9-CL-120V	75W Xenon Bi-Pin G9 120V Bulb Clear
X	G9	75	BUX-75W-G9-FT-120V	75W Xenon Bi-Pin G9 120V Bulb Frosted
X	WEDGE	18	BUX-18W-WEDGE-CL-12V	18W Xenon Xelogen Wedge 12V Bulb Clear

# FINISH

ABZ	Architectural Bronze
ACP	Antique Copper
AE	Adobe
AL	Brushed Aluminum
AP	Antique Pecan
AR	Anthracite
AT	Artesian Bronze
BK	Black
BRZ	Anodized Bronze
BS	Black Smith
BU	Burnished
BW	Barn Wood
BY	Bay
BZ	Bronze
CH	Chocolate
CR	Clear Ribbed
DBZ	Dark Bronze
FG	French Gold
GB	Gold Bronze
GBK	Galaxy Black
GBZ	Galaxy Bronze
IO	Iron Ore
LB	Luster Bronze
MB	Metallic Bronze
MS	Matte Silver
NA	Natural
OB	Oriental Bronze
OI	Oil Rubbed Bronze
PB	Polished Brass
PC	Polished Chrome
PD	Platinum Dusk
PL	Platinum
PN	Polished Nickel
RG	Rose Gold
RP	Rust Patina
RUB	Rustic Bronze
SE	Sienna
SN	Satin Nickel
SS	Satin Silver
SST	Stainless Steel
SSSN	Satin Sheer/Satin Nickel
SV	Silver
SW	Senora Wood
TE	Texture Ebony
TR	Topaz Ribbed
TSOI	Tan Sheer/Oil Rubbed Bronze
TXB	Textured Black
WT	White














# GLASS STYLES


BC	Beveled Crystal
BG	Bubble Glass
CD	Seedy
CG	Cognac
CL	Clear
CON	Constellation
CRY	Crystalline
FC	Frosted Seedy
FG	Fog
FS	Frosted Seedy
FT	Frosted
GF	Golden Frost
HO	Honey
IB	Iceburg
IC	Ice
JC	Flambe Crystal
LA	Lace
LT	Latte
MC	Mocha Cloud
MO	Mocha
PL	Pellet
RR	Plastra Rolled
SF	Snow Flake
SH	Scotch Crystal
SW	Satin White
WF	Weathered Frost
WG	Waterglass
WP	Wisp
WS	Wilshire
WT	White

# SHADES

CG	Cognac
CH	Chocolate
CP	Copper
CS	Chocolate Sheer
GY	Grey
HP	Hemp
JV	Jave
LN	Linen
NA	Natural
RB	Rustic Beige
UD	Uddo
WA	White Wafer
WT	White

# LEGEND


-  ADA Compliant
-  Conversion Kit
-  Diffuser Available
-  Energy Efficient
-  CFL Fluorescent
-  For Damp Location
-  For Wet Location
-  Incandescent
-  Installs on Slope Ceiling
-  Installs Up or Down
-  LED
-  LED
-  LED Dimmer

 Energy Star Certified

Installing new ENERGY STAR qualified light fixtures is a smart way to save energy and money. Maxim Lighting is proud to be a ENERGY STAR partner. Look for this ENERGY STAR logo to find Maxim Lighting fixtures that use 1/4 of the energy of traditional incandescent fixtures and last up to 10 times longer. More information on ENERGY STAR can be found on the ENERGY STAR web site at [energystar.gov](http://energystar.gov).

 Dimmable

Dimmable using standard dimmer. Lutron® CL dimmers are recommended

 California Title 24

All new homes, additions, alterations and most commercial buildings in California must meet minimum energy efficiency standards contained in Title 24, Part 6 of the California Code of Regulations. When you see the California Title 24 symbol next to a Maxim Lighting fixtures, you can be assured that the fixtures complies. More information on California Title 24 can be found on the California Energy Commission web site at [energy.ca.gov/title24](http://energy.ca.gov/title24).

## Warranty And Other Information

- For specific and detailed warranty information, ask your Maxim Lighting sales representative or visit [www.maximlighting.com/warranty](http://www.maximlighting.com/warranty).
- Maxim Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Bulbs are not included unless otherwise noted.



CounterMax, Maxim Lighting and StarStrand are registered trademarks of Maxim Lighting International, Inc. All designs, logos, products and images © Copyright 2016 Maxim Lighting International, Inc. All Rights Reserved. Printed in China





LMXCAT1606

\$5.00



**Maxim Lighting International**

253 North Vineland Avenue  
City of Industry, California  
91746  
USA

General Info: 626.956.4200  
Customer Service: 800.486.2946  
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455  
Showroom: 3901  
Email: [info@maximlighting.com](mailto:info@maximlighting.com)  
Web: [www.maximlighting.com](http://www.maximlighting.com)

**#Maximlighting**



Maxim Lighting and all designs, logos and images © 2016 Maxim Lighting International. All Rights Reserved. Printed in China