




PRODUCT NAME: Hollow 5LT Chandelier  
NUMBER: 11327

Please consult your electrician for Hang fixture and wiring.



**Bulb (Not included) : 5\*MB 60W**


**IMPORTANT:** Turn off power at the main fuse or circuit breaker box before starting installation



(A) Canopy




(B) Stems




(C) Body&Socket

**Locate all hardware & components before discarding packaging**




1.)




**Step. 1:** Remove mounting bracket (G) from fixture and install to electrical box.

2.)



**Step. 2:** Run wire through stems (B) and combine stem lengths to meet desired mounting height.

3.)




**Step. 3:** Wire fixture to wires in outlet box. Copper/Green wire is for Ground.


**Cleaning & Care:**

Clean with soft cloth and a mild detergent.  
Do not use abrasive cleaner.

**IMPORTANT:** Turn off power at the main fuse or circuit breaker box before starting installation



(D) Glass



(E) Socket ring





(F) Ball nut




(G) Bracket

**Locate all hardware & components before discarding packaging**



4.)

**Step. 4:** Install fixture to bracket and tighten ball nuts (F) on the canopy to secure.



5.)

**Step. 5:** Use the socket ring (E) to secure glass (D) on socket (C).

**Cleaning & Care:**

Clean with soft cloth and a mild detergent.  
Do not use abrasive cleaner.