**JANUARY 2025 INTRODUCTIONS** 



Maxim Lighting International 253 North Vineland Avenue City of Industry, California 91746 USA

General Info: 626.956.4200 Customer Service: 800.486.2946 General Fax:

626.956.4226 info@maximlighting.com maximlighting.com Email: Web:





Gracefully flowing molten glass panels with a uniquely organic aesthetic encircle rings of rich Darkened Bronze metal or hand-applied Gold Leaf. This refined interpretation of tiered glass pendants exudes warmth and elegance, effortlessly blending a moody ambiance with timeless contemporary charm.







	ITEM#	LAMPING	DIMENSION
Α	21837	12 x 60W CA, Incan.	30"L x 30"W x 32"H, 107"OAH

Finish Options: Artisanal glass (AG) Darkened Bronze (DBZ) Gold Leaf (GL)

- Clear cast glass panels in heavy texture
- Available in Dark Bronze and Gold Leaf finishes
- Designed to be used with Dimmable LED bulbs (Not Included)
- Adjustable Overall Hanging Height, pendants include: 36" chain, 120" of wire









21832 AGDBZ, AGGL Flush Mount C



21839 AGDBZ, AGGL Wall Sconce E







• Pendant convertible to semi-flush

	ITEM# LAMPING	DIMENSION
Α	21831 1 x 60W MB, Incan.	7.5"L x 7.5"W x 12"H, 51"OAH
В	21835 9 x 60W CA, Incan.	24"L x 24"W x 21.5"H, 95.5"OAH

Finish Options: Artisanal glass (AG) Darkened Bronze (DBZ) Gold Leaf (GL)

	ITEM#	LAMPING	DIMENSION	НСО	Additional Info.
С	21832	2 x 60W CA, Incan.	14.5"L x 14.5"W x 10"H		
D	21833	4 x 60W CA, Incan.	17.5"L x 17.5"W x 18"H, 56"OAH		
E	21839	1 x 60W CA, Incan.	7"W x 11.5"H x 4.5"Ext.	5.5"	<b>&amp;</b>



## CHESS

The Duchess collection seamlessly blends traditional brass craftsmanship with modern piastra-style Iceberg glass, illuminated by integrated LED modules. Powered by a commercially rated LED driver with 120-277V input, the low-voltage LEDs deliver a neutral 3000K color temperature. The rectangular tubing frame in Natural Aged Brass softens the contemporary aesthetic, while decorative flat-edge chain links add a touch of elegance. A dual-mount canopy offers flexibility for shorter height profiles or field-adjustable lengths with the included chain.






- Piastra-style Iceberg glass shades
- · Commercially rated 120-277V input
- Neutral 3000K color temperature
- Dual-mount canopy for adjustable height applications
- Highly decorative flat-edge chain links
- · Available in Natural Aged Brass



					LUME	ENS	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	38448	12 x 4W PCB LED 3000K (Inte.)	44"L x 44"W x 32"H, 73.75"OAH	90+	3840	3240	<b>(E)</b>

Chandelier

Finish: Iceberg glass (IB) Natural Aged Brass (NAB)





38446IBNAB Chandelier В

					LUM	ENS	
	ITEM# LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Info.
Α	38441 1 x 4W PCB LED 3000K (Inte.)	5"W x 20"H x 3.5"Ext.	9.25"	90+	320	270	<b>◎ ◎ ◎ ◎</b>
В	38446 8 x 4W PCB LED 3000K (Inte.)	36"L x 36"W x 28"H, 69.25"OAH		90+	2560	2160	€ 6

Finish: Iceberg glass (IB) Natural Aged Brass (NAB)







38443IBNAB Wall Sconce D



38444IBNAB Wall Sconce E


					LUMI	ENS	
	ITEM# LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Info.
С	38442 2 x 4W PCB LED 3000K (Inte.)	5"W x 20"H x 3.5"Ext.	10.25"	90+	640	540	<b>□ </b>
D	38443 3 x 4W PCB LED 3000K (Inte.)	20.5"W x 8.5"H x 3.25"Ext.	6.75"	90+	1000	900	<b>□ ⋒ &amp; ⊕ &amp;</b>
E	38444 4 x 4W PCB LED 3000K (Inte.)	29.25"W x 8.5"H x 3.25"Ext.	6.75"	90+	1350	1180	<b>□ ⊕ ② ⊕ &amp;</b>


Finish: Iceberg glass (IB) Natural Aged Brass (NAB)

7 | DUCHESS DUCHESS | 8



Clear glass rods elegantly curve to drape over a metal frame, encasing an integrated LED light source within. These ornamental glass rods form a luminous curtain, softly illuminated by the LEDs. The LED light source features an adjustable color temperature, allowing you to effortlessly switch between warm 3000K, neutral 3500K, and cool 4000K settings to suit any ambiance. Suspended by intricately designed chain links, the jewel-like glass skirt adds a touch of sophistication and refinement. Choose from two stunning frame finishes: Natural Aged Brass or Polished Nickel.







38423 CLNAB, CLPN Pendant C


					LUM	ENS	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	38421	18W PCB LED 3000-3500-4000K (Inte.)	11.25"L x 11.25"W x 12.75"H, 50.25"OAH	90+	950	800	<b>☞</b> 💮
В	38422	28W PCB LED 3000-3500-4000K (Inte.)	24"L x 24"W x 24.75"H, 63"OAH	90+	1800	1600	
С	38423	40W PCB LED 3000-3500-4000K (Inte.)	34"L x 34"W x 31.25"H, 69.5"OAH	90+	2680	2400	
D	38426	35W PCB LED 3000-3500-4000K (Inte.)	14"L x 14"W x 30"H, 67.5"OAH	90+	2610	2250	

Finish Options: Clear glass (CL) Natural Aged Brass (NAB) Polished Nickel (PN)



The Keppe Collection brings stylish modern industrial design to your space with its thick blown glass shades featuring an eye-catching bubble pattern. Finished in Matte Black, the sleek frame includes adjustable swivels, allowing you to position the light in various directions for optimal functionality. The collection includes two versatile wall sconces: a single sconce that can be installed facing up or down, and a swing-arm sconce with an integrated switch, combining practicality with bold design.







	ITEM# LAMPING	DIMENSION	нсо	Additional Info.
Α	26266 6 x 60W MB, Incan.	48"L x 48"W x 25.5"H, 73.5"OAH		
В	26260 1 x 60W MB, Incan.	5.25"W x 11"H x 7"Ext.	8"	@
С	26261 1 x 60W MB, Incan.	5"W x 11"H x 22.5"Ext.	9"	@
D	26262 2 x 60W MB, Incan.	42"L x 5"W x 25"H, 73"OAH		

26262SSDBZ Linear Pendant D

Finish: Stone Seeded glass (SS) Darkened Bronze (DBZ)



// W







	ITEM#	LAMPING	DIMENSION
Α	24648	8 x 60W CA, Incan.	42.75"L x 42.75"W x 22.75"H, 61"OAH
В	24643	3 x 60W CA, Incan.	15"L x 15"W x 20.25"H, 65.5"OAH
С	24646	6 x 60W CA, Incan.	33"L x 33"W x 20.25"H, 58.5"OAH

Finish: Marble glass (MR) Black (BK) Natural Aged Brass (NAB)



The Rizzo collection exudes stylish flair and spirited design, combining faceted metal shades in Natural Aged Brass with striking Matte Black accents. A flat-bottomed Satin White glass shade protrudes gracefully from the base of each metal shade, delivering soft, inviting light with a touch of elegance. Available in a variety of versatile configurations, the collection includes an articulating 4-arm chandelier, two sizes of stem-hung linear pendants, cord-hung multi-mini pendants, a sleek wall sconce, and a bold, coordinating flush mount. Elevate any space with Rizzo's perfect balance of timeless sophistication and modern edge.











• Faceted metal shades in Natural Aged Brass with Matte Black accents · Soft, ambient lighting from flatbottomed Satin White glass shade · Versatile configurations including chandelier, linear pendants, multi-mini

pendants, and wall sconce




10815 Ch	SSWBKAB andelier

	ITEM# LAMPING	DIMENSION
Α	10815 4 x 60W MB, Incan.	33"L x 33"W x 10.25"H, 55.75"OAH
В	10819 2 x 60W MB, Incan.	16"L x 12"W x 4.25"H

Finish: Satin White glass (SW) Black (BK) Antique Brass (AB)

- Faceted metal shades in Natural Aged Brass with Matte Black accents
   Soft, ambient lighting from flat-bottomed Satin White glass shade
   Versatile configurations including chandelier, linear pendants, multimini pendants, and wall sconce



	ITEM#	LAMPING	DIMENSION
Α	10812	2 x 60W MB, Incan.	16"L x 5"W x 4.75"H, 47.75"OAH
В	10813	3 x 60W MB, Incan.	14"L x 14"W x 16.75"H, 120"OAH

Finish: Satin White glass (SW) Black (BK) Antique Brass (AB)

	ITEM#	LAMPING	DIMENSION	нсо	Additional Info.
С	10810	2 x 60W MB, Incan.	5"W x 16"H x 6"Ext.	8"	<b>8 4</b>
D	10811	1 x 60W MB, Incan.	5.75"L x 5.75"W x 9.25"H, 120"OAH		
E	10816	2 x 60W MB, Incan.	36.75"L x 5"W x 4.75"H, 47.25"OAH		

Finish: Satin White glass (SW) Black (BK) Antique Brass (AB)

RIZZO | 18










	ITEM# LAMPING	DIMENSION	HCO	Additional Info.
Α	14450 2 x 60W CA, Incan.	7"W x 13.5"H x 4.25"Ext.	4.75"	<b>&amp;</b>
В	14456 6 x 60W MB, Incan.	30.75"L x 30.75"W x 42.5"H, 83.25"OAH		

Finish: Weathered White (WWT) Ecru White (EC)



Staggered branches of eucalyptus are meticulously linked together to form a tapered bouquet shade, showcasing exceptional handcraftsmanship. Each branch is individually shaped, with the wood finished in a hand-applied Weathered White that beautifully complements the multi-tonal Dark Bronze metal accents. A coordinating large wall sconce echoes this design, reinforcing the collection's cohesive style. This striking combination of natural materials and refined craftsmanship highlights the collection's inherent elegance.







	ITEM#	LAMPING	DIMENSION	НСО
Α	22426	4 x 60W CA, Incan.	30"L x 30"W x 14.5"H, 51.5"OAH	
В	22420	2 x 60W MB, Incan.	12"W x 18.25"H x 8.5"Ext.	9"
С	22421	1 x 60W MB, Incan.	14"L x 14"W x 18"H, 54"OAH	
D	22424	4 x 60W CA, Incan.	24"L x 24"W x 12"H, 49"OAH	

Finish: Weathered White (WWT) Bronze (BZ)



- Off White linen fabric shade
- Natural Aged Brass accents



ITEM# LAMPING DIMENSION

A 12815 5 x 60W MB, Incan. 42"L x 9"W x 24"H, 64.75"OAH

Finish: Off White shade (OF) Natural Aged Brass (NAB)











	ITEM#	LAMPING	DIMENSION	Additional Info.			
Α	12810	2 x 60W MB, Incan.	16"L x 16"W x 7.25"H	<b>&amp;</b>			
В	12814	4 x 60W MB, Incan.	28"L x 28"W x 22.5"H, 63.25"OAH				

Finish: Off White shade (OF) Natural Aged Brass (NAB)



	ITEM#	LAMPING	DIMENSION
С	12811	1 x 60W MB, Incan.	14"L x 14"W x 19.5"H, 60.25"OAH
D	12813	3 x 60W MB, Incan.	20"L x 20"W x 22.5"H, 63.25"OAH

Finish: Off White shade (OF) Natural Aged Brass (NAB)

25 | SEACLIFF SEACLIFF | 26



A tribute of natural materials, this collection features carved stone shades in your choice of Travertine or volcanic Lava Rock, paired with coordinating lathed wood bases. The Travertine composition showcases White Oak wood and Ecru white metal accents, while the blackened Lava Rock is beautifully complemented by Walnut wood and a Matte Black finish. Available in versatile pendant and wall sconce configurations, each piece highlights the organic beauty and timeless sophistication of its materials.







	ITEM# LAMPING	DIMENSION		
Α	10625 5 x 60W MB, Incan.	36.5"L x 36.5"W x 12.25"H, 56.5"OAH		
В	10628 8 x 60W MB, Incan.	49.5"L x 30.75"W x 12.25"H, 56.5"OAH		

Finish Options: Lava shade (LV) Travertine shade (TV) Black (BK) Oyster (OY)

- Choice of Travertine with White Oak on Ecru
- White or Lava Rock with Walnut on Matte Black • Shown with medium base G25 White lamps
- Wall Sconces can be installed facing up or down



10622 LVBK, TVOY Wall Sconce











10629 LVBK, TVOY Flush Mount E



	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
Α	10622	2 x 60W MB, Incan.	5"W x 19.5"H x 6.5"Ext.	9.75"	<b>&amp;</b>
В	90621	1 x 60W MB, Incan.	4.75"L x 4.75"W x 11"H, 132"OAH		

Finish Options: Lava shade (LV) Travertine shade (TV) Black (BK) Oyster (OY)

	ITEM#	LAMPING	DIMENSION	НСО	Additional Info.
С	10621	1 x 60W MB, Incan.	5"W x 12.25"H x 6.5"Ext.	2.5"	<b>®</b>
D	10623	3 x 60W MB, Incan.	21"W x 8.75"H x 6.5"Ext.	2.25"	<b>®</b>
E	10629	1 x 60W MB, Incan.	4.75"L x 4.75"W x 7.75"H		<b>®</b>

Finish Options: Lava shade (LV) Travertine shade (TV) Black (BK) Oyster (OY)

29 | POMPEII POMPEII | 30








- Two tone finish: Dark Bronze and Antique Brass
- Solid Wood shades in Walnut finish
- Satin White glass shades
- Horizontal Swing Wall Sconce with switches on face plate
- 3000K Neutral LED lamps included



						LUMI	ENS	
	ITEM#	LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Info.
4	28278	12 x 8W MB LED 3000K (Incl.)	31.75"L x 40.75"W x 25.5"H, 69"OAH		90+	7200	5000	Œ ⋒
3	28271	2 x 7W MB LED 3000K (Incl.)	6"W x 11.75"H x 7.25"Ext.	6"	90+	1400	600	<b>□</b> 🕞 🔮 🖶
] د	28279	16 x 8W MB LED 3000K (Incl.)	60.75"L x 60.75"W x 21.25"H, 56"OAH		90+	8400	5800	<b>(10)</b>

Finish: Dark Bronze (DBZ) Antique Brass (AB)





					LUM	ENS	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	28274	4 x 8W MB LED 3000K (Incl.)	14.5"L x 21.75"W x 24.25"H, 67.25"OAH	90+	2400	1650	
В	28276	6 x 8W MB LED 3000K (Incl.)	30.75"L x 30.75"W x 11.75"H, 49.75"OAH	90+	3600	2500	<b>□ ⋒</b>
	Finish: Dark Bronze (DBZ) Antique Brass (AB)						

Finish: Dark Bronze (DBZ) Antique Brass (AB)

33 | AKIMBO | 34

- Pressed glass discs in heavy texture
- Glass is available in Clear, Vintage Green, or Amber
- Metal finish available in Weathered Brass or Gunmetal finish



Overlapping handmade pressed glass disks mounted on metal frames inspired by Mid-Century Italian design, this collection offers a blend of vintage charm and modern elegance. Choose from Vintage Green glass on a Weathered Brass frame, or Amber glass on a Gunmetal frame, or Textured Clear glass on either frame. The textured glass softens the glare of the bulbs, creating a warm, inviting glow that is enhanced by the colored glass options. Available in both round and linear configurations, these fixtures are ideal for dining tables or living spaces. A coordinating tiered wall sconce completes the collection, providing a cohesive and stylish lighting solution.









21826 AMGM, GNWBR, TCGM, TCWBR Linear Chandelier

ITEM# LAMPING DIMENSION 54"L x 14"W x 8"H, 52.25"OAH **A** 21826 5 x 60W MB, Incan.

Finish Options: Amber glass (AM) Green glass (GN) Textured Clear glass (TC) Gunmetal (GM) Weathered Brass (WBR)

- Pressed glass discs in heavy textureGlass is available in Clear, Vintage
- Green, or Amber
- Metal finish available in Weathered Brass or Gunmetal finish



**21824** AMGM, GNWBR, TCGM, **TCWBR** Chandelier





**21823** AMGM, **GNWBR**, TCGM, TCWBR Chandelier

C

	ITEM#	LAMPING	DIMENSION
Α	21824	8 x 60W MB, Incan.	42"L x 42"W x 9.5"H, 52.25"OAH


Finish Options: Amber glass (AM) Green glass (GN) Textured Clear glass (TC) Gunmetal (GM) Weathered Brass (WBR)



	ITEM# LAMPING	DIMENSION	HCO
В	21820 3 x 60W CA, Incan.	15"W x 15"H x 8"Ext.	7.5"
С	21823 6 x 60W MB, Incan.	32"L x 32"W x 9"H, 52.25"OAH	

Finish Options: Amber glass (AM) Green glass (GN) Textured Clear glass (TC) Gunmetal (GM) Weathered Brass (WBR)

37 LOREN LOREN 38






# ISLA

Featuring suspended tiers of textured, translucent ceramic panels, this design softly diffuses light across an undulating Matte White frame. Tiny brass knobs secure the veined ceramic panels, allowing the light to highlight their intricate texture and create a striking coastal, sand-dollar-inspired effect.







	ITEM#	LAMPING	DIMENSION
Α	12825	5 x 60W MB, Incan.	23.25"L x 23.25"W x 18"H, 55.5"OAH
В	12824	4 x 60W MB, Incan.	20.5"L x 20.5"W x 13.5"H, 51"OAH
С	12827	8 x 60W MB, Incan.	28.75"L x 28.75"W x 22.25"H, 59.75"OAH

Finish: White (WT) Natural Aged Brass (NAB)



With glossy opal white glass shades, this collection brings a graceful, feminine touch to the inverted bowl design inspired by the shape of a bundt cake. Suspended by a decorative circular ring chain, the shade features an acrylic dust cover that encloses the top, keeping the glass pristine. Finished in Natural Aged Brass, the chain and metalwork complement the timeless elegance of the design, while ribbed glass accents add a distinctive, sophisticated detail to the design.







22650WTNAB Flush Mount/Wall Sconce



unique shape adds a feminine touch to the inverted bowl design. Acrylic dust diffuser at the top of

the shade keeps the glass clean and free of dirt.

• Glossy opal white glass shade with

- Chain and metalwork in Natural Aged Brass bring a refined, classic elegance to the design.
- Ribbed glass accents enhance the overall aesthetic, adding depth and sophistication.
- Decorative circular ring chain offers a stylish, secure hanging option for various spaces.



22652WTNAB Semi-Flush Mount/Pendant



22653WTNAB Semi-Flush Mount/Pendant C

	ITEM#	LAMPING	DIMENSION	Additional Info.
Α	22650	3 x 60W MB, Incan.	15.5"L x 15.5"W x 6"H	@
В	22652	3 x 60W MB, Incan.	15.5"L x 15.5"W x 20"H	
С	22653	3 x 60W MB, Incan.	17.75"L x 17.75"W x 20"H	

Finish: White glass (WT) Natural Aged Brass (NAB)

- Concentric semicircular ribbed pattern on Clear glass
- Matte Black finish on frame



15122CRBK Flush Mount





15123CRBK Pendant D



15120CRBK Flush Mount





15121CRBK Pendant В

	ITEM#	LAMPING	DIMENSION
Α	15120	1 x 60W MB, Incan.	9"L x 9"W x 10.75"H
В	15121	1 x 60W MB, Incan.	9"L x 9"W x 9.5"H, 54.75"OAH
С	C 15122 4 x 60W MB, Incan. 15.75"L		15.75"L x 15.75"W x 18.75"H
D	15123	4 x 60W MB, Incan.	15.75"L x 15.75"W x 17"H, 62.25"OAH

Finish: Clear Ribbed glass (CR) Black (BK)



Featuring a concentric, semicircular ribbed glass pattern, this collection offers a blend of familiar design with contemporary flair. The deeply textured glass refracts light beautifully, diffusing glare while delivering ample











	ITEM#	LAMPING	DIMENSION	НСО	Additional Info.
Α	21531	1 x 60W MB, Incan.	6"W x 9.5"H x 7.75"Ext.	2.5"	<b>@</b>
В	21532	1 x 60W MB, Incan.	11.75"L x 11.75"W x 16.25"H, 63.5"OAH		
С	21533	1 x 60W MB, Incan.	15.75"L x 15.75"W x 20.25"H, 67.75"OAH		
D	21534	1 x 60W MB, Incan.	13.75"L x 13.75"W x 15.75"H, 66"OAH		

Finish: White glass (WT) Black (BK)



Nostalgic spherical glass volumes with a ribbed pattern and a dipped flat bottom, this collection offers a retro and eclectic choice for pendants and sconces. Available in Oil Rubbed Bronze, Satin Brass, and Satin Nickel, these fixtures provide elegant illumination, adding distinctive style to common spaces.






- Clear Ribbed glass sphere shades with a dipped flat bottom
- Available in versatile finishes including: Oil Rubbed Bronze, Satin Brass, and Satin Nickel
- Perfect for adding elegant, distinctive lighting illumination to common spaces







Finish Options: Clear Ribbed glass (CR) Oil Rubbed Bronze (OI) Satin Brass (SBR) Satin Nickel (SN)

- Clear Ribbed glass sphere shades with a dipped flat bottom
- Available in versatile finishes including: Oil Rubbed Bronze, Satin Brass, and Satin Nickel
- Perfect for adding elegant, distinctive lighting illumination to common spaces



15199 CROI, CRSBR, CRSN Flush Mount



15192 CROI, CRSBR, CRSN Wall Sconce



15191 CROI, CRSBR, CRSN Bath Vanity C



15193 CROI, CRSBR, CRSN Bath Vanity

D

	ITEM#	LAMPING	DIMENSION	HCO	Additional Info.
Α	15192	2 x 60W MB, Incan.	5"W x 28.25"H x 6.75"Ext.	13.5"	<b>8 6</b>
В	15199	4 x 60W MB, Incan.	15.75"L x 15.75"W x 7.25"H		
	-:	6. 5		_	(000) 0 11 11 1 1 (0) 1

Finish Options: Clear Ribbed glass (CR) Oil Rubbed Bronze (OI) Satin Brass (SBR) Satin Nickel (SN)

	ITEM# LAMPING	DIMENSION	НСО	Additional Info.
С	15191 1 x 60W MB, Incan.	6"W x 9"H x 7.75"Ext.	2.25"	<b>&amp;</b>
D	15193 3 x 60W MB, Incan.	25.5"W x 9.5"H x 7.75"Ext.	2.25"	<b>&amp;</b>

Finish Options: Clear Ribbed glass (CR) Oil Rubbed Bronze (OI) Satin Brass (SBR) Satin Nickel (SN)

49 KASBAH KASBAH | **50** 

- Satin White Pleated Glass Shades
- Hand-Applied Gold Leaf finish







	ITEM#	LAMPING	DIMENSION
Α	18311	1 x 60W MB, Incan.	12"L x 12"W x 11"H, 55.75"OAH
В	18315	5 x 60W CA, Incan.	37.25"L x 37.25"W x 14"H, 48.5"OAH

Finish: Satin White shade (SW) Gold Leaf (GL)



ITEM# LAMPING DIMENSION		ITEM# LAMPING	DIMENSION	НСО	Additional Info.
<b>A</b> 18314 4 x 60W CA, Incan. 60.25"L x 24.25"W x 14.75"H, 59.5"OAH		<b>B</b> 18310 1 x 60W CA, Incan.	10.25"W x 16.5"H x 10.75"Ext.	14"	<b>&amp;</b>
Finish: Satin White shade (SW) Gold Leaf (GL)		<b>c</b> 18312 2 x 60W CA, Incan.	60.25"L x 10.25"W x 14.75"H, 59.5"OAH		

Finish: Satin White shade (SW) Gold Leaf (GL)

53 | KISMET | 54

- Knurled rod details add insutrial edge to the design
  Available in Matte Black, Polished Chrome or Natural Aged Brass
- Glossy White tapered glass shades
- Two styles of bath vanity lights: Classic and Full strip backplate



ITEM# LAMPING DIMENSION **A** 12698 8 x 60W MB, Incan. 34.25"L x 34.25"W x 8.75"H, 53"OAH

Chandelier

Finish Options: White glass (WT) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)







- Knurled rod details add insutrial edge to the design
- Available in Matte Black, Polished Chrome or Natural Aged Brass
- Glossy White tapered glass shades
- Two styles of bath vanity lights: Classic and Full strip backplate





	ITEM#	LAMPING		DIME	NSION			
Α	12697	4 x 60W MB,	Incan.	38.5"L	x 4.75"	W x 12.	.25"H, 45"OAH	
	F: O			 	1 4		()	 (0.0)

Finish Options: White glass (WT) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

	ITEM# LAMPING	DIMENSION
В	12695 3 x 60W MB, Incan.	18.5"L x 18.5"W x 8"H, 53"OAH
С	12696 5 x 60W MB, Incan.	26"L x 26"W x 8"H, 53"OAH

Finish Options: White glass (WT) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

57 | DURHAM | 58

- Knurled rod details add insutrial edge to the design
- Available in Matte Black, Satin Nickel, Polished Chrome or Natural Aged Brass
- Glossy White tapered glass shades

12691 WTBK, WTNAB, WTPC Wall Sconce

• Two styles of bath vanity lights: Classic and Full strip



12692 WTBK, WTNAB, WTPC Wall Sconce





12693 WTBK, WTNAB, WTPC Bath Vanity C



12694 WTBK, WTNAB, WTPC Bath Vanity

	ITEM# LAMPING	DIMENSION	НСО	Additional Info.
Α	12691 1 x 60W MB, Incan.	5.75"W x 13.25"H x 5.5"Ext.	8.25"	<b>8 8</b>
В	12692 2 x 60W MB, Incan.	13.75"W x 9.25"H x 5.5"Ext.	6.75"	₽ 🕀
С	12693 3 x 60W MB, Incan.	23"W x 9.25"H x 5.5"Ext.	6.75"	<b>&amp; &amp;</b>
D	12694 4 x 60W MB, Incan.	32.5"W x 9.25"H x 5.5"Ext.	6.75"	<b>8 6</b>

Finish Options: White glass (WT) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)



12891 WTBK, WTNAB, WTPC, WTSN Wall Sconce E



12892 WTBK, WTNAB, WTPC, WTSN Bath Vanity



12893 WTBK, WTNAB, WTPC, WTSN Bath Vanity G



12894 WTBK, WTNAB, WTPC, WTSN Bath Vanity

	ITEM# LAMPING	DIMENSION	НСО	Additional Info.
E	12891 1 x 60W MB, Incan.	4.75"W x 9.25"H x 6.5"Ext.	7"	<b>&amp; &amp;</b>
F	12892 2 x 60W MB, Incan.	18"W x 8"H x 6.5"Ext.	5.75"	<b>&amp; &amp;</b>
G	12893 3 x 60W MB, Incan.	24"W x 8"H x 6.5"Ext.	5.75"	<b>&amp; &amp;</b>
Н	12894 4 x 60W MB, Incan.	30"W x 8"H x 6.5"Ext.	5.75"	<b>&amp; &amp;</b>

Finish Options: White glass (WT) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC) Satin Nickel (SN)



- Two tone Black and Gold finish make a bold statement in color
- LED integrated, 3000K Color Temperature
- Dimmable with Triac or ELV dimmers









ш	M	F1	V	ς

	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	59700	9W MB LED 3000K (Incl.)	4.75"W x 6.75"H	90+	1000	800	(1)
В	59702	18W PCB LED 3000K (Integrated)	12"W x 2"H	90+	1800	1360	
С	59704	28W PCB LED 3000K (Integrated)	16"W x 2"H	90+	2250	1700	<b>⊕ ⊕</b>


Finish: White acrylic (WT) Black (BK) Antique Brass (AB)



# BISQUE

Ribbed ceramic shades are gracefully suspended on classic arching tube frames, creating a timeless yet modern design. The matte bisque-fired ceramic is translucent softly diffuses light while highlighting the ribbed raised pattern. Available in elegant finishes, choose from Natural Aged Brass, Oil Rubbed Bronze, or Polished Nickel frames to complement your space.











• Available in Natural Aged Brass, Oil Rubbed Bronze, or Polished Nickel



21492 WTNAB, WTOI, WTPN Bath Vanity



21493 WTNAB, WTOI, WTPN Bath Vanity

C



21494 WTNAB, WTOI, WTPN Bath Vanity

D


	ITEM# LAMPING	DIMENSION	НСО	Additional Info.
Α	21491 1 x 60W MB, Incan.	5.5"W x 10"H x 9"Ext.	6"	<b>.</b>
В	21492 2 x 60W MB, Incan.	16"W x 10"H x 9"Ext.	6"	<b>@ &amp;</b>
С	21493 3 x 60W MB, Incan.	24"W x 10"H x 9"Ext.	6"	<b>@ &amp;</b>
D	21494 4 x 60W MB, Incan.	32"W x 10"H x 9"Ext.	6"	<b>8 6</b>

Finish Options: White glass (WT) Natural Aged Brass (NAB) Oil Rubbed Bronze (OI) Polished Nickel (PN)



Featuring wicker shades made of synthetic rattan, this bath vanity lighting collection brings an elegant coastal flair to your space. Choose from a Natural wicker finish with a Dark Bronze frame accented by brushed golden highlights, or a Weathered White rattan with a Natural Aged Brass frame for a timelessly elegant composition.





- Synthetic Rattan shades for better moisture resistance
- Choose from Weathered White with Natural Aged Brass frame or Natural rattan finish Dark Bronze frame and hand brushed golden highlights



21481 NADBZ, WWTNAB Bath Vanity



В



21483 NADBZ, WWTNAB Bath Vanity


21484 NADBZ, WWTNAB Bath Vanity D

	ITEM#	LAMPING	DIMENSION	НСО	Additional Info.
Α	21481	1 x 60W MB, Incan.	6"W x 11.75"H x 7.5"Ext.	9.5"	<b>@ &amp;</b>
В	21482	2 x 60W MB, Incan.	14.75"W x 10.25"H x 7.5"Ext.	8"	❷ ❸
С	21483	3 x 60W MB, Incan.	24.25"W x 10.25"H x 7.5"Ext.	8"	<b>8 6</b>
D	21484	4 x 60W MB, Incan.	33.25"W x 10.25"H x 7.5"Ext.	8''	<b>@</b> 🚯









 Available in Natural Aged Brass, Polished Chrome, or Matte Black



21229 MRBK, MRNAB, MRPC Flush Mount



21221 MRBK, MRNAB, MRPC Wall Sconce



21222 MRBK, MRNAB, MRPC Wall Sconce C



21223 MRBK, MRNAB, MRPC Bath Vanity



21224 MRBK, MRNAB, MRPC Bath Vanity E

	ITEM#_LAMPING	DIMENSION	нсо	Additional Info.
Α	21226 1 x 60W MB, Incan.	9"L x 9"W x 11.5"H, 135.5"OAH		
В	21221 1 x 60W MB, Incan.	6"W x 11.75"H x 6.25"Ext.	9.25"	<b>@</b>
С	21222 2 x 60W MB, Incan.	6"W x 15.5"H x 7.5"Ext.	7.75"	<b>@ 0</b>
D	21223 3 x 60W MB, Incan.	22.5"W x 10.75"H x 6.5"Ext.	2.5"	<b>&amp;</b>
E	21224 4 x 60W MB, Incan.	31"W x 10.75"H x 6.5"Ext.	2.5"	<b>@</b>
F	21229 1 x 60W MB, Incan.	9"L x 9"W x 14"H		

Finish Options: Marble glass (MR) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

- Clear glass shades in tapered square forms
- Available in Matte Black, Polished Chrome, Satin Nickel, and Natural Aged Brass



21381 CLBK, CLNAB, CLPC, CLSN Bath Vanity



21382 CLBK, CLNAB, CLPC, CLSN Bath Vanity



21383 CLBK, CLNAB, CLPC, CLSN Bath Vanity



21384 CLBK, CLNAB, CLPC, CLSN Bath Vanity D

	ITEM#	LAMPING	DIMENSION	НСО	Additional Info.
Α	21381	1 x 60W MB, Incan.	4.75"W x 8.25"H x 6"Ext.	5.75"	<b>&amp; &amp;</b>
В	21382	2 x 60W MB, Incan.	14"W x 8"H x 6"Ext.	5.75"	<b>@ &amp;</b>
С	21383	3 x 60W MB, Incan.	22.25"W x 8"H x 6"Ext.	5.75"	<b>@                                    </b>
D	21384	4 x 60W MB, Incan.	30.75"W x 8"H x 6"Ext.	5.75"	<b></b>








# 2 STRIP

Sleek and functional, the two strip LED backlit mirror elevates any space with its clean, contemporary design, Featuring two crisp LED light strips that provide even, glare-free illumination, it is perfect for grooming, task lighting, or creating a modern ambiance. Available in the most common sizes to suit a variety of applications, the Reflect mirror offers effortless installation with its French cleat hanging system, ensuring stability and easy accessibility. Whether for residential or commercial spaces, this backlit mirror combines style, practicality, and a touch of luxury.

- 120-277V Input
- Hardwire or 90 degree flat plug-in installation
- Available in common sizes or custom specified dimensions per project
- Single CCT 3000K
- French Cleat hanging installation







MRL4830-2S30K Mirror C



### LUMENS CRI INIT. DEL. Additional Info. ITEM# LAMPING DIMENSION **A** MRL2430-2S30K 37W PCB LED 3000K (Inte.) 90+ 3300 990 24"W x 30"H x 2"Ext. MRL3036-2S30K 40W PCB LED 3000K (Inte.) 30"W x 36"H x 2"Ext. 90+ 3500 1050 💷 🥋 🖓 🤮 C MRL4830-2S30K 37W PCB LED 3000K (Inte.) 48"W x 30"H x 2"Ext. 90+ 3300 990 ഥ 🞧 🖓 🤮

# PERIMETERI

Elevate your space with the sophisticated glow of an LED perimeter-lit mirror. Framed with even, glare-free illumination, this mirror offers a modern yet functional touch for grooming, task lighting, or enhancing ambiance. The CCT-selectable function allows you to tailor the light temperature from warm to cool, perfectly adapting to your needs. Available in the most common sizes, it features a French cleat hanging system for easy installation and accessibility. Designed for both residential and commercial applications, the Reflect mirror seamlessly blends contemporary style with customizable lighting performance.

Mirro




• 120-277V Input

- Hardwire or 90 degree flat plug-in installation
- Available in common sizes or custom specified dimensions per project
- CCT Selectable: 2700-3000-3500-4000-5000K
- French Cleat hanging installation







MRL4830-4P5CCT Mirror C


MRL2430-4P5CCT Mirror

						<b>MENS</b>	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	MRL2430-4P5CCT	40W LED 2700-3000-3500-4000-5000K (Inte.)	24"W x 30"H x 2"Ext.	90+	3600	1080	<b>● ② ② ◎</b>
В	MRL3036-4P5CCT	50W LED 2700-3000-3500-4000-5000K (Inte.)	30"W x 36"H x 2"Ext.	90+	4600	1380	<b>● 🚷 🗸 📾 📵</b>
С	MRL4830-4P5CCT	70W LED 2700-3000-3500-4000-5000K (Inte.)	48''W x 30"H x 2"Ext.	90+	6800	2040	


PERIMETER LIT | 72 **71** 2 STRIP



The Prescott collection of outdoor lanterns reimagines a classic design with timeless elegance. Crafted with a durable die-cast aluminum frame and finished in a sleek Matte Black, these lanterns exude a refined, understated charm. The water glass shade creates a beautiful lighting effect as it casts dazzling patterns on its surrounding surfaces. Thoughtfully updated with simple stirrup hook details, the collection effortlessly blends tradition with modern sophistication.













34212WGDBZ Outdoor Wall



34219WGDBZ

Outdoor Post

E



	ITEM# LAMPING	DIMENSION	НСО	ВР	Additional In
Α	34211 1 x 60W MB, Incan.	7"W x 12.5"H x 8.25"Ext.	3"	5.5"W x 7"H	
В	34212 2 x 40W CA, Incan.	9"W x 18.25"H x 11"Ext.	8.5"	6.75"W x 9"H	9

(2) **C** 34213 3 x 40W CA, Incan. 11"W x 18.5"H, 94.25"OAH **D** 34214 3 x 40W CA, Incan. 11"W x 22.25"H x 13.5"Ext. 6.75"W x 9"H **E** 34219 2 x 40W CA, Incan. 9"W x 17.5"H

Finish: Water glass (WG) Darkened Bronze (DBZ)





- Square cut pattern on clear glass panels
- Matte Black finish
- Anti-corrosive Die Cast Aluminum construction



30692CLBK Outdoor Wall C



30693CLBK Outdoor Wall D




30694CLBK Outdoor Wall E



A simple square-framed lantern features deep etched squares on Clear glass, creating a captivating array of refracted light. Constructed from die-cast aluminum and finished in Matte Black, the design blends classic elements with a refreshing, modern approach, offering both sophistication and simplicity with an emphasis on minimalism.







30699CLBK Outdoor Post F



30690CLBK Outdoor Deck Light

	ITEM#	LAMPING	DIMENSION	НСО	BP	Additional Info.
Α	30690	2 x 60W MB, Incan.	13"W x 6.25"H			<b>(</b>
В	30691	2 x 40W CA, Incan.	6.25"W x 10.5"H x 5.25"Ext.	5.25"	6.25"W x 10.5"H	<b>a</b>
С	30692	1 x 60W MB, Incan.	6"W x 13"H x 7.5"Ext.	3.75"	4.75"W x 6.25"H	<b>a</b>
D	30693	2 x 40W CA, Incan.	6"W x 17"H x 7.5"Ext.	3.75"	4.75"W x 8"H	0
D	30694	3 x 40W CA, Incan.	7"W x 21"H x 8.5"Ext.	4.75"	4.75"W x 8"H	<b>a</b>
E	30699	2 x 40W CA, Incan.	6"W x 19.5"H			<b>a</b>

Finish: Clear glass (CL) Black (BK)



# WRIGHT

Inspired by the intricate geometric motifs of the iconic architect, the Wright collection of outdoor lighting features a hexagonal frame with tiered louvers along its hood. Beveled at its edges, the Clear glass panes encase the lighting cluster within a robust die cast aluminum body and aluminum frame. Finished in a rich Black Patina, this outdoor series provides thoughtful touches and rich finishes to make a timelessly elegant lighting collection.







30221CLBKP Outdoor Wall



30222CLBKP Outdoor Wall



• Hexagonal aluminum constructed frame • Clear beveled edge glass panels A multi-tonal Black Patinaed finish • Anti-corrosive and robust Aluminum frame



**30229CLBKP** Outdoor Pendant E



30220CLBKP Outdoor Post A

	ITEM#	LAMPING	DIMENSION	НСО	BP	Additional Info.
Α	30220	3 x 40W CA, Incan.	9"W x 23.25"H			
В	30221	1 x 60W MB, Incan.	7"W x 12.25"H x 8"Ext.	2.5"	4.75"W x 6.25"H	
С	30222	1 x 60W MB, Incan.	7"W x 16.25"H x 8"Ext.	2.5"	5.5"W x 8.75"H	
D	30224	3 x 40W CA, Incan.	9"W x 20.5"H x 10"Ext.	2.75"	5.5"W x 8.75"H	
E	30229	3 x 40W CA, Incan.	9"W x 22"H, 98.25"OAH			<b>®</b>

Finish: Clear glass (CL) Black Patina (BKP)

- Anti-corrosive aluminum construction
- Integrated LED 3000K Color Temperature
- 120V Input
- 3-in-1 dimming: Triac, ELV
- Dark Sky Compliant
- ADA Compliant





A modern interpretation of the arts & crafts movement, this anti-corrosive aluminum frame combines traditional elements with the latest technology. A concealed LED downlight, housed at the top of the frame, casts a striking pattern of light along the wall, adding depth and warmth to any space. Finished in Matte Black, this fixture seamlessly blends timeless design with modern innovation.











30776BK Outdoor Wall C

	ITFM#	LAMPING	DIMENSION	нсо	BP	CRI		ENS DEL	Additional Info.
۱ ا		10W PCB LED 3000K (Inte.)			4.75"W x 7"H	-			<b>® ⊕ &amp;</b>
3	30774	12W PCB LED 3000K (Inte.)	6.5"W x 17"H x 4"Ext.	5''	5"W x 9.5"H	90+	960	760	<b>® ⊕ &amp;</b>
3	30776	14W PCB LED 3000K (Inte.)	8"W x 21"H x 4"Ext.	6"	5.5"W x 11"H	90+	1120	890	<b>₽ ⊕ ⊕ </b>

Finish: Black (BK)



# STRAND

A study in simplicity, this geometric cage lantern features an open, glass-free design with two rectilinear strands that support the top hood. Finished in a contemporary Matte Black and constructed from Maxim's durable Vivex composite, it is built to endure harsh climates, including coastal conditions and extreme sun. A recessed LED module is discreetly housed within the hood, delivering high-lumen output directed downward for dark sky compliance, combining modern form with practical performance.








40671BK Outdoor Wall



40672BK Outdoor Wall



- Constructed from Maxim's Vivex material, guaranteed to withstand harsh climates.
- LED downlight, 3000K
- Dark Sky Compliant







40674BK Outdoor Wall C

	ITEM# LAMPING	DIMENSION	НСО	BP	CRI	LUMENS INIT. DEL.	Additional Info.
Α	40671 8W LED 3000K (Inte.)	6"W x 10"H x 6.5"Ext.	2.5"	5.25"W x 5.25"H	90+	880 450	<b>□</b> 🔐 🕝 💌
В	40672 12W LED 3000K (Inte.)	6"W x 14"H x 6.5"Ext.	2.5"	5.25"W x 5.25"H	90+	1320 660	<b>□</b> 🔐 😭 🚾
С	40674 16W LED 3000K (Inte.)	7"W x 18"H x 7.5"Ext.	2.5"	5.25"W x 5.25"H	90+	1760 1000	<b>(10)</b>

Finish: Black (BK)



A bold modern design, the Quayside collection features intersecting aluminum frames that elegantly curve to meet at the base. Integrated cutting-edge LED technology provides ample downward lighting while maintaining Dark Sky compliance. Finished in a sleek Matte Black and crafted from Maxim's durable Vivex composite material, these fixtures are engineered to withstand the harshest climates. The collection includes a full range of outdoor lighting solutions, with multiple sconce sizes, a pendant, and a flush mount configuration to suit any exterior space.


















• Dark Sky Compliant: Integrated LED

while reducing light pollution.

outdoor lighting solutions.

technology provides ample downward lighting

• Constructed from Maxim's Vivex material, guaranteed to withstand harsh climates. • Available in multiple sconce sizes, a pendant, and a flush mount configuration for cohesive

40684BK **Outdoor Wall** 

D

	ITEM#	LAMPING	DIMENSION	НСО	BP	CRI	LUM INIT.		Additional Info.
Α	40680	12W LED 3000K (Inte.)	5.5"W x 10"H			90+	1320	680	<b>₽</b> 🔝 🕾 🚾
В	40682	12W LED 3000K (Inte.)	5.5"W x 14"H x 6.75"Ext.	2.25"	4.75"W x 4.75"H	90+	1320	620	<b>(10)</b>
С	40683	12W LED 3000K (Inte.)	5.5"W x 16"H, 56.5"OAH			90+	1320	630	🔝 😃 🚾
D	40684	16W LED 3000K (Inte.)	5.5"W x 18"H x 6.75"Ext.	2.25"	4.75"W x 4.75"H	90+	1760	810	

Finish: Black (BK)

40683BK Outdoor Pendant C

- Frosted Glass backlit by concealed LED
- Constructed from Maxim's Vivex material, guaranteed to withstand harsh climates.
- Low maintenance product















40654BK Outdoor Wall C



FORMATION VX

The sleek, intersecting planes of the frame protect a central span of Frosted glass, softly illuminated by a

							LUM	IENS	
	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	INIT.	DEL.	Additional Info.
Α	40651	8W LED 3000K (Inte.)	4.75"W x 10"H x 4.75"Ext.	3.75"	4.75"W x 7"H	90+	880	450	
В	40652	12W LED 3000K (Inte.)	4.75"W x 14"H x 4.75"Ext.	5"	4.75"W x 10. 25"H	90+	1320	640	<b>□</b> 🔐 😭 🚾
С	40654	16W LED 3000K (Inte.)	4.75"W x 18"H x 4.75"Ext.	7. 25"	4.75"W x 14"H	90+	1760	850	<b>□</b> 🕞 🚾

Finish: Black (BK)



# CATALINA

An elongated rectangular shaped design that is both minimalist and industrial. Die cast frames of Dark Bronze support Clear glass panels that provide an unobstructed view of the lantern's interior. Customize with your choice of lamps from vintage to tubular.





- Dark Bronze finish with clear glass panels
- Powder coated aluminum construction
- Pair with vintage ST64 or T10 lamps to create a different appearance
- Up-light configurations with closed tops for outdoor applications







30097CLDBZ Outdoor Pendant В

	ITEM# LAMPING	DIMENSION	НСО	ВР	Additional Info.
Α	30096 2 x 60W MB, Incan.	8"W x 26"H x 9.5"Ext.	13"	5.75"W x 14"H	
В	30097 1 x 60W MB, Incan.	7"W x 22.5"H			<b>®</b>

Finish: Clear glass (CL) Dark Bronze (DBZ)

- Dark Bronze finish with clear glass panels
- Powder coated aluminum construction
- Pair with vintage ST64 or T10 lamps to create a different appearance
- Up-light configurations with closed tops for outdoor applications



30098CLDBZ Outdoor Flush Mount D



30091CLDBZ Outdoor Wall F



30095CLDBZ Outdoor Wall G




30092CLDBZ Outdoor Wall Α



30093CLDBZ Outdoor Wall В



30094CLDBZ Outdoor Wall C





30099CLDBZ Outdoor Deck Light H



30090CLDBZ Outdoor Post E

	ITEM# LAMPING	DIMENSION	HCO	BP	Additional Info.
Α	30092 1 x 60W MB, Incan.	6"W x 13"H x 7.5"Ext.	3.75"	4.75"W x 6"H	<b>=</b>
В	30093 1 x 60W MB, Incan.	6"W x 17"H x 7.5"Ext.	3.75"	4.75"W x 8"H	<b>9</b>
С	30094 1 x 60W MB, Incan.	7"W x 21"H x 8.5"Ext.	4.75"	4.75"W x 8"H	9
D	30098 2 x 60W MB, Incan.	13"W x 6"H			<b>&amp;</b>

Finish: Clear glass (CL) Dark Bronze (DBZ)

_	

	ITEM# LAMPING	DIMENSION	НСО	BP	Additional Info.
E	30090 1 x 60W MB, Incan.	6"W x 19.5"H			<b>(</b>
F	30091 1 x 60W MB, Incan.	6"W x 17.5"H x 7.5"Ext.	11.25" 4.	75"W x 8"H	<b>a</b>
G	30095 1 x 60W MB, Incan.	7"W x 21.5"H x 8.5"Ext.	14.25" 4.	75"W x 8"H	<b>=</b>
Н	30099 2 x 60W MB, Incan.	13"W x 6.25"H			<b>a</b>

Finish: Clear glass (CL) Dark Bronze (DBZ)

CATALINA | 90 89 | CATALINA

Designed with a recessed optical lens housed in the center of a sloped interior edge, the Caldera collection provides a luminous light source with minimal glare and intriguing beam angle. The collection's flush mounts feature an extremely small profile, extending less than 2" from the ceiling surface. With a diameter of 3.25 inches, the flush mounts also include a mud-in plate for clean architectural finishing applications as well as a cover plate for simpler installations that do not require additional preparation.

- High lumen output with a dramatically
- reduced glare and optic beam angle lens
- ADA compliant wall sconces
- Dark Sky Compliant downlights
- 120-277V Input
- 3000K Color Temperature
- Dimmable with Triac and ELV at 120V











	ITEM#	LAMPING	DIMENSION	НСО	ВР	CRI	LUMENS INIT. DEL.	Additional Info.
Α	86221	1 x 10W DC LED 3000K (Inte.)	3.25"W x 7.75"H x 4"Ext.	2.25"	4.5"W x 4.5"H	90+	1000 990	<b>⊕</b> ⊕ &
В	86223	2 x 12W DC LED 3000K (Inte.)	3.25"W x 15"H x 4"Ext.	7.5"	4.5"W x 4.5"H	90+	2400 1900	<b>□</b> ⊕ ⊕ ⊕
С	86225	2 x 15W DC LED 3000K (Inte.)	3.25"W x 20.25"H x 4"Ext.	10"	4.5"W x 4.5"H	90+	3000 2030	

Finish Options: Black (BK) White (WT)

Round or square. Short and stout. These small LED flush mounts and outdoor rated sconces pack a powerful lumen package, great for small spaces that need a lot of light. With 120-277V range voltage input, they are ideal for use in commercial spaces as well as residential settings.

- Round and Square configurations
- Energy Star and Title 24 Listed





86212 BK, WT Indoor/Outdoor Flush Mount



86213BK Indoor/Outdoor Flush Mount



86214 BK, WT Indoor/Outdoor Wall C



86215BK Indoor/Outdoor Wall D



86216BK Indoor/Outdoor Wall E

	ITEM# LAMPING	DIMENSION	НСО	BP	CRI		IENS DEL.	Additional Info.
Α	86212 20W PCB LED 3000K (Inte.)	4.75"W x 4.25"H			90+	2120	1500	<b>0000</b>
В	86213 20W PCB LED 3000K (Inte.)	4.75"W x 4.25"H			90+	1870	1500	<b>00000</b>
С	86214 20W PCB LED 3000K (Inte.)	4.75"W x 4.5"H x 5.5"Ext.	2.25"	4.5"W x 4.5"H	90+	2000	2170	
D	86215 20W PCB LED 3000K (Inte.)	4.75"W x 4.5"H x 5.5"Ext.	2.25"	4.5"W x 4.5"H	90+	2000	1650	
E	86216 2 x 18W PCB LED 3000K (Inte.)	4.25"W x 15"H x 5.25"Ext.	7.5"	4.5"W x 4.5"H	90+	3600	2380	<b>□ ⊕ ⊕</b>


Finish Options: Black (BK) White (WT)

91 | CALDERA OUTDOOR STOUT | 92



Smaller square profiles extend vertically with ample lighting cast both upward and downwards. The scale of the product is designed to meet ADA requirements, while providing generous light for outdoor applications. Concealed within the frame, there is a range voltage 120-277V LED driver making this a great option for light commercial as well as residential applications. Available in Matte Black, Architectural Bronze and White outdoor powder coat finishes.







- 120-277V Input
- ADA Compliant
- LED 3000K, CRI 90+









86422BK Outdoor Wall В

\		ITEM#	LAMPING	DIMENSION	НСО	BP	CRI	LUMENS INIT. DEL. AdditionalInfo.
/	Α	86420	14W DC LED 3000K (Inte.)	2.5"W x 7.5"H x 3.25"Ext.	3.75"	4.5"W x 4.5"H	90+	1400 1260 🖾 😭 🖨 🐧 💽 💽
	В	86422	14W DC LED 3000K (Inte.)	2.5"W x 15"H x 3.25"Ext.	7.5"	4.5"W x 4.5"H	90+	1400 1090 🖽 😭 🖨 🐧 🐧 🕦

Finish: Black (BK)

Featuring robust aluminum construction, the Halfpipe collection is designed for commercial applications outdoor. A half round form factor of uniformly illuminated frosted UV-rated acrylic diffuser is framed in Black or Brushed Aluminum metal. Commercially rated, dedicated 120-277V LED components, delivers reliable performance in demanding environments. While ideal for exterior facades, its ADA-compliant extension makes it equally suited for interior spaces such as elevator lobbies, hallways, and meeting rooms.

- Half round UV-rated Matte White acrylic diffuser
- · Available in Black or Brushed Aluminum
- · 120-277V Input
- 3 in 1 dimming: Triac, ELV
- CCT Selectable: 2700-3000-3500-4000-5000K
- accessible inside the shade







55514 WTAL, WTBK Outdoor Wall

### LUMENS ITEM# LAMPING DIMENSION ΒP CRI INIT. DEL. Additional Info. HCO A | 55512 | 2 x 9W LED 2700-3000-3500-4000-5000K (Inte.) | 5"W x 15"H x 4"Ext. | 7.5" | 4.25"W x 6.5"H | 90+ | 1800 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 1250 | 125 B | 55514 | 2 x 18W LED 2700-3000-3500-4000-5000K (Inte.) 5"W x 26"H x 4"Ext. 13" | 4.25"W x 15.75"H | 90+ 3600 | 2520 | 💷 🥽 🖨 🚱 🚱

Finish Options: White acrylic (WT) Aluminum (AL) Black (BK)

Featuring robust aluminum construction, the Tunnel collection is designed for commercial applications outdoor. A rectilinear form of uniformly illuminated frosted UV-rated acrylic diffuser is framed in Black or Brushed Aluminum metal. Commercially rated, dedicated 120-277V LED components, delivers reliable performance in demanding environments. While ideal for exterior facades, its ADA-compliant extension makes it equally suited for interior spaces such as elevator lobbies, hallways, and meeting rooms.

- Squared UV-rated Matte White acrylic diffuser
- Available in Black or Brushed Aluminum
- 120-277V Input
- in 1 dimming: Triac, ELV
- CCT Selectable: 2700-3000-3500-4000-5000K accessible inside the shade







Outdoor Wall



55524 WTAL, WTBK Outdoor Wall В

)	ITEM#	LAMPING	DIMENSION	нсо	) BP	CRI	LUMI INIT.		Additional Info.
A	55522	2 x 9W LED 2700-3000-3500-4000-5000K (Inte.)	5"W x 15"H x 4"Ext.	7.5"	4.25"W x 6.5"H	90+	1800	1250	
В	55524	2 x 18W LED 2700-3000-3500-4000-5000K (Inte.)	5"W x 26"H x 4"Ext.	13"	4.25"W x 15.75"H	90+	3600	2520	<b>(10)</b>

Finish Options: White acrylic (WT) Aluminum (AL) Black (BK)

95 | HALFPIPE TUNNEL | 96

# TAPER

Small scale outdoor lighting perfect for indoor and outdoor applications. The indirect exterior lighting not only provides illumination where you want but also highlights the building structure for a beautiful architectural effect. Now eliminating the backplate, the Taper series provides a streamlined conical profile that fits over standard junction boxes. Available in four finishes: Black, Silver, Architectural Bronze, and White.

- Die Cast Aluminum
- Available in four finishes: Black, Silver,
- Architectural Bronze, and White
- ADA wall sconce
- 3000K Color Temperature
- · CRI 90+
- Dimmable with Triac dimmers





52119 ABZ, BK, SV, WT Outdoor Wall







Architectural Bronze (ABZ)

Black (BK)

Silver (SV)

							LUM	ENS		
	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	INIT.	DEL.	Additiona	I Info.
Α	52119	10W PCB LED 3000K (Inte.)	5.5"W x 6.25"H x 3.75"Ext.	3.5"	5.5"W x 6.25"H	90+	1000	540		8

Finish Options: Architectural Bronze (ABZ) Black (BK) Silver (SV) White (WT)

# CAPE

Compact yet stylish, the Cape outdoor sconce features an elongated backplate that elegantly shrouds a recessed LED module within its hood. Finished in contemporary Matte Black, this sconce delivers a unique lighting solution that is both functional and fashion-forward, perfect for modern outdoor spaces.

- LED Integrated 3000K
- ADA Compliant
- Dark Sky Compliant





86271BK Outdoor Wall

							LUM	ENS	
	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	INIT.	DEL.	Additional Info.
Α	86271	12W LED PCB 3000K (Inte.)	5.75"W x 9.25"H x 4"Ext.	3"	4.5"W x 4.5"H	90+	1100	490	<b>® ⊕ &amp;</b>

Finish: Black (BK)

97 TAPER CAPE 98

# PATHFINDER

With solid Die-Cast Aluminum construction and powered by a range voltage input driver, Pathfinder is a high performance down light for commercial and residential installations. Either sharply angled or smoothly sloping, this discreet architectural light source is also available with various photocell and motion sensor options. Choose from Black, Architectural Bronze, or Metallic Sliver outdoor rated powder coat finishes.



52122 ABZ, BK, SV Outdoor Wall A



52122 ABZ/PHC, BK/PHC, SV/PHC Outdoor Wall В



Architectural Bronze (ABZ)

LUMENS HCO CRI INIT. DEL. Additional Info. DIMENSION LAMPING ITEM# 820 📾 😭 🖨 🕭 120-277V Input 15W LED PCB 3000K (Inte.) 7"W x 4.5"H x 3.5"Ext. 2.25" 90+ 880 **A** 52122 B 52122/PHC 15W LED PCB 3000K (Inte.) 7"W x 4.5"H x 3.5"Ext. 2.25" 90+ 880 820 6 20 20 277V Input, with photocell 3W LED PCB 3000K (Inte.) 3"W x 5"H x 1.5"Ext. 2.25" 90+ 300 120 🕮 🎧 🚯

58120 BK, WT

Step Light C


Finish Options: Architectural Bronze (ABZ) Black (BK) Silver (SV) White (WT)



**52124 ABZ**, BK, SV Outdoor Wall G



52120 ABZ/MSP, BK/MSP, SV/MSP Outdoor Wall E



• Die Cast Aluminum

Photocell Option

• 120-277V Range Voltage Input

· High Wattage, High Lumen output

52120 ABZ/PHC, BK/PHC Outdoor Wall F





LILLATERIC



							LUIV	1E1/12	
	ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	INIT.	DEL.	Additional Info.
D	52120	15W PCB LED 3000K (Inte.)	5.5'W x 5.5'H x 4'Ext.	2.75"	5.5"W x 5.5"H	90+	1200	820	<b>□</b> 🕞 🙃 🕓
E	52120/MSP	15W PCB LED 3000K (Inte.)	5.5''W x 7''H x 4''Ext.	4.25"	5.5"W x 5.5"H	90+	1200	820	💷 🎧 🖨 🕭 With MSP
F	52120/PHC	15W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 4"Ext.	2.75"	5.5"W x 5.5"H	90+	1200	820	🖽 🎧 🔓 🔥 With Photocell
G	52124	20W PCB LED 3000K (Inte.)	9"W x 8"H x 4"Ext.	4"	9"W x 8"H	90+	2000	1500	<b>◎ ⋒ ⊕ &amp;</b>

Finish Options: Architectural Bronze (ABZ) Black(BK) Silver (SV)

52120 ABZ, BK, SV

Outdoor Wall

D





58002 AL, BK, BZ, WT Step Light C



58004 BK, WT Slit Step Light E



Pinhole Step Light F



58005 ANB, BK, WT



58001 BK, WT Mud-In Step Light В



58000 AL, BK, BZ, WT Step Light Α



Interior and Exterior Application

• 120-277V Range Voltage Input

dimming:Triac/ELV at 120V or 0-

• LED PCBs Included • T24 for outdoor use

• 3-in-1 universal

10V dimming

**58003FT**Glass Panel Step Light D



58100 BK/MSP, WT/MSP Sensor Photocell Step Light G


	ITEM#	LAMPING	DIMENSION	CRI	LUMENS	Additional Info.
Α	58000	4W LED PCB 3000K (Inte.)	5"W x 3"H x 1.5"Ext.	90+	280	For Outdoor Use
В	58001	3W LED PCB 3000-4000-6000K (Inte.)	4.75"W x 3"H x 1.75"Ext.	90+	300	<b>⊕ ⊕ ⊕ ♦</b>
С	58002	4W LED PCB 3000K (Inte.)	3"W x 5"H x 1.5"Ext.	90+	280	For Outdoor Use
D	58003	3W LED PCB 3000-4000-6000K (Inte.)	4.75"W x 3"H x 1.75"Ext.	90+	300	<b>⊕ ⊕ ⊕ ♦</b>
E	58004	3W LED PCB 3000-4000-6000K (Inte.)	3"W x 5"H x 1.75"Ext.	90+	300	<b>⊕ ⊕ ⊕ ♦</b>
F	58005	3W LED PCB 3000-4000-6000K (Inte.)	3"W x 5"H x 1.75"Ext.	90+	300	<b>⊕ ⊕ ⊕ ⊕</b>
G	58100/MSP	3W LED PCB 3000-4000-6000K (Inte.)	4.75"W x 3"H x 1.75"Ext.	90+	300	😭  🔝 🚷 With MSP

Finish Options: Aluminum (AL) Antique Bronze (ANB) Black (BK) Bronze (BZ) Frosted (FT) White (WT)

## CONDOR | 88766 | 88768

Expansive blade spans of 65" ABS blades or 80" aluminum blades, the Condor soars as an outdoor rated fan. Clean design with a DC motor and strong airflow performance. Available in Matte Black, Matte White, or Brushed Aluminum. No light kit included. Paired with a DC wall control that does not get interrupted by various frequencies and uses novel 3-wire installations to provide reliable functionality.

### Indoor/Outdoor | DC Motor | Wet Rated | 65" ABS Blades/80" Aluminum Blades




	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
88766	NO LIGHT KIT	65" D x 13.5" H BLADE: 8 x 29.65"	AIRFLOW: 8273 CFM AIRFLOW EFFECIENCY: 177 CFM/W ELECTRICITY USE: 49.22W	12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36)
88768	NO LIGHT KIT	84" D x 14" H <b>BLADE</b> : 8 x 37.6"	AIRFLOW: 10170 CFM AIRFLOW EFFECIENCY: 226 CFM/W ELECTRICITY USE: 45W	48" (FRD48) 60" (FRD60) 72" (FRD72)


# **Includes:** 6" Downrod FINISH & MATERIAL **BLADES** Aluminum (AL) BLACK (BK) MATERIAL: ABS or Aluminum **PITCH**: 18° Matte White (MW) SATIN NICKEL (SN)



## HELM | 88878

Inspired by the steering wheel of a nautical ship, the Helm fan boasts an impressive 72" blade span and stylish two-tone finishes. Its plywood blades offer dual-sided contrasting finishes, allowing for customizable design. Choose from a Black frame with Natural Aged Brass accents paired with Black and White blades, or a Satin Nickel frame with Sliver and Blackened Walnut blades. The energy-efficient DC motor is operated by a convenient remote control, which magnetically attaches to a standard wall plate. The integrated LED light kit features tunable color temperature, adjustable from warm 2700K to bright 4000K, offering versatile lighting options for any space.







**REM8883WT** (Included)

## **DIMENSIONS**

## **ENERGY INFO AT HIGH SPEED**

### COLOR TEMP: 2700-3000-4000K CRI: 90+ **LUMENS:** Im 1180 DELIVERED

### 72" D x 16.75" H **BLADE**: 8 x 28.25"

### AIRFLOW: 10065 CFM **AIRFLOW EFFECIENCY:** 258 CFM/W

### **ELECTRICITY USE:** 40W

6" (FRD06) 12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36) 48" (FRD48) 60" (FRD60) 72" (FRD72)

**DOWNRODS** 

Includes: 8" Downrod

### FINISH & MATERIAL

# BLACK/NATURAL AGED BRASS BLACK/WHITE (BKNAB)

SATIN NICKEL SLIVER / WALNUT (WTSN)

## **BLADES**

MATERIAL: PLYWOOD **PITCH**: 13°















## BOLA | 88811

88811

Modern and chic, the Bola collection elevates the standard fan with its beautifully balanced design. A sleek globe frame seamlessly separates the top DC motor housing from the lower LED light kit, while gracefully curved solid wood blades add a touch of natural sophistication. The energy-efficient DC motor ensures quiet operation, while the included remote control allows you to customize the CCT-tunable LED light, from warm to bright, for the perfect ambiance. Available in 52" blade span and finishes in Matte White, Matte Black, Satin Nickel with white blades, or Natural Aged Brass with white ABS blades. Suitable for dry locations, Bola merges form and function with effortless charm.



LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SP	PEED
24W LED COLOR TEMP: 2700-3000-4000K CRI: 90+ LUMENS: Im 1270 DELIVERED	52" D x 16.25" H BLADE: 4 x 28.25"	AIRFLOW: 592 AIRFLOW EFFECIENCY: 179 ELECTRICITY USE: 35V	

48" (FRD48) 60" (FRD60) 72" (FRD72)

Includes:

6" Downrod

**DOWNRODS** 

12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36)

FINISH & MATERIAL **BLADES** BLACK / BLACK (BK)

NATURAL AGED BRASS / WHITE (NAB) SATIN NICKEL / WHITE (SN)


WALNUT / BLACK (WNBK)

WHITE / WHITE (WT)

MATERIAL: ABS **PITCH**: 12°












## FALCON | 88707 | 88708 | 88717

Combining sleek, modern style with a smaller housing and versatile options. Featuring a streamlined cylinder housing and weatherproof ABS blades, the Falcon is available in multiple technical configurations to suit any application. Choose a highefficiency DC motor with Wet Location construction, ideal for outdoor use, paired with a hardwired DC wall control, or opt for more economical AC motor options with pull chain or wall control configurations. Finishes include Matte Black, Matte White, or Satin Nickel, with the option to elevate the design using Walnut hydro-transferred ABS blades. Damp or Wet Rated, the Falcon is perfect for both indoor and outdoor applications, delivering style and functionality in one sophisticated package.



	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
88707	18W PCB LED COLOR TEMP: 3000K, CRI: 90+ LUMENS: Im 945 DELIVERED	52" D x 16.25" H BLADE: 3 x 24.8"	AIRFLOW: 4500 CFM AIRFLOW EFFECIENCY: 78.94 CFM/W ELECTRICITY USE: 57W	12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036)
88708	18W PCB LED COLOR TEMP: 3000K, CRI: 82.72+ LUMENS: Im 945 DELIVERED	52" D x 16.25" H BLADE: 3 x 24.8"	AIRFLOW: 4500 CFM AIRFLOW EFFECIENCY: 78.94 CFM/W ELECTRICITY USE: 57W	48" (FRD10048) 60" (FRD10060) 72" (FRD10072) *Only available in
88717	18W PCB LED COLOR TEMP: 3000K, CRI: 90+ LUMENS: Im 945 DELIVERED	52" D x 16.25" H BLADE: 3 x 24.8"	AIRFLOW: 5256 CFM AIRFLOW EFFECIENCY: 167.5 CFM/W ELECTRICITY USE: 31.38W	Powder Coat finshes

DC Wet

FINISH & MATERIAL **BLADES** BLACK (BK)

BLACK/WALNUT (BKWN) MATERIAL: ABS **PITCH**: 18°











Includes:

6" Downrod




Matte White (MW) SATIN NICKEL (SN)



16.25"

## KEANU | 88753 | 88754 | 88755

Inspired by the effortless rhythm of a gentle breeze, the Keanu fan brings both form and function to indoor and outdoor spaces. Its graceful curve appears like carved wood but it is made of ABS blades designed for durability in Wet Location applications. The energy-efficient DC motor ensures quiet, powerful performance. Offering versatility for any setting, the Keanu is available as a close-to-ceiling hugger or with down rod options, with or without an integrated, CCT-tunable light kit. The LED is adjustable from a warm 2700K to bright 5000K. Choose from Matte White, Matte Black, or Satin Nickel finishes, with Teak wood blade options for Matte White and Walnut wood blades for Matte Black. Complete with a DC wall control, the Keanu delivers a refreshing blend of modern design and year-round comfort.



_				ENERGY INFO AT HIGH SPEED				
88753	NO LIGHT KIT	56" D x 12.75" H BLADE: 3 x 28"	AIRFLOW: AIRFLOW EFFECIENCY: ELECTRICITY USE:	6100 CFM 174.3 CFM / W 35W	12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36)			
88754	NO LIGHT KIT	56" D x 13.25" H BLADE: 3 x 28"	AIRFLOW: AIRFLOW EFFECIENCY: ELECTRICITY USE:	6100 CFM 174.3 CFM / W 35W	48" (FRD48) 60" (FRD60) 72" (FRD72)			
875	18W LED COLOR TEMP: 3000-4000-5000K CRI: 82+ LUMENS: Im 1280 DELIVERED	56" D x 14" H BLADE: 3 x 26.4"	AIRFLOW: AIRFLOW EFFECIENCY: ELECTRICITY USE:	6100 CFM 174.3 CFM / W 35W				

Includes: FINISH & MATERIAL **BLADES** 6" Downrod BLACK/WALNUT (BKWN)

BLACK (BK) Matte White (MW)

Matte White / Teak (MWTK)

MATERIAL: ABS **PITCH**: 36°














## QUATTRO | 88794

Featuring four straight fan blades in black on one side and silver on the other, as well as a black and matte white variant, the Quattro fan offers a modern yet transitional style at affordable prices. LED JA8 compatible lamps and a wall control or pull chain are supplied to power the fan.



LAMPING	DIMENSIONS	ENERGY INFO AT H	DOWNRODS	
18.5W LED 120V COLOR TEMP: 3000K CRI: 81.2+	52" D x 17.25" H BLADE: 4 x 23.1"	AIRFLOW:	4518 CFM	12" (FRD12) 18" (FRD18)
LUMENS: Im 1175 DELIVERED	ELECTRICITY USE:		58.2W	24" (FRD24) 36" (FRD36)
				48" (FRD48)
				60" (FRD60)
				72" (FRD72)

Includes: 6" Downrod

### FINISH & MATERIAL **BLADES**

BLACK / BLACK & WALNUT (BK)

SATIN NICKEL / SILVER & DISTRESSED WOOD (SN) MATTE WHITE / WHITE & WHITE OAK (MW) MATERIAL: PLYWOOD **PITCH**: 10.5°

















## SOLSTICE | 61005

The Solstice Chandelier with Fan houses three innovatively curved fan blades within a cage of artfully bent Satin Nickel channel to create a classic form in light. Built in Wi-Fi allows you to control your fan speed from your favorite device.

Indoor | DC Motor | ABS Blades | Wi-Fi Enabled | White Tunable | Dimmable





FCT6100WT (Included)

LAMPING **DIMENSIONS** 

60W LED Integrated, White Tuneable 33.5" D x 23.75" H **COLOR TEMP:** 2700-4000K **CRI:** 90+ **BLADE**: 3 × 22" LUMENS: Im 4320 DELIVERED

**ENERGY INFO AT HIGH SPEED** 

AIRFLOW: 2600 CFM AIRFLOW EFFECIENCY: 130 CFM/W **ELECTRICITY USE:** 20W

12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)

**DOWNRODS** 

Includes: 8" Downrod

### FINISH & MATERIAL

## **BLADES**

BLACK (BK)

SATIN NICKEL (SN)

MATERIAL: ABS **PITCH**: 30°

















## CORONA | 61001

Taking the standard fan to the next level, Fandelights such as this one house a Wifi-enabled fan within a decorative chandelier frame. This transitional look features a minimalistic frame finished in your choice of Matte Black or Satin Nickel and a downward directed ring of LED illumination. The Wi-Fi enabled functions control the light intensity, color temperature, and speed of the fan. They can be operated by the remote provided or popular Smart Home applications from your phone or other electronic device.

# Indoor | DC Motor | ABS Blades | Wi-Fi Enabled | White Tunable | Dimmable



20"

(Included)

**LAMPING DIMENSIONS ENERGY INFO AT HIGH SPEED** 30W PCB LED 27.5" D x 20" H AIRFLOW: 2600 CFM

61001

**BLADE**: 3 x 22" AIRFLOW EFFECIENCY: 130 CFM/W **ELECTRICITY USE:** 

**DOWNRODS** 

12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)

Includes: 6" Downrod

### FINISH & MATERIAL **BLADES**

BLACK (BK)

SATIN NICKEL (SN)

**COLOR TEMP:** 2700-4000K **CRI:** 80+

LUMENS: Im 2220 DELIVERED

MATERIAL: ABS PITCH: 30°











The Slim Series offers versatile LED recessed retrofit lighting in 5 inch, 7 inch, and select 9 inch diameters, delivering high lumen output for ample downlighting. A CCT selectable switch is conveniently controlled at the compact remote driver, which is easily accessible behind the fixture. Choose from a sleek, flat uniformly illuminated acrylic lens, a deeper recessed baffle trim model, or adjustable gimbal configuration to suit any lighting need. There are also Fire Rated options provide up to 2-hour fire protection, making the Slim Series a reliable and adaptable solution for residential and commercial applications.











TRM67704 BK, NAB, SN TRM67706 BK, NAB, SN



MSC6770AL Rough-in Plate Bracket



67707WTWT

Recessed Downlight В

Driver

# **FIRE RATED**



67714WTWT Recessed Downlight C



67716WTWT Recessed Downlight D

		LUMENS							
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.		
Α	67704	10W PCB LED 3000K (Inte.)	4.75"W x 1"H	90+	1000	750			
Α	67705	10W PCB LED 2700-3000-3500-4000-5000K (Inte.)	4.75"W x 1"H	90+	1000	750			
В	67707	12W PCB LED 2700-3000-3500-4000-5000K (Inte.)	6.75"W x 1"H	90+	1200	1000			
С	67714	9W PCB LED 2700-3000-3500-4000-5000K (Inte.)	5"W x 2.5"H	90+	850	700	<b>□ ⊕ ⊕ ⊚</b>		
D	67716	15W PCB LED 2700-3000-3500-4000-5000K (Inte.)	7"W x 2.5"H	90+	1500	1200	<b>□ ⊕ ⊕ ⊚</b>		
	TRM67704		5"W x 0.35"H						
	TRM67706		7"W x 0.35"H						
	MSC6770		14.5"W x 1.75"H						

Finish: White diffuser (WT) White (WT)

# **SLIM BAFFLE**

- Available in 5",7" and 9"
- LED Retrofit in sleek or baffle trim
- adjustable gimbal option
- 2hr fire rated option
- CCT Selectable: 2700-3000-3500-4000-5000K





67727WTWT Recessed Downlight F



# **SLIM GIMBAL**



67755WTWT Recessed Downlight H



67757WTWT Recessed Downlight 1



67764WTWT FIRE RATED Gimbal Recessed Downlight J

			LUMENS				
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Ε	67725	10W PCB LED 2700-3000-3500-4000-5000K (Inte.)	4.75"W x 1"H	90+	1000	750	
F	67727	12W PCB LED 2700-3000-3500-4000-5000K (Inte.)	6.75"W x 1"H	90+	1200	1000	
G	67729	18W PCB LED 2700-3000-3500-4000-5000K (Inte.)	9"W x 1"H	90+	1800	1500	
Н	67755	7W PCB LED 2700-3000-3500-4000-5000K (Inte.)	3.75"W x 1.75"H	90+	700	550	
I	67757	9W PCB LED 2700-3000-3500-4000-5000K (Inte.)	5.25"W x 1.5"H	90+	900	750	
J	67764	9W PCB LED 2700-3000-3500-4000-5000K (Inte.)	5.25"W x 2.75"H	90+	1000	800	<b>□</b> ⊕ ⊕ 🚳

Finish: White diffuser (WT) White (WT)

SLIM | **120 119** | SLIM









**57790**Cove Rough-In Plate

Driver

- 4" and 6" Recessed Can Substitute
- UL Outlet Box fitted on fixture
- Dimmable with Triac Dimmer
- Good for new construction and remodels
- Indirect lighting for soft-even illumination
- IC-Rated for direct contact with insulation
- Damp Location Rated
- Fire Rated is only for 4" model with Rough-In Plate





57792WTWT 57793WTWT Recessed Downlight



57797WTWT 57798WTWT Recessed Downlight В



67794WTWT Recessed Downlight C



67796WTWT Recessed Downlight

			511.451.101.011	LUMENS							
	IIEM#	LAMPING	DIMENSION	HCO	CRI	INII.	DEL.	Additional Info.			
Α	57792	9W LED PCB 3000K (Inte.)	4.75"W x 3.25"H	3.3"	90+	900	675	• • • • •			
Α	57793	9W LED PCB 4000K (Inte.)	4.75"W x 3.25"H	3.3"	90+	1080	675				
В	57797	12W LED 3000K (Inte.)	6.75"W x 3.75"H	3.8"	90+	1200	950				
В	57798	12W LED 4000K (Inte.)	6.75"W x 3.75"H	3.8"	90+	1350	950				
С	67794	9W LED 3000K (Inte.)	4.75"W x 1.5"H		90+	900	675	<b>⊕ ⊕ № (</b> >			
D	67796	12W LED 3000K (Inte.)	6.75"W x 2"H		90+	1200	950				

Finish: White diffuser (WT) White (WT)

- Die Cast Aluminum
- 3000K Color Temperature
- · CRI 90+
- For residential use only
- Suitable for wet locations
- Dimmable with Triac Dimmer









57913 WTBK, WTSN, WTWT 57915 WTSN, WTWT Flush Mount





57923 WTBK, WTSN, WTWT 57925 WTSN, WTWT Flush Mount

C



DIVERSE


can be used in virtually any ceiling application, including showers.

This very compact LED flush mount easily installs on any 3.5" octogan box and gives the look of a recessed trim. Constructed of Die Cast Aluminum, the Diverse luminaire is dimmable and also approved for wet locations so it 57933 WTBK, WTSN, WTWT 57935 WTSN, WTWT Flush Mount

D

			LUMENS								
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.				
Α	57633	10W PCB LED 3000K (Inte.)	6"W x 1.25"H	90+	900	700					
Α	57635	10W PCB LED 2700-3000-3500-4000-5000K (Inte.)	6"W x 1.25"H	90+	900	700					
В	57913	18W PCB LED 3000K (Inte.)	9.25"W x 1.25"H	90+	1620	1300					
В	57915	18W PCB LED 2700-3000-3500-4000-5000K (Inte.)	9.25"W x 1.25"H	90+	1620	1300					
С	57923	20W PCB LED 3000K (Inte.)	11"W x 1.75"H	90+	1800	1500					
С	57925	20W PCB LED 2700-3000-3500-4000-5000K (Inte.)	11"W x 1.75"H	90+	1800	1500					
D	57933	25W PCB LED 3000K (Inte.)	13"W x 1.75"H	90+	2250	1850					
D	57935	25W PCB LED 2700-3000-3500-4000-5000K (Inte.)	13"W x 1.75"H	90+	2250	1850					
E	87611	11W PCB LED 3000K (Inte.)	7.5"W x 1.25"H	90+	1250	1000					
Е	87642	13.5W PCB LED 2700K (Inte.)	7.5"W x 1.25"H	90+	1250	975					
E	87643	13.5W PCB LED 3000K (Inte.)	7.5"W x 1.25"H	90+	1250	975					
E	87644	13.5W PCB LED 4000K (Inte.)	7.5"W x 1.25"H	90+	1250	975					

Finish Options: White glass (WT) Black (BK) Bronze (BZ) Satin Nickel (SN) White (WT)



# CHIPS 5CCT

The entry level Wafer model, now in 5CCT features driverless technology with the same great look. Manufactured of a plastic shell with aluminum backing, the Chip brings all the look of the Wafer at economical pricing for residential applications. The bright and even lighting effect is delivered by edge-lit technology offering an upscale surface mount solution to substitute recessed can lighting.

- Available in 3000K (Made-to-order Color Temperatures available)
- Suitable for Closets according to NEC Section 410.8 & 410.16
- Available in White (WT), Black (BK) and Satin Nickel (SN)
- Dimmable with Triac and ELV Dimmers
- Easy to install: fits in 3-0 and 4-0 Outlet Box (pancake and mud ring acceptable)
- Color Temperatures: 2700-3000-3500-4000-5000K
- Edge-Lit LED Technology
- Suitable for Wet Location, for use on ceilings outdoor and above showers

57593 WTBK, WTWT Flush/Wall Mount

cETLus







57591 WTBK, WTWT Flush Mount



**57597 WTBK, WTWT** Flush/Wall Mount



	ITEM# LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	57591 12W PCB LED 2700-3000-3500-4000-5000K (Inte.)	5.25"L x 5.25"W x .5"H	90+	1100	890	🔒 🚇 🕞 🚱
В	57593 15W PCB LED 2700-3000-3500-4000-5000K (Inte.)	7"L x 7"W x .5"H	90+	1500	1050	🔒 🚇 🔝 🚷
С	57597 22W PCB LED 2700-3000-3500-4000-5000K (Inte.)	11"L x 11"W x 1"H	90+	2100	1550	<b>⊕ ⊕ ⊕ ⊗</b>

Finish Options: White glass (WT) Black (BK) White (WT)



Extremely small in profile, the Caldera extends less than 2" from the ceiling surface with a recessed optical lens housed in the center of an angled edge. The result is a bright light source with wide optics and minimal glare. With a diameter of 3.25 inches, the flush mount includes a mud-in plate for architectural finishing as well as a cover plate for simpler installations that do not require additional preparation.





MSC862WT Mud-In Bracket & Plate

- Available in Black or White
- Range voltage 120-277V
- Clear Optical Lens
- Trim-less Construction or use of cover





			LUMENS						
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.		
Α	86210	12W DC LED 3000K (Integrated)	3.25"W x 1.5"H	90+	1360	1200	💷 🞧 🦺 120-277V Input		
В	86211	8W DC LED 3000K (Integrated)	5.25"W x 1.25"H	90+	800	700	🗈 🎧 🦺 120-277V Input		
	MSC862		5.25"W x 0.25"H						

Finish Options: Black (BK) White (WT)

125 | CHIPS 5CCT CALDERA | 126



- 120-277V Input
  - Dimmable with Triac or ELV at 120V
  - Finish Options: White, Bronze, Brushed Aluminum
  - Color Temperatures: 2700-3000-3500-4000-5000K
  - CRI 90+
  - Wet Location Rated







55762 WTAL, WTBK, WTBZ, WTWT Flush Mount





55766 WTAL, WTBK, WTBZ, WTWT Flush Mount

D

					LUN	1ENS	
	ITEM#	LAMPING	DIMENSION	CRI	INIT.	DEL.	Additional Info.
Α	55761	20/30/40W PCB LED 2700-3000-3500-4000-5000K (Inte.)	23.5"L x 11.75"W x .75"H	90+	3600	2800	<b>□</b> 🕞 🕞 🚷
В	55762	20/30/40W PCB LED 2700-3000-3500-4000-5000K (Inte.)	23.5"L x 23.5"W x .75"H	90+	3600	2800	
С	55764	20/30/40W PCB LED 2700-3000-3500-4000-5000K (Inte.)	48"L x 11.75"W x .75"H	90+	3600	2800	
D	55766	30/40/50W PCB LED 2700-3000-3500-4000-5000K (Inte.)	48"L x 23.5"W x .75"H	90+	4500	3500	

Finish Options: White diffuser (WT) Brushed Aluminum (AL) Black (BK) Bronze (BZ) White(WT)